



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-011769/D002.R000  
**Report Date:** 10/11/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 10/04/23 11:55

**Customer:** NW Natural Goods  
**Product identity:** RB 023277-1  
**Client/Metric ID:** .  
**Laboratory ID:** 23-011769-0001

### Summary

**Potency:**

Analyte per 355ml	Result	Limits	Units	Status	
CBD per 355ml	26.0		mg/355ml		CBD-Total per Serving Size 26.0 mg/355ml
CBG per 355ml	0.699		mg/355ml		
					THC-Total per Serving Size <LOQ
					(Reported in milligrams per serving)

**Residual Solvents:**

All analytes passing and less than LOQ.

**Pesticides:**

Analyte	Result (mg/kg)	Limits (mg/kg)	Status
Multi-Residue Pesticide Profile	< LOQ for all analytes		

**Metals:**

Less than LOQ for all analytes.

**Microbiology:**

Less than LOQ for all analytes.



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-011769/D002.R000  
**Report Date:** 10/11/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 10/04/23 11:55

**Customer:** NW Natural Goods

**Product identity:** RB 023277-1  
**Client/Metric ID:** .  
**Sample Date:**  
**Laboratory ID:** 23-011769-0001  
**Evidence of Cooling:** No  
**Temp:** 15.3 °C  
**Relinquished by:** Ramos  
**Serving Size #1:** 362.1 g  
**Density:** 1.020 g/ml

### Sample Results

Potency per 355ml		Method: J AOAC 2015 V98-6 (mod) <sup>b</sup>		Units mg/se	Batch: 2311600	Analyze: 10/5/23 5:48:00 PM
Analyte	Result	Limits	Units	LOQ	Notes	
CBC per 355ml	< LOQ		mg/355ml	0.355		
CBC-A per 355ml	< LOQ		mg/355ml	0.355		
CBC-Total per 355ml	< LOQ		mg/355ml	0.666		
CBD per 355ml	26.0		mg/355ml	0.355		
CBD-A per 355ml	< LOQ		mg/355ml	0.355		
CBD-Total per 355ml	26.0		mg/355ml	0.666		
CBDV per 355ml	< LOQ		mg/355ml	0.355		
CBDV-A per 355ml	< LOQ		mg/355ml	0.355		
CBDV-Total per 355ml	< LOQ		mg/355ml	0.663		
CBE per 355ml	< LOQ		mg/355ml	0.355		
CBG per 355ml	0.699		mg/355ml	0.355		
CBG-A per 355ml	< LOQ		mg/355ml	0.355		
CBG-Total per 355ml	0.699		mg/355ml	0.663		
CBL per 355ml	< LOQ		mg/355ml	0.355		
CBL-A per 355ml	< LOQ		mg/355ml	0.355		
CBL-Total per 355ml	< LOQ		mg/355ml	0.666		
CBN per 355ml	< LOQ		mg/355ml	0.355		
CBT per 355ml	< LOQ		mg/355ml	0.355		
Δ8-THCV per 355ml	< LOQ		mg/355ml	0.355		
Δ10-THC-9R per 355ml	< LOQ		mg/355ml	0.355		
Δ10-THC-9S per 355ml	< LOQ		mg/355ml	0.355		
Δ10-THC-Total per 355ml	< LOQ		mg/355ml	0.710		
Δ8-THC per 355ml	< LOQ		mg/355ml	0.355		
Δ9-THC per 355ml	< LOQ		mg/355ml	0.355		
delta-9-THCP per 355ml	< LOQ		mg/355ml	0.355		
exo-THC per 355ml	< LOQ		mg/355ml	0.355		
THC-A per 355ml	< LOQ		mg/355ml	0.355		
THC-Total per 355ml	< LOQ		mg/355ml	0.666		
THCV per 355ml	< LOQ		mg/355ml	0.355		
THCV-A per 355ml	< LOQ		mg/355ml	0.355		
THCV-Total per 355ml	< LOQ		mg/355ml	0.667		



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-011769/D002.R000  
**Report Date:** 10/11/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 10/04/23 11:55

Potency per 355ml **Method:** J AOAC 2015 V98-6 (mod)<sup>P</sup> **Units** mg/se **Batch:** 2311600 **Analyze:** 10/5/23 5:48:00 PM

Analyte	Result	Limits	Units	LOQ	Notes
Total Cannabinoids per 355ml	26.7		mg/355ml		

**Microbiology**

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aerobic Plate Count	< LOQ		cfu/g	10	2311536	10/07/23 AOAC 990.12 (Petrifilm) <sup>P</sup>		
E.coli	< LOQ		cfu/g	10	2311534	10/07/23 AOAC 991.14 (Petrifilm) <sup>P</sup>		
Total Coliforms	< LOQ		cfu/g	10	2311534	10/07/23 AOAC 991.14 (Petrifilm) <sup>P</sup>		
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2311535	10/07/23 AOAC 2014.05 (RAPID) <sup>P</sup>		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2311535	10/07/23 AOAC 2014.05 (RAPID) <sup>P</sup>		

**Solvents** **Method:** Residual Solvents by GC/MS<sup>B</sup> **Units** µg/g **Batch** 2311594 **Analyze** 10/06/23 11:40 AM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethyl butane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethyl butane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropyl benzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

**Pesticides** **Method:** AOAC 2007.01 & EN 15662 (mod)<sup>P</sup> **Units** mg/kg **Batch** 2311696 **Analyze** 10/10/23 01:48 PM

Analyte	Result	Limits	Status	Notes
Multi-Residue Pesticide Profile	< LOQ for all analytes			



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-011769/D002.R000  
**Report Date:** 10/11/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 10/04/23 11:55

**Metals**

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Arsenic <sup>‡</sup>	< LOQ	0.200	mg/kg	0.00392	2311675	10/09/23 AOAC 2013.06 (mod.) <sup>‡</sup>	pass	
Cadmium <sup>‡</sup>	< LOQ	0.200	mg/kg	0.00392	2311675	10/09/23 AOAC 2013.06 (mod.) <sup>‡</sup>	pass	
Lead <sup>‡</sup>	< LOQ	0.500	mg/kg	0.00392	2311675	10/09/23 AOAC 2013.06 (mod.) <sup>‡</sup>	pass	
Mercury <sup>‡</sup>	< LOQ	0.100	mg/kg	0.00196	2311675	10/09/23 AOAC 2013.06 (mod.) <sup>‡</sup>	pass	

**Mycotoxins**

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aflatoxin B2 <sup>‡</sup>	< LOQ		µg/kg	5.00	2311590	10/06/23 AOAC 2007.01 & EN 15662 (mod) <sup>‡</sup>		
Aflatoxin B1 <sup>‡</sup>	< LOQ		µg/kg	5.00	2311590	10/06/23 AOAC 2007.01 & EN 15662 (mod) <sup>‡</sup>		
Aflatoxin G1 <sup>‡</sup>	< LOQ		µg/kg	5.00	2311590	10/06/23 AOAC 2007.01 & EN 15662 (mod) <sup>‡</sup>		
Aflatoxin G2 <sup>‡</sup>	< LOQ		µg/kg	5.00	2311590	10/06/23 AOAC 2007.01 & EN 15662 (mod) <sup>‡</sup>		
Ochratoxin A <sup>‡</sup>	< LOQ	20.0	µg/kg	5.00	2311590	10/06/23 AOAC 2007.01 & EN 15662 (mod) <sup>‡</sup>	pass	
Total Aflatoxins <sup>‡</sup>	0.000	20.0	µg/kg	20.0		10/10/23 AOAC 2007.01 & EN 15662 (mod) <sup>‡</sup>	pass	



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-011769/D002.R000  
**Report Date:** 10/11/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 10/04/23 11:55

### Abbreviations

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

<sup>p</sup> = ISO/IEC 17025:2017 accredited method.

<sup>¥</sup> = TNI accredited analyte.

### Units of Measure

cfu/g = Colony forming units per gram

g = g

g/ml = Gram per milliliter

µg/g = Microgram per gram

µg/kg = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/355ml = Milligram per 355ml

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner  
General Manager



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-011769/D002.R000  
**Report Date:** 10/11/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 10/04/23 11:55



Cannabis Multi-Residue Profile, Limits of Quantitation

Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)
Abamectin	0.100	Clethodim	0.050	Endrin	0.100
Acephate	0.100	Clethodim Sulfone	0.050	EPN	0.050
Acetaminocyl	0.100	Clethodim Sulfoxide	0.050	EPIC	0.100
Acetamiprid	0.020	Cb fenfentazine	0.020	Esfenvalerate/ Fenvalerate	0.200
Acetochlor	0.100	Cb mazone	0.020	Etaconazole	0.100
Acrinathrin	0.100	Cb thianidin	0.200	Ethalfuralin	0.100
Alachlor	0.100	Cumaphos	0.050	Ethiofencarb	0.050
Aldicarb	0.100	Crtoxypfos	0.020	Ethion	0.200
Aldicarb sulfoxide	0.100	Cyarazine	0.020	Ethirimol	0.100
Aldoxycarb (Aldicarb-sulfone)	0.100	Cyazofenphos	0.020	Ethofumesate	0.050
Aldrin	0.100	Cyazotranylprole	0.050	Ethoprophos	0.020
Ametoctradin	0.020	Cyazflamid	0.020	Etofenprox	0.020
Ametryn	0.500	Cytoate	0.100	Etoazole	0.020
Aspon	0.100	Cyfluthrin	0.200	Eridiazole	0.100
Asulam	0.100	Cyhalothrin, lambda	0.200	Erimfos	0.020
Atrazine	0.100	Cymoxanil	0.050	Famoxadone	0.200
Atrazine-desethyl	0.100	Cypermethrin	0.200	Famphur	0.100
Azinphos-ethyl	0.020	Cyprodinil	0.100	Fenamidone	0.020
Azinphos-methyl	0.020	Dadhal	0.100	Fenamiphos	0.020
Azoxystrobin	0.020	Damnozide	0.100	Fenamiphos sulfone	0.020
Beralaxyl	0.020	DCEMU	0.050	Fenamiphos sulfoxide	0.020
Berdiocarb	0.020	DDD, op'	0.100	Fenazaquin	0.100
Berfluralin	0.100	DDD, p,p'	0.100	Fenbuconazole	0.100
Berxacor	0.050	DCE, o,p'	0.100	Fenchlorphos	0.100
Bersulide	0.050	DCE, p,p'	0.100	Fenchlorphos-oxon	0.100
BHC alpha isomer	0.100	DDT, o,p'	0.100	Fenhexam d	0.100
BHC beta isomer	0.100	DDT, p,p'	0.100	Fenitrothion	0.100
BHC delta isomer	0.500	DEF (Tribufos)	0.100	Fenobucarb	0.050
Bifenazate	0.020	Deltamethrin	0.100	Fenoxycarb	0.020
Bifenthrin	0.020	Desmedipham	0.100	Fenpropathrin	0.050
Boscalid	0.020	Diallate	0.100	Fenpyroximate	0.020
Bromophos-ethyl	0.100	Diazinon	0.020	Fenson	0.100
Bromophos-methyl	0.200	Diazoxon	0.100	Fensulfiothion	0.020
Bromopropylate	0.100	Dichlobenil	0.100	Fensulfiothion oxon	0.020
Bromuconazole	0.100	D chlorfluaniid	0.100	Fensulfiothion sulfone	0.100
Bupirimate	0.020	D chlorvos	0.100	Fensulfiothion-oxon-sulfone	0.020
Buprofezin	0.050	D clobutrazol	0.050	Fenthion	0.050
Butachlor	0.500	D cofol	0.100	Fenthion oxon	0.020
Butralin	0.200	Dicrotophos	0.050	Fenthion oxon sulfone	0.100
Butylate	0.100	Deldrin	0.100	Fenthion sulfone	0.050
Cadusafos	0.020	Dethofencarb	0.020	Fenuron	0.020
Captan	1.000	D ethyltoluam de (DEET)	0.050	Fipronil	0.100
Carbaryl	0.050	Difenoconazole	0.100	Fonicamid	0.100
Carbendazim	0.100	Dimethenamid	0.050	Fuchloralin	0.100
Carbofuran	0.020	Dimethoate	0.050	Flucythrinate	0.100
Carbophenothion	0.200	D methomorph	0.050	Fludioxonil	0.200
Carboxin	0.020	D niconazole	0.200	Flufenacet	0.020
Carfentrazone-ethyl	0.100	D notefuran	0.200	Flumioxazin	0.100
Chlorantrilprole	0.020	D oxathion	0.100	Flumeturon	0.020
Chordane, os-	0.200	D phenamid	0.020	Fluopicolide	0.050
Chordane, trans-	0.200	D phenylamine	0.100	Fluopyram	0.020
Chorfenapyr	0.500	Disulfoton	0.100	Fluoxastrobin	0.050
Chorfenoson	0.200	Disulfoton sulfone	0.100	Flupyradfurone	0.020
Chorfenvinphos	0.050	Disulfoton sulfoxide	0.100	Fluridone	0.100
Chorobenzilate	0.100	Duron	0.050	Flusilazole	0.020
Choroneb	0.200	Edifenphos	0.050	Flutolanil	0.020
Chorpyrifos	0.050	Endosulfan alpha	0.200	Flutriafol	0.020
Chorpyrifos-methyl	0.200	Endosulfan beta	0.200	Fluvalinate, tau-	0.100
CIPC	1.000	Endosulfan sulfate	0.100	Fluxapyroxad	0.020



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-011769/D002.R000  
**Report Date:** 10/11/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 10/04/23 11:55



Cannabis Multi-Residue Profile, Limits of Quantitation

Compound	LOQ(mg/kg)	Compound	LOQ(mg/kg)	Compound	LOQ(mg/kg)
Fomesafen	0.100	Mexacarbate	0.020	Propamocarb	0.050
Fonofos	0.100	MGK 264	0.020	Proparil	0.050
Forchlorfenuron	0.050	Mirex	0.100	Propargite	0.050
Formetanate	0.050	Molinate	0.050	Propazine	0.020
Furathiocarb	0.020	Monocrotophos	0.100	Propetamphos	0.050
Heptachlor	0.100	Monolinuron	0.020	Propham	0.050
Heptachlor epoxide	0.100	Myclobutanil	0.050	Propiconazole	0.050
Heptenophos	0.100	Naled	0.100	Propoxur	0.050
Hexachlorobenzene	0.100	Napropamide	0.050	Propoxycarbazone Na	0.050
Hexaconazole	0.100	Neburon	0.020	Propyzamide	0.050
Hexazinone	0.100	Nitrapyrin	0.100	Prthiofos	0.100
Hexythiazox	0.020	Norflurazon	0.050	Pyraclostrobin	0.020
Imazalil	0.100	Omethoate	0.100	Pyrazophos	0.050
Imidacoprid	0.100	O-Phenylphenol	0.100	Pyrethrins	0.050
Indaziflam	0.020	Oxadixyl	0.100	Pyridaben	0.020
Indoxacarb	0.020	Oxamyl	0.100	Pyridafol	0.100
Iprobenfos	0.100	Oxamyl-oxime	0.100	Pyridate	0.020
Iprodione	0.100	Oxychlorane	0.100	Pyrimethanil	0.050
Isobenzan	0.100	Oxydemeton-Methyl	0.100	Pyriproxifen	0.020
Isocarbophos	0.500	Oxythioquinox	0.200	Pyroxasulfone	0.020
Isodrin	0.100	Padlobutrazol	0.050	Pyroxulam	0.020
Isofenphos	0.050	Paraoxon-ethyl	0.020	Quinalphos	0.050
Isofenphos-methyl	0.020	Paraoxon methyl	0.100	Quinoxyfen	0.050
Isofenphos oxon	0.050	Parathion ethyl	0.100	Quintozene (PQNB)	0.200
Isoprocarb	0.020	Parathion methyl	0.200	Resmethrin	0.050
Isopropalin	0.200	Perconazole	0.050	Rotenone	0.050
Isoprothiolane	0.050	Perdimethalin	0.050	S421	0.100
Isoproturon	0.050	Perflufen	0.020	Smaazine	0.100
Isoxaben	0.050	Pertachloroaniline	0.100	Smectryn	0.200
Isoxaflutole	0.050	Pertachloroanisole	0.100	Spinetoram	0.020
Kresoxim-methyl	0.050	Pentachlorobenzene (PCB)	0.100	Spinosad	0.050
Lactofen	0.500	Pentachlorothiobenzene (PCTA)	0.100	Spirodiclofen	0.100
Lenacl	0.100	Perthiopyrad	0.020	Spiromesifen	0.050
Lindane (gammaBHC)	0.100	Permethrin	0.050	Spirotetramat	0.050
Linuron	0.020	Pethane	0.100	Spiroxamine	0.020
Malaaxon	0.050	Phenmedipharm	0.050	Sulfotep	0.050
Malathion	0.050	Phanthoate	0.050	Sulfoxaflor	0.050
Mandipropamid	0.020	Phorate	0.050	Sulprofos	0.020
Mecarbam	0.020	Phorate Sulfone	0.050	Tebuconazole	0.100
Mepanipyrim	0.050	Phorate Sulfoxide	0.050	Tebufenozide	0.020
Merphos	0.500	Phosalone	0.050	Tebuthiuron	0.020
Metalaxyl	0.050	Phosmet	0.100	Tecnazene	0.100
Metaldehyde	0.050	Phosphamidon	0.050	Tefluthrin	0.100
Metconazole	0.100	Phoxim	0.050	Terbufos	0.020
Methadifos	0.100	Pinoxaden	0.020	Terbufos sulfone	0.050
Methamidophos	0.050	Piperonyl butoxide	0.050	Terbufos sulfoxide	0.050
Methidathion	0.050	Pirimicarb	0.020	Terbutylazine	0.020
Methiocarb	0.050	Pirimiphos-methyl	0.050	Terbutryn	0.020
Methiocarb sulfone	0.100	Pirimiphos-ethyl	0.020	Tetrachlorvinphos	0.050
Methiocarb sulfoxide	0.100	Prallethrin	0.100	Tetraconazole	0.050
Methomyl	0.100	Prochloraz	0.020	Tetradfon	0.200
Methoxychlor	0.100	Procyimdone	0.100	Tetramethrin	0.050
Methoxyfenozide	0.020	Prfenofos	0.100	Tetrasul	0.100
Metobromuron	0.050	Prfluralin	0.100	Thiabendazole	0.100
Metolachlor	0.100	Prmecarb	0.050	Thiabendazole, 5-hydroxy	0.100
Metolcarb	0.050	Prometon	0.100	Thiadoprid	0.050
Metraferone	0.050	Prometryn	0.020	Thiamethoxam	0.100
Metribuzin	0.100	Propadchlor	0.020	Thiobencarb	0.050
Mevinphos	0.100			Thiodicarb	0.050
				Thiophanate-methyl	0.050



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-011769/D002.R000  
**Report Date:** 10/11/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 10/04/23 11:55



Cannabis Multi-Residue Profile, Limits of Quantitation

Compound	LOQ(mg/kg)	Compound	LOQ(mg/kg)	Compound	LOQ(mg/kg)
Tolclofos-methyl	0.100	Triazophos	0.020	Trifloxystrobin	0.020
Triforin	0.100	Tolyfluarid	0.050	Triconazole	0.050
Tralkoxydim	0.100	Tridiphane	0.500	Vindozolin	0.100
Triadimefon	0.050	Triflumizole	0.020	Zoxamide	0.020
Triallate	0.100	Trifluralin	0.100		

LOQ= Limit of Quantitation, mg/kg

Factors affecting the LOQ include instrumentation sensitivity for a particular analyte, sample size, moisture content (percent solids) of the sample, effectiveness of the cleanup on the sample extract, and especially the type of sample matrix.





12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-011769/D002.R000  
**Report Date:** 10/11/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 10/04/23 11:55



Hemp & Cannabis  
Chain of Custody

NW-Natural-Goods-  
1696434668

ORELAP ID: CR 000028 ANAB ISO 17025 ID: AT 1508

Contact Information			Project Details			Testing					
Company: <u>NW Natural Goods</u>			Turnaround Time: <u>5 Business Days   Req. For Micro Testing   Standard</u>			H0010 - Potency Combined w/ Basic - Extended Pro le	H0042 - Microtoxins Compliance	H0008 - Residual Solvents - CR	H0015 - Heavy Metals Pro le CR (As, Cd, Pb & Hg)	P2320 - Pesticide - Multi-Residue Pro le	M010 - Micro Pro le D
[Redacted]			Sample Relinquishment Options: <u>Schedule Pick-Up</u>								
[Redacted]			Compliance: <u>Compliance</u>								
[Redacted]			Pick-Up Details								
[Redacted]			Pick-Up Location Name: <u>NW Natural Goods</u>								
[Redacted]			[Redacted]								
[Redacted]			[Redacted]								
[Redacted]			[Redacted]								
[Redacted]			[Redacted]								
[Redacted]			[Redacted]								
[Redacted]			[Redacted]								
#	Sample Name Test	Material	Amount Provided	Reporting Unit	Serving Size						
1	RB 023277-1	Beverage	4 units for sale	mg/g & mg/ serving	355 ml	✓	✓	✓	✓	✓	✓

Relinquished By	Date	Time	Temp., C	Received By	Date	Time	Received Temp., C	Evidence of Cooling?
<i>Josh Hood</i>	<i>10/4/2023</i>	<i>08:48</i>		<i>BR</i>	<i>10/4/2023</i>	<i>10:18</i>		<i>No</i>
<i>BR</i>	<i>10/4/2023</i>	<i>10:46</i>	<i>15.3</i>	<i>MIRH</i>	<i>10/4/2023</i>	<i>11:55</i>		<i>No</i>

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of services](#) associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories  
12423 NE Whitaker Way  
Portland OR 97230

P (503)254-194 / Fax (503)254-1452  
[info@columbiaboratories.com](mailto:info@columbiaboratories.com)

Page 1 of 1  
[www.columbiaboratories.com](http://www.columbiaboratories.com)



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-011769/D002.R000  
**Report Date:** 10/11/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 10/04/23 11:55

Revision: 2 Document ID: 7087  
 Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents				Batch D: 2311594					
Method Blank				Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Propane	ND	< 200		495	584	µg/g	84.8	60 - 120	
Isobutane	ND	< 200		581	767	µg/g	75.7	60 - 120	
Butane	ND	< 200		631	782	µg/g	80.7	60 - 120	
2,2-Dimethylpropane	ND	< 200		769	939	µg/g	81.9	60 - 120	
Methanol	ND	< 200		1430	1670	µg/g	85.6	60 - 120	
Ethylene Oxide	ND	< 30		51	57.1	µg/g	89.3	60 - 120	
2-Methylbutane	ND	< 200		1300	1680	µg/g	77.4	60 - 120	
Pentane	ND	< 200		1290	1670	µg/g	77.2	60 - 120	
Ethanol	ND	< 200		1430	1660	µg/g	86.1	70 - 130	
Ethyl Ether	ND	< 200		1340	1670	µg/g	80.2	60 - 120	
2,2-Dimethylbutane	ND	< 30		143	189	µg/g	75.7	60 - 120	
Acetone	ND	< 200		1390	1670	µg/g	83.2	60 - 120	
2-Propanol	ND	< 200		1360	1630	µg/g	83.4	60 - 120	
Ethyl Formate	ND	< 500		1210	1600	µg/g	75.6	70 - 130	
Acetonitrile	ND	< 100		397	492	µg/g	80.7	60 - 120	
Methyl Acetate	ND	< 500		1490	1600	µg/g	93.1	70 - 130	
2,3-Dimethylbutane	ND	< 30		149	180	µg/g	82.8	60 - 120	
Dichloromethane	ND	< 60		412	488	µg/g	84.4	60 - 120	
2-Methylpentane	ND	< 30		144	182	µg/g	79.1	60 - 120	
MTBE	ND	< 500		1490	1610	µg/g	92.5	70 - 130	
3-Methylpentane	ND	< 30		141	177	µg/g	79.7	60 - 120	
Hexane	ND	< 30		144	177	µg/g	81.4	60 - 120	
1-Propanol	ND	< 500		1460	1600	µg/g	91.3	70 - 130	
Methyl ethyl ketone	ND	< 500		1460	1610	µg/g	90.7	70 - 130	
Ethyl acetate	ND	< 200		1320	1630	µg/g	81.0	60 - 120	
2-Butanol	ND	< 200		1320	1630	µg/g	81.0	60 - 120	
Tetrahydrofuran	ND	< 100		373	488	µg/g	76.4	60 - 120	
Cyclohexane	ND	< 200		1260	1610	µg/g	78.3	60 - 120	
2-methyl-1-propanol	ND	< 500		1410	1610	µg/g	87.6	70 - 130	
Benzene	ND	< 1		4.03	4.79	µg/g	84.1	60 - 120	
Isopropyl Acetate	ND	< 200		1330	1650	µg/g	80.6	60 - 120	
Heptane	ND	< 200		1260	1630	µg/g	77.3	60 - 120	
1-Butanol	ND	< 500		1440	1600	µg/g	90.0	70 - 130	
Propyl Acetate	ND	< 500		1400	1600	µg/g	87.5	70 - 130	
1,4-Dioxane	ND	< 100		393	523	µg/g	75.1	60 - 120	
2-Ethoxyethanol	ND	< 30		133	179	µg/g	74.3	60 - 120	
Methylisobutylketone	ND	< 500		1490	1600	µg/g	93.1	70 - 130	
3-Methyl-1-butanol	ND	< 500		1220	1600	µg/g	76.3	70 - 130	
Ethylene Glycol	ND	< 200		275	508	µg/g	54.3	60 - 120	Q6
Toluene	ND	< 100		379	496	µg/g	76.4	60 - 120	
Isobutyl Acetate	ND	< 500		1350	1610	µg/g	83.9	70 - 130	
1-Pentanol	ND	< 500		893	1600	µg/g	55.8	70 - 130	Q6
Butyl Acetate	ND	< 500		1310	1610	µg/g	81.4	70 - 130	
Ethylbenzene	ND	< 200		671	978	µg/g	68.6	60 - 120	
m,p-Xylene	ND	< 200		676	994	µg/g	68.0	60 - 120	
o-Xylene	ND	< 200		668	982	µg/g	67.8	60 - 120	
Cumene	ND	< 30		105	171	µg/g	61.4	60 - 120	
Anisole	ND	< 500		1150	1600	µg/g	71.9	70 - 130	
DMISO	ND	< 500		1050	1620	µg/g	64.8	70 - 130	Q6
1,2-dimethoxyethane	ND	< 50		158	186	µg/g	84.9	70 - 130	
Triethylamine	ND	< 500		1340	1600	µg/g	83.8	70 - 130	
N,N-dimethylformamide	ND	< 150		383	480	µg/g	79.8	70 - 130	
N,N-dimethylacetamide	ND	< 150		358	483	µg/g	74.1	70 - 130	
Pyridine	ND	< 50		131	168	µg/g	78.0	70 - 130	
Silofane	ND	< 50		88.4	161	µg/g	54.9	70 - 130	Q6
1,2-Dichloroethane	ND	< 1		0.745	1	µg/g	74.5	70 - 130	
Chloroform	ND	< 1		0.74	1	µg/g	74.0	70 - 130	
Trichloroethylene	ND	< 1		0.706	1	µg/g	70.6	70 - 130	
1,1-Dichloroethane	ND	< 1		0.741	1	µg/g	74.1	70 - 130	



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-011769/D002.R000  
**Report Date:** 10/11/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 10/04/23 11:55

Revision: 2 Document ID: 7087  
 Legacy ID: CFL-E33Effective:

QC- Sample Duplicate		Sample ID: 23-011700-0001						
Analyte	Result	Org. Result	LOQ Units	RPD	Limits	Accept/ Fail	Notes	
Propane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Isobutane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Butane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
2,2-Dimethylpropane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Methanol	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Ethylene Oxide	ND	ND	30 µg/g	0.0	< 20	Acceptable		
2-Methylbutane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Pentane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Ethanol	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Ethyl Ether	ND	ND	200 µg/g	0.0	< 20	Acceptable		
2,2-Dimethylbutane	ND	ND	30 µg/g	0.0	< 20	Acceptable		
Acetone	ND	ND	200 µg/g	0.0	< 20	Acceptable		
2-Propanol	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Ethyl Formate	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Acetonitrile	ND	ND	100 µg/g	0.0	< 20	Acceptable		
Methyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable		
2,3-Dimethylbutane	ND	ND	30 µg/g	0.0	< 20	Acceptable		
Dichloromethane	ND	ND	60 µg/g	0.0	< 20	Acceptable		
2-Methylpentane	ND	ND	30 µg/g	0.0	< 20	Acceptable		
MTBE	ND	ND	500 µg/g	0.0	< 20	Acceptable		
3-Methylpentane	ND	ND	30 µg/g	0.0	< 20	Acceptable		
Hexane	ND	ND	30 µg/g	0.0	< 20	Acceptable		
1-Propanol	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Methylethylketone	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Ethyl acetate	ND	ND	200 µg/g	0.0	< 20	Acceptable		
2-Butanol	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Tetrahydrofuran	ND	ND	100 µg/g	0.0	< 20	Acceptable		
Cyclohexane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
2-methyl-1-propanol	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Benzene	ND	ND	1 µg/g	0.0	< 20	Acceptable		
Isopropyl Acetate	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Heptane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
1-Butanol	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Propyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable		
1,4-Dioxane	ND	ND	100 µg/g	0.0	< 20	Acceptable		
2-Ethoxyethanol	ND	ND	30 µg/g	0.0	< 20	Acceptable		
Methylisobutylketone	ND	ND	500 µg/g	0.0	< 20	Acceptable		
3-Methyl-1-butanol	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Ethylene Glycol	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Toluene	ND	ND	100 µg/g	0.0	< 20	Acceptable		
Isobutyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable		
1-Pentanol	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Butyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Ethylbenzene	ND	ND	200 µg/g	0.0	< 20	Acceptable		
m,p-Xylene	ND	ND	200 µg/g	0.0	< 20	Acceptable		
o-Xylene	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Cumene	ND	ND	30 µg/g	0.0	< 20	Acceptable		
Anisole	ND	ND	500 µg/g	0.0	< 20	Acceptable		
DMSO	ND	ND	500 µg/g	0.0	< 20	Acceptable		
1,2-dimethoxyethane	ND	ND	50 µg/g	0.0	< 20	Acceptable		
Triethylamine	ND	ND	500 µg/g	0.0	< 20	Acceptable		
N,N-dimethylformamide	ND	ND	150 µg/g	0.0	< 20	Acceptable		
N,N-dimethylacetamide	ND	ND	150 µg/g	0.0	< 20	Acceptable		
Pyridine	ND	ND	50 µg/g	0.0	< 20	Acceptable		
Sulfolane	ND	ND	50 µg/g	0.0	< 20	Acceptable		
1,2-Dichloroethane	ND	ND	1 µg/g	0.0	< 20	Acceptable		
Chloroform	ND	ND	1 µg/g	0.0	< 20	Acceptable		
Trichloroethylene	ND	ND	1 µg/g	0.0	< 20	Acceptable		
1,1-Dichloroethane	ND	ND	1 µg/g	0.0	< 20	Acceptable		

**Abbreviations**

ND- None Detected at or above MRL  
 RPD- Relative Percent Difference  
 LOQ- Limit of Quantitation  
 Q6- Quality control outside QC limits. Data acceptable based on remaining QC.

**Units of Measure:**

µg/g- Microgram per gram or ppm



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-011769/D002.R000  
**Report Date:** 10/11/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 10/04/23 11:55

Revision: 4 Document D: 7148  
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V98-6 Batch ID: 2311600

Laboratory Control Sample									
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes
CBDVA	2	0.0009	0.0010	%	94.9	80.0	- 120	Acceptable	
CBDV	2	0.0009	0.0010	%	96.4	80.0	- 120	Acceptable	
CBE	2	0.00104	0.00106	%	97.9	80.0	- 120	Acceptable	
CBD	1	0.0009	0.0010	%	95.7	90.0	- 110	Acceptable	
CBD A	1	0.0009	0.0010	%	94.1	80.0	- 120	Acceptable	
CBD	1	0.00108	0.00110	%	97.6	80.0	- 120	Acceptable	
CBD	1	0.0010	0.0009	%	104	90.0	- 110	Acceptable	
THCV	2	0.0009	0.0009	%	100	80.0	- 120	Acceptable	
38THCV	2	0.0009	0.0009	%	96.5	80.0	- 120	Acceptable	
THCV A	2	0.0009	0.0010	%	95.2	80.0	- 120	Acceptable	
CBN	1	0.0009	0.0010	%	96.2	80.0	- 120	Acceptable	
exo-THC	2	0.0009	0.0010	%	96.1	80.0	- 120	Acceptable	
delta-THC	1	0.00115	0.00109	%	105	90.0	- 110	Acceptable	
delta-THC	1	0.0010	0.00102	%	97.3	90.0	- 110	Acceptable	
9S-delta-THC	1	0.00101	0.00101	%	99.8	80.0	- 120	Acceptable	
CBL	2	0.00102	0.00101	%	101	80.0	- 120	Acceptable	
9R-delta-THC	1	0.0010	0.00101	%	94.4	80.0	- 120	Acceptable	
CBC	2	0.0010	0.00102	%	96.9	80.0	- 120	Acceptable	
THCA	1	0.0009	0.00101	%	93.1	90.0	- 110	Acceptable	
CBCA	2	0.0009	0.0010	%	93.8	80.0	- 120	Acceptable	
CBLA	2	0.0010	0.00105	%	94.4	80.0	- 120	Acceptable	
38THCP	2	0.00102	0.0010	%	102	80.0	- 120	Acceptable	
CBT	2	0.0010	0.0010	%	99.2	80.0	- 120	Acceptable	

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBDV	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBE	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBD	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBD A	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBD	<LOQ	0.0001	%	< 0.0001	Acceptable	
THCV	<LOQ	0.0001	%	< 0.0001	Acceptable	
38THCV	<LOQ	0.0001	%	< 0.0001	Acceptable	
THCV A	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBN	<LOQ	0.0001	%	< 0.0001	Acceptable	
exo-THC	<LOQ	0.0001	%	< 0.0001	Acceptable	
delta-THC	<LOQ	0.0001	%	< 0.0001	Acceptable	
delta-THC	<LOQ	0.0001	%	< 0.0001	Acceptable	
9S-delta-THC	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBL	<LOQ	0.0001	%	< 0.0001	Acceptable	
9R-delta-THC	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBC	<LOQ	0.0001	%	< 0.0001	Acceptable	
THCA	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBCA	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBLA	<LOQ	0.0001	%	< 0.0001	Acceptable	
38THCP	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBT	<LOQ	0.0001	%	< 0.0001	Acceptable	

Abbreviations  
 ND - None Detected at or above MRI  
 RPD - Relative Percent Difference  
 LOQ - Limit of Quantitation

Units of Measure:  
 %- Percent



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-011769/D002.R000  
**Report Date:** 10/11/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 10/04/23 11:55

Revision: 4 Document D: 7148  
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V98-6		Batch ID: 2311600						
Sample Duplicate		Sample ID: 23-011768-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CEDA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBD	0.0007	0.0007	0.0001	%	1.62	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
Δ8THCV	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
THCV/A	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
Δ9THC	0.00957	0.00941	0.0001	%	1.64	< 20	Acceptable	
Δ8THC	0.0127	0.0125	0.0001	%	1.68	< 20	Acceptable	
9SΔ10THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
9RΔ10THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
Δ9THCP	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	

Abbreviations

- ND - None Detected at or above MRI
- RPD - Relative Percent Difference
- LOQ - Limit of Quantitation

Units of Measure:

%- Percent



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-011769/D002.R000  
**Report Date:** 10/11/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 10/04/23 11:55





12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-011769/D002.R000  
**Report Date:** 10/11/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 10/04/23 11:55

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.