



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-006491/D001.R000
Report Date: 06/20/2024
ORELAP#: OR100028
Purchase Order:
Received: 06/13/24 11:52

Customer: NW Natural Goods
Product identity: BEV - BO 024165-1
Client/Metric ID: .
Laboratory ID: 24-006491-0001

Summary

Potency:

Analyte per 355ml	Result	Limits	Units	Status	
CBD per 355ml	54.7		mg/355ml		CBD-Total per Serving Size 54.7 mg/355ml
CBG per 355ml	1.36		mg/355ml		
					Delta-9-THC-Total per <LOQ
					(Reported in milligrams per serving)

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

Analyte	Result (mg/kg)	Limits (mg/kg)	Status
Multi-Residue Pesticide Profile	< LOQ for all analytes		

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-006491/D001.R000
Report Date: 06/20/2024
ORELAP#: OR100028
Purchase Order:
Received: 06/13/24 11:52

Customer: NW Natural Goods
Product identity: BEV - BO 024165-1
Client/Metric ID: .
Sample Date:
Laboratory ID: 24-006491-0001
Evidence of Cooling: No
Temp: 18.8
Relinquished by: ramos
Serving Size #1: 362.1 g
Density: 1.020 g/ml

Sample Results

Potency per 355ml	Method: J AOAC 2015 V98-6 (mod) ^b	Units mg/se	Batch: 2404631	Analyze: 6/19/24 11:15:00 AM	
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 355ml	< LOQ		mg/355ml	0.353	
CBC-A per 355ml	< LOQ		mg/355ml	0.353	
CBC-Total per 355ml	< LOQ		mg/355ml	0.662	
CBD per 355ml	54.7		mg/355ml	0.353	
CBD-A per 355ml ¹	< LOQ		mg/355ml	0.353	
CBD-Total per 355ml ¹	54.7		mg/355ml	0.662	
CBDV per 355ml	< LOQ		mg/355ml	0.353	
CBDV-A per 355ml	< LOQ		mg/355ml	0.353	
CBDV-Total per 355ml	< LOQ		mg/355ml	0.658	
CBE per 355ml	< LOQ		mg/355ml	0.353	
CBG per 355ml	1.36		mg/355ml	0.353	
CBG-A per 355ml	< LOQ		mg/355ml	0.353	
CBG-Total per 355ml	1.36		mg/355ml	0.658	
CBL per 355ml	< LOQ		mg/355ml	0.353	
CBL-A per 355ml	< LOQ		mg/355ml	0.353	
CBL-Total per 355ml	< LOQ		mg/355ml	0.662	
CBN per 355ml	< LOQ		mg/355ml	0.353	
CBT per 355ml	< LOQ		mg/355ml	0.353	
Δ10-THC-9R per 355ml	< LOQ		mg/355ml	0.353	
Δ10-THC-9S per 355ml	< LOQ		mg/355ml	0.353	
Δ10-THC-Total per 355ml	< LOQ		mg/355ml	0.705	
Δ8-THC per 355ml ¹	< LOQ		mg/355ml	0.353	
Δ8-THCV per 355ml	< LOQ		mg/355ml	0.353	
Δ9-THC per 355ml ¹	< LOQ		mg/355ml	0.353	
Δ9-THC-Total per 355ml	< LOQ		mg/355ml	0.662	
Δ9-THCP per 355ml	< LOQ		mg/355ml	0.353	
Δ9-THCV per 355ml	< LOQ		mg/355ml	0.353	
Δ9-THCV-A per 355ml	< LOQ		mg/355ml	0.353	
Δ9-THCV-Total per 355ml	< LOQ		mg/355ml	0.662	
exo-THC per 355ml	< LOQ		mg/355ml	0.353	
THC-A per 355ml ¹	< LOQ		mg/355ml	0.353	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-006491/D001.R000
Report Date: 06/20/2024
ORELAP#: OR100028
Purchase Order:
Received: 06/13/24 11:52

Potency per 355ml Method: J AOAC 2015 V98-6 (mod)^b Units mg/se Batch: 2404631 Analyze: 6/19/24 11:15:00 AM

Analyte	Result	Limits	Units	LOQ	Notes
Total Cannabinoids per 355ml	56.0		mg/355ml		

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aerobic Plate Count	< LOQ		cfu/g	10	2404497	06/16/24 AOAC 990.12 (Petrifilm)		
E.coli	< LOQ		cfu/g	10	2404495	06/16/24 AOAC 991.14 (Petrifilm)		
Total Coliforms	< LOQ		cfu/g	10	2404495	06/16/24 AOAC 991.14 (Petrifilm)		
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2404496	06/17/24 AOAC 2014.05 (RAPID)		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2404496	06/17/24 AOAC 2014.05 (RAPID)		

Solvents Method: Residual Solvents by HS-GC-MS^b Units µg/g Batch 2404567 Analyze 06/18/24 11:43 AM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane ¹	< LOQ	380	100	pass		2-Butanol ¹	< LOQ	5000	200	pass	
2-Ethoxyethanol ¹	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane) ¹	< LOQ		200		
2-Methylpentane ¹	< LOQ		30.0			2-Propanol (IPA) ¹	< LOQ	5000	200	pass	
2,2-Dimethylbutane ¹	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane) ¹	< LOQ		200		
2,3-Dimethylbutane ¹	< LOQ		30.0			3-Methylpentane ¹	< LOQ		30.0		
Acetone ¹	< LOQ	5000	200	pass		Acetonitrile ¹	< LOQ	410	100	pass	
Benzene ¹	< LOQ	2.00	1.00	pass		Butanes (sum) ¹	< LOQ	5000	400	pass	
Cyclohexane ¹	< LOQ	3880	200	pass		Ethyl acetate ¹	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether ¹	< LOQ	5000	200	pass	
Ethylene glycol ¹	< LOQ	620	200	pass		Ethylene oxide ¹	< LOQ	50.0	20.0	pass	
Hexanes (sum) ¹	< LOQ	290	150	pass		Isopropyl acetate ¹	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene) ¹	< LOQ	70.0	30.0	pass		m,p-Xylene ¹	< LOQ		200		
Methanol ¹	< LOQ	3000	200	pass		Methylene chloride ¹	< LOQ	600	60.0	pass	
Methylpropane (Isobutane) ¹	< LOQ		200			n-Butane ¹	< LOQ		200		
n-Heptane ¹	< LOQ	5000	200	pass		n-Hexane ¹	< LOQ		30.0		
n-Pentane ¹	< LOQ		200			o-Xylene ¹	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran ¹	< LOQ	720	100	pass		Toluene ¹	< LOQ	890	100	pass	
Total Xylenes ¹	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Pesticides Method: AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2404593 Analyze 06/18/24 12:14 PM

Analyte	Result	Limits	Status	Notes
Multi-Residue Pesticide Profile	< LOQ for all analytes			



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-006491/D001.R000
Report Date: 06/20/2024
ORELAP#: OR100028
Purchase Order:
Received: 06/13/24 11:52

Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Arsenic ^L	< LOQ	0.200	mg/kg	0.00356	2404535	06/14/24 AOAC 2013.06 (mod.) ^P	pass	
Cadmium ^L	< LOQ	0.200	mg/kg	0.00356	2404535	06/14/24 AOAC 2013.06 (mod.) ^P	pass	
Lead ^L	< LOQ	0.500	mg/kg	0.00356	2404535	06/14/24 AOAC 2013.06 (mod.) ^P	pass	
Mercury ^L	< LOQ	0.100	mg/kg	0.00178	2404535	06/14/24 AOAC 2013.06 (mod.) ^P	pass	

Mycotoxins

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aflatoxin B1 ^L	< LOQ		µg/kg	5.00	2404594	06/18/24 AOAC 2007.01 & EN 15662 (mod)		
Aflatoxin B2 ^L	< LOQ		µg/kg	5.00	2404594	06/18/24 AOAC 2007.01 & EN 15662 (mod)		
Aflatoxin G1 ^L	< LOQ		µg/kg	5.00	2404594	06/18/24 AOAC 2007.01 & EN 15662 (mod)		
Aflatoxin G2 ^L	< LOQ		µg/kg	5.00	2404594	06/18/24 AOAC 2007.01 & EN 15662 (mod)		
Ochratoxin A ^L	< LOQ	20.0	µg/kg	5.00	2404594	06/18/24 AOAC 2007.01 & EN 15662 (mod)	pass	
Total Aflatoxins	< LOQ	20.0	µg/kg	20.0		06/19/24 AOAC 2007.01 & EN 15662 (mod) ^P	pass	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-006491/D001.R000
Report Date: 06/20/2024
ORELAP#: OR100028
Purchase Order:
Received: 06/13/24 11:52

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓐ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

Units of Measure

cfu/g = Colony forming units per gram

g = Gram

g/ml = Gram per milliliter

µg/g = Microgram per gram

µg/kg = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/355ml = Milligram per 355ml

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-006491/D001.R000

Report Date: 06/20/2024

ORELAP#: OR100028

Purchase Order:

Received: 06/13/24 11:52

Revision: 2 Document ID: 7087

Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents				Batch ID: 2404567			
Method Blank				Laboratory Control Sample			
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec Limits Notes
Propane	ND	< 200		587	584	µg/g	100.5 60 - 120
Isobutane	ND	< 200		881	767	µg/g	114.9 60 - 120
Butane	ND	< 200		900	782	µg/g	115.1 60 - 120
2,2-Dimethylpropane	ND	< 200		1010	939	µg/g	107.6 60 - 120
Methanol	ND	< 200		1740	1600	µg/g	108.8 60 - 120
Ethylene Oxide	ND	< 30		69.3	57.1	µg/g	121.4 60 - 120 Q1
2-Methylbutane	ND	< 200		1740	1620	µg/g	107.4 60 - 120
Pertane	ND	< 200		1820	1610	µg/g	113.0 60 - 120
Ethanol	ND	< 200		1670	1600	µg/g	104.4 70 - 130
Ethyl Ether	ND	< 200		1570	1610	µg/g	97.5 60 - 120
2,2-Dimethylbutane	ND	< 30		189	190	µg/g	99.5 60 - 120
Acetone	ND	< 200		1410	1610	µg/g	87.6 60 - 120
2-Propanol	ND	< 200		1600	1610	µg/g	99.4 60 - 120
Ethyl Formate	ND	< 500		1380	1630	µg/g	84.7 70 - 130
Acetonitrile	ND	< 100		486	486	µg/g	100.0 60 - 120
Methyl Acetate	ND	< 500		1680	1610	µg/g	104.3 70 - 130
2,3-Dimethylbutane	ND	< 30		176	163	µg/g	108.0 60 - 120
Dichloromethane	ND	< 60		454	482	µg/g	94.2 60 - 120
2-Methylpentane	ND	< 30		186	178	µg/g	104.5 60 - 120
MTBE	ND	< 500		1450	1610	µg/g	90.1 70 - 130
3-Methylpentane	ND	< 30		514	490	µg/g	104.9 60 - 120
Hexane	ND	< 30		183	175	µg/g	104.6 60 - 120
1-Propanol	ND	< 500		1850	1610	µg/g	114.9 70 - 130
Methylethylketone	ND	< 500		1660	1610	µg/g	103.1 70 - 130
Ethyl acetate	ND	< 200		1590	1600	µg/g	99.4 60 - 120
2-Butanol	ND	< 200		1640	1610	µg/g	101.9 60 - 120
Tetrahydrofuran	ND	< 100		504	504	µg/g	100.0 60 - 120
Cyclohexane	ND	< 200		1730	1620	µg/g	106.8 60 - 120
2-methyl-1-propanol	ND	< 500		1660	1610	µg/g	103.1 70 - 130
Benzene	ND	< 1		5.22	5.08	µg/g	102.8 60 - 120
Isopropyl Acetate	ND	< 200		1740	1610	µg/g	108.1 60 - 120
Heptane	ND	< 200		1920	1610	µg/g	119.3 60 - 120
1-Butanol	ND	< 500		1730	1610	µg/g	107.5 70 - 130
Propyl Acetate	ND	< 500		1920	1610	µg/g	119.3 70 - 130
1,4-Dioxane	ND	< 100		474	488	µg/g	97.1 60 - 120
2-Ethoxyethanol	ND	< 30		160	163	µg/g	98.2 60 - 120
Methylisobutylketone	ND	< 500		1820	1620	µg/g	112.3 70 - 130
3-Methyl-1-butanol	ND	< 500		1530	1610	µg/g	95.0 70 - 130
Ethylene Glycol	ND	< 200		304	488	µg/g	62.3 60 - 120
Toluene	ND	< 100		458	492	µg/g	93.1 60 - 120
Isobutyl Acetate	ND	< 500		1950	1620	µg/g	120.4 70 - 130
1-Pentanol	ND	< 500		1770	1610	µg/g	109.9 70 - 130
Butyl Acetate	ND	< 500		1890	1650	µg/g	114.5 70 - 130
Ethylbenzene	ND	< 200		857	969	µg/g	88.4 60 - 120
m,p-Xylene	ND	< 200		825	981	µg/g	84.1 60 - 120
o-Xylene	ND	< 200		738	966	µg/g	76.4 60 - 120
Cumene	ND	< 30		107	167	µg/g	64.1 60 - 120
Anisole	ND	< 500		1010	1610	µg/g	62.7 70 - 130 Q6
DMSO	ND	< 500		712	1610	µg/g	44.2 70 - 130 Q6
1,2-dimethoxyethane	ND	< 50		198	170	µg/g	116.5 70 - 130
Triethylamine	ND	< 500		120	1620	µg/g	7.4 70 - 130 Q6
N,N-dimethylformamide	ND	< 150		413	499	µg/g	82.8 70 - 130
N,N-dimethylacetamide	ND	< 150		340	489	µg/g	69.5 70 - 130 Q6
Pyridine	ND	< 50		127	167	µg/g	76.0 70 - 130
Sulfolane	ND	< 50		112	169	µg/g	66.3 70 - 130 Q6
1,2-Dichloroethane	ND	< 1		0.723	1	µg/g	72.3 70 - 130
Chloroform	ND	< 1		0.854	1	µg/g	85.4 70 - 130
Trichloroethylene	ND	< 1		0.962	1	µg/g	96.2 70 - 130
1,1-Dichloroethane	ND	< 1		0.808	1	µg/g	80.8 70 - 130



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-006491/D001.R000
Report Date: 06/20/2024
ORELAP#: OR100028
Purchase Order:
Received: 06/13/24 11:52

Revision: 2 Document ID: 7087
Legacy ID: CFL-E33Effective:

QC- Sample Duplicate

Sample ID: 24-006428-0001

Analyte	Result	Org. Result	LOQ Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30 µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Pertane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100 µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60 µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500 µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Methylethylketone	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100 µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1 µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100 µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500 µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100 µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200 µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200 µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500 µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500 µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50 µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500 µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150 µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150 µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50 µg/g	0.0	< 20	Acceptable	
Sulfone	ND	ND	50 µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1 µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1 µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1 µg/g	0.0	< 20	Acceptable	
1,1-Dichloroethane	ND	ND	1 µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD- Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

µg/g- Microgram per gram or ppm



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-006491/D001.R000
 Report Date: 06/20/2024
 ORELAP#: OR100028
 Purchase Order:
 Received: 06/13/24 11:52

Revision: 4 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V986 Batch ID: 0

Laboratory Control Sample										
Analyte	LS	Result	Spike	Units	%Rec	Limits			Evaluation	Notes
CBDA	2	0.0009	0.0010	%	99.4	80.0	-	120	Acceptable	
CBV	2	0.0010	0.0010	%	99.6	80.0	-	120	Acceptable	
CB	2	0.0009	0.0010	%	99.4	80.0	-	120	Acceptable	
CBDA	1	0.0009	0.0009	%	102	90.0	-	110	Acceptable	
CBGA	1	0.0009	0.0009	%	102	80.0	-	120	Acceptable	
CBG	1	0.0009	0.0009	%	101	80.0	-	120	Acceptable	
CB	1	0.0010	0.0010	%	101	90.0	-	110	Acceptable	
THCV	2	0.00102	0.00102	%	100.0	80.0	-	120	Acceptable	
d8THCV	2	0.00103	0.00103	%	99.9	80.0	-	120	Acceptable	
THCVA	2	0.0009	0.0009	%	99.5	80.0	-	120	Acceptable	
CBN	1	0.0010	0.0009	%	104	80.0	-	120	Acceptable	
exo-THC	2	0.0008	0.0008	%	99.4	80.0	-	120	Acceptable	
d9THC	1	0.00103	0.0010	%	105	90.0	-	110	Acceptable	
d8THC	1	0.0010	0.0010	%	102	90.0	-	110	Acceptable	
9Sa10THC	1	0.0010	0.0010	%	103	80.0	-	120	Acceptable	
CB	2	0.0009	0.0010	%	98.2	80.0	-	120	Acceptable	
9Rd10THC	1	0.0010	0.00103	%	93.3	80.0	-	120	Acceptable	
CB	2	0.0010	0.0010	%	101	80.0	-	120	Acceptable	
THCA	1	0.0009	0.0009	%	101	90.0	-	110	Acceptable	
CBCA	2	0.0010	0.0010	%	98.9	80.0	-	120	Acceptable	
CBLA	2	0.0010	0.0010	%	99.1	80.0	-	120	Acceptable	
d9THCP	2	0.0010	0.0010	%	100.0	80.0	-	120	Acceptable	
CB	2	0.0009	0.0010	%	97.2	80.0	-	120	Acceptable	

Method Blank							
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes	
CBDA	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBV	<LOQ	0.0001	%	< 0.0001	Acceptable		
CB	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBDA	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBGA	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBG	<LOQ	0.0001	%	< 0.0001	Acceptable		
CB	<LOQ	0.0001	%	< 0.0001	Acceptable		
THCV	<LOQ	0.0001	%	< 0.0001	Acceptable		
d8THCV	<LOQ	0.0001	%	< 0.0001	Acceptable		
THCVA	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBN	<LOQ	0.0001	%	< 0.0001	Acceptable		
exo-THC	<LOQ	0.0001	%	< 0.0001	Acceptable		
d9THC	<LOQ	0.0001	%	< 0.0001	Acceptable		
d8THC	<LOQ	0.0001	%	< 0.0001	Acceptable		
9Sa10THC	<LOQ	0.0001	%	< 0.0001	Acceptable		
CB	<LOQ	0.0001	%	< 0.0001	Acceptable		
9Rd10THC	<LOQ	0.0001	%	< 0.0001	Acceptable		
CB	<LOQ	0.0001	%	< 0.0001	Acceptable		
THCA	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBCA	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBLA	<LOQ	0.0001	%	< 0.0001	Acceptable		
d9THCP	<LOQ	0.0001	%	< 0.0001	Acceptable		
CB	<LOQ	0.0001	%	< 0.0001	Acceptable		

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-006491/D001.R000
Report Date: 06/20/2024
ORELAP#: OR100028
Purchase Order:
Received: 06/13/24 11:52

Revision: 4 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V986		Batch ID: 0						
Sample Duplicate		Sample ID: 24-0064680001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBV	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CB	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBG	0.0004	0.0004	0.0001	%	1.42	< 20	Acceptable	
CB	0.0150	0.0149	0.0001	%	0.471	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
d9THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
d8THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
9Sa10THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CB	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
9Rd10THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CB	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CB	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CB	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CB	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-006491/D001.R000
Report Date: 06/20/2024
ORELAP#: OR100028
Purchase Order:
Received: 06/13/24 11:52





Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.