



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-007256/D001.R000
Report Date: 07/11/2024
ORELAP#: OR100028
Purchase Order:
Received: 07/03/24 11:20

Customer: NW Natural Goods
Product identity: BEV - RB 024182-1

Client/Metric ID: .
Laboratory ID: 24-007256-0001

Summary

Potency:

Analyte per 355ml	Result	Limits	Units	Status	
CBD per 355ml	54.0		mg/355ml		CBD-Total per Serving Size 54.0 mg/355ml
CBG per 355ml	1.42		mg/355ml		
					Delta-9-THC-Total per <LOQ
(Reported in milligrams per serving)					

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

Analyte	Result (mg/kg)	Limits (mg/kg)	Status
Multi-Residue Pesticide Profile	< LOQ for all analytes		

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-007256/D001.R000
Report Date: 07/11/2024
ORELAP#: OR100028
Purchase Order:
Received: 07/03/24 11:20

Customer: NW Natural Goods
Product identity: BEV - RB 024182-1
Client/Metric ID: .
Sample Date:
Laboratory ID: 24-007256-0001
Evidence of Cooling: No
Temp: 18.9 °C
Serving Size #1: 362.1 g
Density: 1.020 g/ml

Sample Results

Potency per 355ml	Method: J AOAC 2015 V98-6 (mod) ^b	Units mg/se	Batch: 2405107	Analyze: 7/5/24 3:07:00 PM	
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 355ml	< LOQ		mg/355ml	0.361	
CBC-A per 355ml	< LOQ		mg/355ml	0.361	
CBC-Total per 355ml	< LOQ		mg/355ml	0.677	
CBD per 355ml	54.0		mg/355ml	0.361	
CBD-A per 355ml [±]	< LOQ		mg/355ml	0.361	
CBD-Total per 355ml [±]	54.0		mg/355ml	0.677	
CBDV per 355ml	< LOQ		mg/355ml	0.361	
CBDV-A per 355ml	< LOQ		mg/355ml	0.361	
CBDV-Total per 355ml	< LOQ		mg/355ml	0.673	
CBE per 355ml	< LOQ		mg/355ml	0.361	
CBG per 355ml	1.42		mg/355ml	0.361	
CBG-A per 355ml	< LOQ		mg/355ml	0.361	
CBG-Total per 355ml	1.42		mg/355ml	0.673	
CBL per 355ml	< LOQ		mg/355ml	0.361	
CBL-A per 355ml	< LOQ		mg/355ml	0.361	
CBL-Total per 355ml	< LOQ		mg/355ml	0.677	
CBN per 355ml	< LOQ		mg/355ml	0.361	
CBT per 355ml	< LOQ		mg/355ml	0.361	
Δ10-THC-9R per 355ml	< LOQ		mg/355ml	0.361	
Δ10-THC-9S per 355ml	< LOQ		mg/355ml	0.361	
Δ10-THC-Total per 355ml	< LOQ		mg/355ml	0.721	
Δ8-THC per 355ml [±]	< LOQ		mg/355ml	0.361	
Δ8-THCV per 355ml	< LOQ		mg/355ml	0.361	
Δ9-THC per 355ml [±]	< LOQ		mg/355ml	0.361	
Δ9-THC-Total per 355ml	< LOQ		mg/355ml	0.677	
Δ9-THCP per 355ml	< LOQ		mg/355ml	0.361	
Δ9-THCV per 355ml	< LOQ		mg/355ml	0.361	
Δ9-THCV-A per 355ml	< LOQ		mg/355ml	0.361	
Δ9-THCV-Total per 355ml	< LOQ		mg/355ml	0.677	
exo-THC per 355ml	< LOQ		mg/355ml	0.361	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0430



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-007256/D001.R000
Report Date: 07/11/2024
ORELAP#: OR100028
Purchase Order:
Received: 07/03/24 11:20

Potency per 355ml		Method: J AOAC 2015 V98-6 (mod) ^b		Units mg/se		Batch: 2405107		Analyze: 7/5/24 3:07:00 PM	
Analyte	Result	Limits	Units	LOQ	Notes				
THC-A per 355ml ^l	< LOQ		mg/355ml	0.361					
Total Cannabinoids per 355ml	55.4		mg/355ml						

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aerobic Plate Count	< LOQ		cfu/g	10	2405063	07/07/24 AOAC 990.12 (Petrifilm)		
E.coli	< LOQ		cfu/g	10	2405061	07/07/24 AOAC 991.14 (Petrifilm)		
Total Coliforms	< LOQ		cfu/g	10	2405061	07/07/24 AOAC 991.14 (Petrifilm)		
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2405062	07/08/24 AOAC 2014.05 (RAPID)		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2405062	07/08/24 AOAC 2014.05 (RAPID)		

Solvents		Method: Residual Solvents by HS-GC-MS ^b				Units µg/g		Batch 2405087		Analyze 07/05/24 03:24 PM			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes		
1,4-Dioxane ^l	< LOQ	380	100	pass		2-Butanol ^l	< LOQ	5000	200	pass			
2-Ethoxyethanol ^l	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane) ^l	< LOQ		200				
2-Methylpentane ^l	< LOQ		30.0			2-Propanol (IPA) ^l	< LOQ	5000	200	pass			
2,2-Dimethylbutane ^l	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane) ^l	< LOQ		200				
2,3-Dimethylbutane ^l	< LOQ		30.0			3-Methylpentane ^l	< LOQ		30.0				
Acetone ^l	< LOQ	5000	200	pass		Acetonitrile ^l	< LOQ	410	100	pass			
Benzene ^l	< LOQ	2.00	1.00	pass		Butanes (sum) ^l	< LOQ	5000	400	pass			
Cyclohexane ^l	< LOQ	3880	200	pass		Ethyl acetate ^l	< LOQ	5000	200	pass			
Ethyl benzene	< LOQ		200			Ethyl ether ^l	< LOQ	5000	200	pass			
Ethylene glycol ^l	< LOQ	620	200	pass		Ethylene oxide ^l	< LOQ	50.0	20.0	pass			
Hexanes (sum) ^l	< LOQ	290	150	pass		Isopropyl acetate ^l	< LOQ	5000	200	pass			
Isopropylbenzene (Cumene) ^l	< LOQ	70.0	30.0	pass		m,p-Xylene ^l	< LOQ		200				
Methanol ^l	< LOQ	3000	200	pass		Methylene chloride ^l	< LOQ	600	60.0	pass			
Methylpropane (Isobutane) ^l	< LOQ		200			n-Butane ^l	< LOQ		200				
n-Heptane ^l	< LOQ	5000	200	pass		n-Hexane ^l	< LOQ		30.0				
n-Pentane ^l	< LOQ		200			o-Xylene ^l	< LOQ		200				
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass			
Tetrahydrofuran ^l	< LOQ	720	100	pass		Toluene ^l	< LOQ	890	100	pass			
Total Xylenes ^l	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass			

Pesticides		Method: AOAC 2007.01 & EN 15662 (mod)		Units mg/kg		Batch 2405229		Analyze 07/11/24 10:05 AM	
Analyte	Result	Limits	Status	Notes					
Multi-Residue Pesticide Profile	< LOQ for all analytes								



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-007256/D001.R000
Report Date: 07/11/2024
ORELAP#: OR100028
Purchase Order:
Received: 07/03/24 11:20

Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Arsenic ^L	< LOQ	0.200	mg/kg	0.00390	2405165	07/09/24 AOAC 2013.06 (mod.) ^P	pass	
Cadmium ^L	< LOQ	0.200	mg/kg	0.00390	2405165	07/09/24 AOAC 2013.06 (mod.) ^P	pass	
Lead ^L	< LOQ	0.500	mg/kg	0.00390	2405165	07/09/24 AOAC 2013.06 (mod.) ^P	pass	
Mercury ^L	< LOQ	0.100	mg/kg	0.00195	2405165	07/09/24 AOAC 2013.06 (mod.) ^P	pass	

Mycotoxins

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aflatoxin B1 ^L	< LOQ		µg/kg	5.00	2405118	07/08/24 AOAC 2007.01 & EN 15662 (mod)		
Aflatoxin B2 ^L	< LOQ		µg/kg	5.00	2405118	07/08/24 AOAC 2007.01 & EN 15662 (mod)		
Aflatoxin G1 ^L	< LOQ		µg/kg	5.00	2405118	07/08/24 AOAC 2007.01 & EN 15662 (mod)		
Aflatoxin G2 ^L	< LOQ		µg/kg	5.00	2405118	07/08/24 AOAC 2007.01 & EN 15662 (mod)		
Ochratoxin A ^L	< LOQ	20.0	µg/kg	5.00	2405118	07/08/24 AOAC 2007.01 & EN 15662 (mod)	pass	
Total Aflatoxins	< LOQ	20.0	µg/kg	20.0		07/11/24 AOAC 2007.01 & EN 15662 (mod) ^P	pass	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-007256/D001.R000
Report Date: 07/11/2024
ORELAP#: OR100028
Purchase Order:
Received: 07/03/24 11:20

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓟ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

Units of Measure

cfu/g = Colony forming units per gram

g = Gram

g/ml = Gram per milliliter

µg/g = Microgram per gram

µg/kg = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/355ml = Milligram per 355ml

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-007256/D001.R000
Report Date: 07/11/2024
ORELAP#: OR100028
Purchase Order:
Received: 07/03/24 11:20



Hemp & Cannabis
Chain of Custody

NW-Natural-Goods-
1720011348

ORELAP ID: OR1000028 ANAB ISO 17025 ID: AT1608

Company Details		Project Details			Testing					
Company: NW Natural Goods		Turnaround Time: <u>5 Business Days Reg. For Micro Testing Standard</u>			H0010 - Potency Cannabis (Basic+Expanded)	H0013 - Cannabis Heavy Metals Profile OR	H0008 - Residual Solvents (Cannabis - Oregon)	M1010 - Micro Profile D	H0042 - Aflatoxins+Ochratoxin DLCC	P2320 - Multi-Residue Pesticide Profile (Cannabis)
[REDACTED]		Relinquishment Sampling, Courier & Shipping Options: <u>Pick-Up Courier Service</u>								
[REDACTED]		Compliance: <u>Compliance</u>								
[REDACTED]		Pick-Up Details								
[REDACTED]		Pick-Up Location Name: <u>NW Natural Goods</u>								
[REDACTED]		[REDACTED]								
Billing Information		Receipt Information								
[REDACTED]		Prelog Storage: <u>Canna Shelves</u>								
[REDACTED]		Sample Condition: <u>Satisfactory</u>								
#	Sample Name	Material	Amount Provided	Reporting Unit	Serving Size					
1	BEV - RB 024182-1	Cannab no d Beverage	4 each	mg/g & mg/serv ng	362.1 g	✓	✓	✓	✓	✓

Relinquished By	Date	Time	Temp., °C	Received By	Date	Time	Received Temp., °C	Evidence of Cooling?
JDE MANQAN	07/03/2024	05:55		BR	07/03/2024	10:10	25	No
BR	07/03/2024	11:06	18.9	det	07/03/2024	11:20	18.9	No

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of services](#) associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories
12423 NE Whitaker Way
Portland, OR 97230

P: (503) 254-1794
info@columbiaboratories.com

Page 1 of 1
www.columbiaboratories.com



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-007256/D001.R000
 Report Date: 07/11/2024
 ORELAP#: OR100028
 Purchase Order:
 Received: 07/03/24 11:20



**P2320 Multi-Residue Pesticide Profile
 Cannabis**

Analyte	LOQ (mg/kg)
2,4-D	0.1
Abamectin	0.1
Acephate	0.2
Acequinocyl	0.2
Acetamiprid	0.1
Acetochlor	0.2
Acrinathrin	0.1
Alachlor	0.1
Aldicarb	0.1
Aldoxycarb	0.1
Aldrin	0.1
Ametoctradin	0.1
Ametryn	0.1
Anilazine	0.1
Aspon	0.1
Asulam	0.1
Atrazine	0.1
Atrazine-desethyl	0.1
Azinphos-ethyl	0.1
Azinphos-methyl	0.1
Azoxystrobin	0.1
Benalaxyl	0.1
Bendiocarb	0.1
Benoxacor	0.1
Bensulide	0.1
Bentazon	0.1
Bifenazate	0.1
Bifenox	0.1
Bifenthrin	0.1
Binapacryl	0.1
Boscalid	0.1
Bromacil	0.1
Bromophos-ethyl	0.1
Bromopropylate	0.1
Bromoxynil	0.1
Bupirimate	0.1
Buprofezin	0.1
Butachlor	0.1
Butylate	0.1
Cadusafos	0.1
Captan	0.2
Carbaryl	0.1
Carbendazim	0.1
Carbofuran	0.1
Carbofuran 3-hydroxy	0.1
Carbophenothion	0.1
Carbophenothion-methyl	0.1
Carboxin	0.1

Analyte	LOQ (mg/kg)
Chlorantraniliprol	0.1
Chlordane, cis-	0.1
Chlordane, trans-	0.1
Chlorfenapyr	0.1
Chlorfenvinphos	0.1
Chlorobenzilate	0.1
Chlorpyrifos-ethyl	0.1
Chlorpyrifos-methyl	0.1
Chlorthal-dimethyl (Dacthal)	0.1
Clethodim	0.1
Clethodim sulfone	0.1
Clethodim sulfoxide	0.1
Clofentezine	0.1
Clomazone	0.1
Clopyralid	0.1
Clothianidin	0.1
Coumaphos	0.1
Crotoxyphos	0.1
Cyanofenphos	0.1
Cyanophos	0.1
Cyantraniliprole	0.1
Cyazofamid	0.1
Cyfluthrin	0.1
Cyhalothrin, lambda	0.1
Cymoxanil	0.1
Cypermethrin	0.1
Cyprodinil	0.1
DDD, o,p'-	0.1
DDD, p,p'-	0.1
DDE, o,p'-	0.1
DDE, p,p'-	0.1
DDT, o,p'-	0.1
DDT, p,p'-	0.1
DEET	0.1
Deltamethrin	0.1
Demeton-S	0.1
Demeton-s-methyl	0.1
Demeton-S-methyl-sulfone	0.1
Desmedipham	0.1
Diazinon	0.1
Dicamba	0.1
Dichlofenthiol	0.1
Dichlofluanid	0.1
Dichlorbenzamid	0.1
Dichlorvos	0.1
Diclofop	0.1
Diclofop-methyl	0.1
Dicrotophos	0.1

Analyte	LOQ (mg/kg)
Dieldrin	0.1
Diethofencarb	0.1
Difenoconazol	0.1
Diffubenzuron	0.1
Diffuzenzopyr	0.1
Dimethenamid	0.1
Dimethoat	0.1
Dimethomorph	0.1
Dinoseb	0.1
Dinotefuran	0.1
Dioxathion	0.1
Diphenamid	0.1
Diphenylamine (DPA)	0.1
Disulfoton	0.1
Disulfoton-sulfone	0.1
Disulfoton-Sulfoxide	0.1
Diuron	0.1
DNOC	0.1
Edifenphos	0.1
Endosulfan (alpha isomer)	0.1
Endosulfan (beta isomer)	0.1
Endosulfan-sulfate	0.1
Endrin	0.1
EPN	0.1
EPTC	0.1
Esfenvalerate/Fenvalerate	0.1
Ethiofencarb	0.1
Ethion	0.1
Ethofumesate	0.1
Ethoprophos	0.1
Etofenprox	0.1
Etoazole	0.1
Etrimfos	0.1
Famoxadone	0.1
Famphur	0.1
Fenamiphos	0.1
Fenamiphos-Sulfone	0.1
Fenamiphos-Sulfoxide	0.1
Fenazaquin	0.1
Fenbuconazole	0.1
Fenhexamid	0.1
Fenobucarb	0.1
Fenoxycarb	0.1
Fenpropathrin	0.1
Fensulfothion	0.1
Fenthion	0.1
Fenuron	0.1
Fipronil	0.1

LOQ= Limit of Quantitation
 mg/kg= milligram per kilogram (ppm)

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-007256/D001.R000
 Report Date: 07/11/2024
 ORELAP#: OR100028
 Purchase Order:
 Received: 07/03/24 11:20



**P2320 Multi-Residue Pesticide Profile
 Cannabis**

Analyte	LOQ (mg/kg)
Flonicamid	0.1
Fluazifop	0.1
Fluazinam	0.1
Flucythrinate	0.1
Fludioxonil	0.1
Flufenacet	0.1
Flumioxazin	0.1
Fluopicolide	0.1
Fluopyram	0.1
Fluoxastrobin	0.1
Flupyradifurone	0.1
Fluridone	0.1
Fluroxypyr	0.1
Fluthiacet-methyl	0.1
Flutolanil	0.1
Flutriafol	0.1
Fluvalinate	0.1
Fluxapyroxad	0.1
Fomesafen	0.1
Formetanate	0.1
Furathiocarb	0.1
Haloxypop	0.1
Heptachlor	0.1
Heptachlor epoxide	0.1
Hexaconazole	0.1
Hexazinone	0.1
Hexythiazox	0.1
Hydropene	0.1
Imazalil	0.1
Imazethapyr	0.1
Imidacloprid	0.1
Indaziflam	0.1
Indoxacarb	0.1
Iprobenfos	0.1
Iprodion	0.1
Isobenzan	0.1
Isofenphos	0.1
Isofenphos-methyl	0.1
Isofenphos-oxon	0.1
Isoprocab	0.1
Isoprothiolane	0.1
Isoproturon	0.1
Isoxaben	0.1
Kresoxim-methyl	0.1
Lindane	0.1
Linuron	0.1
Malaoxon	0.1
Malathion	0.1

Analyte	LOQ (mg/kg)
Mandipropamid	0.1
MCPA	0.1
MCPB	0.1
MCPP	0.1
Mecabarm	0.1
Mepanipirim	0.1
Mesotrione	0.1
Metalaxyl	0.1
Methamidophos	0.1
Methiocarb	0.1
Methiocarb sulfone	0.1
Methiocarb sulfoxide	0.1
Methomyl	0.1
Methoxyfenozide	0.1
Metolachlor	0.1
Metolcarb	0.1
Metrafenone	0.1
Mevinphos	0.1
MGK 264	0.1
Molinate	0.1
Monocrotophos	0.1
Monolinuron	0.1
Myclobutanil	0.1
Naled	0.1
Napropamide	0.1
Neburon	0.1
Norflurazon	0.1
Novaluron	0.1
Omethoat	0.1
Oryzalin	0.1
Oxadiazon	0.1
Oxadixyl	0.1
Oxamyl	0.1
Oxamyl-oxime	0.1
Oxychlorane	0.1
Oxydemeton-Methyl	0.1
Oxyfluorfen	0.1
Paclbutrazol	0.1
Paraoxon-ethyl	0.1
Paraoxon-methyl	0.1
Parathion-methyl	0.1
Penconazole	0.1
Pendimethalin	0.1
Penflufen	0.1
Penthiopyrad	0.1
Permethrin	0.1
Perthane	0.1
Phenmedipham	0.1

Analyte	LOQ (mg/kg)
Phenothrin	0.1
Phenthoate	0.1
Phorate	0.1
Phorate-Sulfone	0.1
Phorate-Sulfoxide	0.1
Phosalone	0.1
Phosmet	0.1
Phosphamidon	0.1
Phoxim	0.1
Pinoxaden	0.1
Piperonyl Butoxide	0.1
Pirimicarb	0.1
Pirimiphos-ethyl	0.1
Pirimiphos-methyl	0.1
Prallethrin	0.1
Prochloraz	0.1
Procymidone	0.1
Profenofos	0.1
Promecarb	0.1
Prometon	0.1
Prometryn	0.1
Propachlor	0.1
Propamocarb	0.1
Propanil	0.1
Propazine	0.1
Propetamophos	0.1
Propham	0.1
Propiconazole	0.1
Propoxur	0.1
Propyzamide	0.1
Prothiofos	0.1
Pyraclostrobin	0.1
Pyraflufen Ethyl	0.1
Pyrazophos	0.1
Pyrethrin	0.1
Pyridaben	0.1
Pyrimethanil	0.1
Pyriproxifen	0.1
Pyroxasulfone	0.1
Pyroxulam	0.1
Quinalphos	0.1
Quinclorac	0.1
Quinoxifen	0.1
Quintozene(PCNB)	0.2
Quizalofop	0.1
Resmethrin	0.1
Rotenone	0.1
Saflufenacil	0.1

LOQ= Limit of Quantitation
 mg/kg= milligram per kilogram (ppm)

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-007256/D001.R000
Report Date: 07/11/2024
ORELAP#: OR100028
Purchase Order:
Received: 07/03/24 11:20



P2320 Multi-Residue Pesticide Profile
Cannabis

Analyte	LOQ (mg/kg)
Sebuthylazin	0.1
Sethoxydim	0.1
Simazine	0.1
Simetryn	0.1
Spinetoram J/L	0.1
Spinosyn A/D	0.1
Spirodiclofen	0.1
Spiromesifen	0.1
Spirotetramat	0.1
Spiroxamine	0.1
Sulfentrazone	0.1
Sulfotep	0.1
Sulfoxafflor	0.1
Sulprofos	0.1
Tebuconazole	0.1
Tebufenozide	0.1
Terbufos	0.1
Terbuthylazine	0.1
Terbutryn	0.1
Tetrachlorvinphos	0.1
Tetraconazole	0.1
Tetramethrin	0.1
Thiabendazol	0.1
Thiabendazol-5-hydroxy	0.1
Thiacloprid	0.1
Thiamethoxam	0.1
Thiobencarb	0.1
Thiodicarb	0.1
Thiometon	0.1
Thiophanate-methyl	0.2
Tolfenpyrad	0.1
Tolyfluanid	0.1
Triadimefon	0.1
Triadimenol	0.1
Triazophos	0.1
Trifloxystrobin	0.1
Triflumizole	0.1
Triticonazole	0.1
Zoxamid	0.1

LOQ= Limit of Quantitation
 mg/kg= milligram per kilogram (ppm)



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-007256/D001.R000

Report Date: 07/11/2024

ORELAP#: OR100028

Purchase Order:

Received: 07/03/24 11:20

Revision: 2 Document ID: 7087

Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents				Batch ID: 2405087			
Method Blank				Laboratory Control Sample			
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec. Limits Notes
Propane	ND	< 200		547	584	µg/g	93.7 60 - 120
Isobutane	ND	< 200		727	767	µg/g	94.8 60 - 120
Butane	ND	< 200		740	782	µg/g	94.6 60 - 120
2,2-Dimethylpropane	ND	< 200		918	939	µg/g	97.8 60 - 120
Methanol	ND	< 200		1880	1600	µg/g	117.5 60 - 120
Ethylene Oxide	ND	< 30		55.8	57.1	µg/g	97.7 60 - 120
2-Methylbutane	ND	< 200		1880	1620	µg/g	116.0 60 - 120
Pertane	ND	< 200		1890	1610	µg/g	117.4 60 - 120
Ethanol	ND	< 200		1890	1600	µg/g	118.1 70 - 130
Ethyl Ether	ND	< 200		1870	1610	µg/g	116.1 60 - 120
2,2-Dimethylbutane	ND	< 30		223	190	µg/g	117.4 60 - 120
Acetone	ND	< 200		1900	1610	µg/g	118.0 60 - 120
2-Propanol	ND	< 200		1890	1610	µg/g	117.4 60 - 120
Ethyl Formate	ND	< 500		1150	1630	µg/g	70.6 70 - 130
Acetonitrile	ND	< 100		563	486	µg/g	115.8 60 - 120
Methyl Acetate	ND	< 500		1290	1610	µg/g	80.1 70 - 130
2,3-Dimethylbutane	ND	< 30		190	163	µg/g	116.6 60 - 120
Dichloromethane	ND	< 60		540	482	µg/g	112.0 60 - 120
2-Methylpentane	ND	< 30		214	178	µg/g	120.2 60 - 120 Q1
MTBE	ND	< 500		1340	1610	µg/g	83.2 70 - 130
3-Methylpentane	ND	< 30		571	490	µg/g	116.5 60 - 120
Hexane	ND	< 30		203	175	µg/g	116.0 60 - 120
1-Propanol	ND	< 500		1360	1610	µg/g	84.5 70 - 130
Methylethylketone	ND	< 500		1320	1610	µg/g	82.0 70 - 130
Ethyl acetate	ND	< 200		1860	1600	µg/g	116.3 60 - 120
2-Butanol	ND	< 200		1890	1610	µg/g	117.4 60 - 120
Tetrahydrofuran	ND	< 100		574	504	µg/g	113.9 60 - 120
Cyclohexane	ND	< 200		1880	1620	µg/g	116.0 60 - 120
2-methyl-1-propanol	ND	< 500		1210	1610	µg/g	75.2 70 - 130
Benzene	ND	< 1		5.5	5.08	µg/g	108.3 60 - 120
Isopropyl Acetate	ND	< 200		1820	1610	µg/g	113.0 60 - 120
Heptane	ND	< 200		1820	1610	µg/g	113.0 60 - 120
1-Butanol	ND	< 500		1210	1610	µg/g	75.2 70 - 130
Propyl Acetate	ND	< 500		1210	1610	µg/g	75.2 70 - 130
1,4-Dioxane	ND	< 100		559	488	µg/g	114.5 60 - 120
2-Ethoxyethanol	ND	< 30		188	163	µg/g	115.3 60 - 120
Methylisobutylketone	ND	< 500		1270	1620	µg/g	78.4 70 - 130
3-Methyl-1-butanol	ND	< 500		1290	1610	µg/g	80.1 70 - 130
Ethylene Glycol	ND	< 200		499	488	µg/g	102.3 60 - 120
Toluene	ND	< 100		542	492	µg/g	110.2 60 - 120
Isobutyl Acetate	ND	< 500		1220	1620	µg/g	75.3 70 - 130
1-Pentanol	ND	< 500		1250	1610	µg/g	77.6 70 - 130
Butyl Acetate	ND	< 500		1310	1650	µg/g	79.4 70 - 130
Ethylbenzene	ND	< 200		1090	969	µg/g	112.5 60 - 120
m,p-Xylene	ND	< 200		1090	981	µg/g	111.1 60 - 120
o-Xylene	ND	< 200		1050	966	µg/g	108.7 60 - 120
Cumene	ND	< 30		183	167	µg/g	109.6 60 - 120
Anisole	ND	< 500		1420	1610	µg/g	88.2 70 - 130
DMSO	ND	< 500		1520	1610	µg/g	94.4 70 - 130
1,2-dimethoxyethane	ND	< 50		127	170	µg/g	74.7 70 - 130
Triethylamine	ND	< 500		1240	1620	µg/g	76.5 70 - 130
N,N-dimethylformamide	ND	< 150		415	499	µg/g	83.2 70 - 130
N,N-dimethylacetamide	ND	< 150		391	489	µg/g	80.0 70 - 130
Pyridine	ND	< 50		139	167	µg/g	83.2 70 - 130
Sulfolane	ND	< 50		160	169	µg/g	94.7 70 - 130
1,2-Dichloroethane	ND	< 1		1.13	1	µg/g	113.0 70 - 130
Chloroform	ND	< 1		1.16	1	µg/g	116.0 70 - 130
Trichloroethylene	ND	< 1		1.22	1	µg/g	122.0 70 - 130
1,1-Dichloroethane	ND	< 1		1.13	1	µg/g	113.0 70 - 130



Revision: 2 Document ID: 7087
Legacy ID: CFL-E33Effective:

QC- Sample Duplicate

Sample ID: 24-007012-0001

Analyte	Result	Org. Result	LOQ Units	RPD	Limits	Accept/ Fail	Notes
Propane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30 µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Pertane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100 µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60 µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500 µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Methylethylketone	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100 µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1 µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100 µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500 µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100 µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200 µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200 µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500 µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500 µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50 µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500 µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150 µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150 µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50 µg/g	0.0	< 20	Acceptable	
Sulfone	ND	ND	50 µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1 µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1 µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1 µg/g	0.0	< 20	Acceptable	
1,1-Dichloroethane	ND	ND	1 µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD- Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

µg/g- Microgram per gram or ppm



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-007256/D001.R000
 Report Date: 07/11/2024
 ORELAP#: OR100028
 Purchase Order:
 Received: 07/03/24 11:20

Revision: 4 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V986 Batch ID: 2405107

Laboratory Control Sample										
Analyte	LS	Result	Spike	Units	% Rec	Limits			Evaluation	Notes
CBDA	2	0.0010	0.0010	%	103	80.0	-	120	Acceptable	
CBV	2	0.0009	0.0010	%	98.1	80.0	-	120	Acceptable	
CB	2	0.0009	0.0010	%	97.1	80.0	-	120	Acceptable	
CBDA	1	0.0009	0.0009	%	103	90.0	-	110	Acceptable	
CBGA	1	0.0009	0.0009	%	97.5	80.0	-	120	Acceptable	
CBG	1	0.00107	0.00111	%	96.7	80.0	-	120	Acceptable	
CB	1	0.0010	0.00107	%	92.3	90.0	-	110	Acceptable	
THCV	2	0.00103	0.00101	%	101	80.0	-	120	Acceptable	
d8THCV	2	0.00103	0.00103	%	101	80.0	-	120	Acceptable	
THCVA	2	0.0010	0.0009	%	102	80.0	-	120	Acceptable	
CBN	1	0.00103	0.00102	%	101	80.0	-	120	Acceptable	
exo-THC	2	0.0009	0.0008	%	104	80.0	-	120	Acceptable	
d9THC	1	0.00107	0.00104	%	102	90.0	-	110	Acceptable	
d8THC	1	0.0010	0.0009	%	103	90.0	-	110	Acceptable	
9Sa10THC	1	0.0010	0.0010	%	102	80.0	-	120	Acceptable	
CB	2	0.00101	0.0010	%	105	80.0	-	120	Acceptable	
9Ra10THC	1	0.0010	0.0010	%	101	80.0	-	120	Acceptable	
CB	2	0.0010	0.0010	%	102	80.0	-	120	Acceptable	
THCA	1	0.0009	0.0009	%	101	90.0	-	110	Acceptable	
CBCA	2	0.00102	0.0010	%	105	80.0	-	120	Acceptable	
CBLA	2	0.00102	0.0010	%	104	80.0	-	120	Acceptable	
d9THCP	2	0.0010	0.0009	%	105	80.0	-	120	Acceptable	
CB	2	0.00101	0.0010	%	104	80.0	-	120	Acceptable	

Method Blank							
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes	
CBDA	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBV	<LOQ	0.0001	%	< 0.0001	Acceptable		
CB	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBDA	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBGA	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBG	<LOQ	0.0001	%	< 0.0001	Acceptable		
CB	<LOQ	0.0001	%	< 0.0001	Acceptable		
THCV	<LOQ	0.0001	%	< 0.0001	Acceptable		
d8THCV	<LOQ	0.0001	%	< 0.0001	Acceptable		
THCVA	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBN	<LOQ	0.0001	%	< 0.0001	Acceptable		
exo-THC	<LOQ	0.0001	%	< 0.0001	Acceptable		
d9THC	<LOQ	0.0001	%	< 0.0001	Acceptable		
d8THC	<LOQ	0.0001	%	< 0.0001	Acceptable		
9Sa10THC	<LOQ	0.0001	%	< 0.0001	Acceptable		
CB	<LOQ	0.0001	%	< 0.0001	Acceptable		
9Ra10THC	<LOQ	0.0001	%	< 0.0001	Acceptable		
CB	<LOQ	0.0001	%	< 0.0001	Acceptable		
THCA	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBCA	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBLA	<LOQ	0.0001	%	< 0.0001	Acceptable		
d9THCP	<LOQ	0.0001	%	< 0.0001	Acceptable		
CB	<LOQ	0.0001	%	< 0.0001	Acceptable		

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-007256/D001.R000
Report Date: 07/11/2024
ORELAP#: OR100028
Purchase Order:
Received: 07/03/24 11:20

Revision: 4 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V986		Batch ID: 2405107						
Sample Duplicate		Sample ID: 24-0071900001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBD4	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBSA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBD	0.0106	0.0108	0.0001	%	2.45	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
d9THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
d8THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
9Sa10THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CB	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
9Ra10THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CB	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBI	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-007256/D001.R000
Report Date: 07/11/2024
ORELAP#: OR100028
Purchase Order:
Received: 07/03/24 11:20





Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.