



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 24-008054/D001.R000  
**Report Date:** 07/31/2024  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 07/24/24 13:43

**Customer:** NW Natural Goods  
**Product identity:** BEV - LM 024206-1  
**Client/Metric ID:** .  
**Laboratory ID:** 24-008054-0001

### Summary

**Potency:**

Analyte per 355ml	Result	Limits	Units	Status	
CBC per 355ml	0.402		mg/355ml		CBD-Total per Serving Size 53.2 mg/355ml
CBD per 355ml	53.2		mg/355ml		
CBG per 355ml	1.38		mg/355ml		Delta-9-THC-Total per <LOQ
					(Reported in milligrams per serving)

**Residual Solvents:**

*All analytes passing and less than LOQ.*

**Pesticides:**

Analyte	Result (mg/kg)	Limits (mg/kg)	Status
Multi-Residue Pesticide Profile	< LOQ for all analytes		

**Metals:**

*Less than LOQ for all analytes.*

**Microbiology:**

*Less than LOQ for all analytes.*



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 24-008054/D001.R000  
**Report Date:** 07/31/2024  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 07/24/24 13:43

**Customer:** NW Natural Goods  
**Product identity:** BEV - LM 024206-1  
**Client/Metric ID:** .  
**Sample Date:**  
**Laboratory ID:** 24-008054-0001  
**Evidence of Cooling:** No  
**Temp:** 18.8 °C  
**Relinquished by:** BR  
**Serving Size #1:** 362.1 g  
**Density:** 1.020 g/ml

### Sample Results

Potency per 355ml		Method: J AOAC 2015 V98-6 (mod) <sup>b</sup>		Units mg/se Batch: 2405695		Analyze: 7/26/24 6:33:00 PM
Analyte	Result	Limits	Units	LOQ	Notes	
CBC per 355ml	0.402		mg/355ml	0.360		
CBC-A per 355ml	< LOQ		mg/355ml	0.360		
CBC-Total per 355ml	< LOQ		mg/355ml	0.676		
CBD per 355ml	53.2		mg/355ml	0.360		
CBD-A per 355ml <sup>1</sup>	< LOQ		mg/355ml	0.360		
CBD-Total per 355ml <sup>1</sup>	53.2		mg/355ml	0.676		
CBDV per 355ml	< LOQ		mg/355ml	0.360		
CBDV-A per 355ml	< LOQ		mg/355ml	0.360		
CBDV-Total per 355ml	< LOQ		mg/355ml	0.673		
CBE per 355ml	< LOQ		mg/355ml	0.360		
CBG per 355ml	1.38		mg/355ml	0.360		
CBG-A per 355ml	< LOQ		mg/355ml	0.360		
CBG-Total per 355ml	1.38		mg/355ml	0.673		
CBL per 355ml	< LOQ		mg/355ml	0.360		
CBL-A per 355ml	< LOQ		mg/355ml	0.360		
CBL-Total per 355ml	< LOQ		mg/355ml	0.676		
CBN per 355ml	< LOQ		mg/355ml	0.360		
CBT per 355ml	< LOQ		mg/355ml	0.360		
Δ10-THC-9R per 355ml	< LOQ		mg/355ml	0.360		
Δ10-THC-9S per 355ml	< LOQ		mg/355ml	0.360		
Δ10-THC-Total per 355ml	< LOQ		mg/355ml	0.721		
Δ8-THC per 355ml <sup>1</sup>	< LOQ		mg/355ml	0.360		
Δ8-THCV per 355ml	< LOQ		mg/355ml	0.360		
Δ9-THC per 355ml <sup>1</sup>	< LOQ		mg/355ml	0.360		
Δ9-THC-Total per 355ml	< LOQ		mg/355ml	0.676		
Δ9-THCP per 355ml	< LOQ		mg/355ml	0.360		
Δ9-THCV per 355ml	< LOQ		mg/355ml	0.360		
Δ9-THCV-A per 355ml	< LOQ		mg/355ml	0.360		
Δ9-THCV-Total per 355ml	< LOQ		mg/355ml	0.677		
exo-THC per 355ml	< LOQ		mg/355ml	0.360		
THC-A per 355ml <sup>1</sup>	< LOQ		mg/355ml	0.360		



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 24-008054/D001.R000  
**Report Date:** 07/31/2024  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 07/24/24 13:43

Potency per 355ml Method: J AOAC 2015 V98-6 (mod)<sup>b</sup> Units mg/se Batch: 2405695 Analyze: 7/26/24 6:33:00 PM

Analyte	Result	Limits	Units	LOQ	Notes
Total Cannabinoids per 355ml	55.0		mg/355ml		

**Microbiology**

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aerobic Plate Count	< LOQ		cfu/g	10	2405602	07/27/24 AOAC 990.12 (Petrifilm)		
E.coli	< LOQ		cfu/g	10	2405600	07/27/24 AOAC 991.14 (Petrifilm)		
Total Coliforms	< LOQ		cfu/g	10	2405600	07/27/24 AOAC 991.14 (Petrifilm)		
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2405601	07/28/24 AOAC 2014.05 (RAPID)		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2405601	07/28/24 AOAC 2014.05 (RAPID)		

Solvents Method: Residual Solvents by HS-GC-MS<sup>b</sup> Units µg/g Batch 2405741 Analyze 07/30/24 01:37 PM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane <sup>1</sup>	< LOQ	380	100	pass		2-Butanol <sup>1</sup>	< LOQ	5000	200	pass	
2-Ethoxyethanol <sup>1</sup>	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane) <sup>1</sup>	< LOQ		200		
2-Methylpentane <sup>1</sup>	< LOQ		30.0			2-Propanol (IPA) <sup>1</sup>	< LOQ	5000	200	pass	
2,2-Dimethylbutane <sup>1</sup>	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane) <sup>1</sup>	< LOQ		200		
2,3-Dimethylbutane <sup>1</sup>	< LOQ		30.0			3-Methylpentane <sup>1</sup>	< LOQ		30.0		
Acetone <sup>1</sup>	< LOQ	5000	200	pass		Acetonitrile <sup>1</sup>	< LOQ	410	100	pass	
Benzene <sup>1</sup>	< LOQ	2.00	1.00	pass		Butanes (sum) <sup>1</sup>	< LOQ	5000	400	pass	
Cyclohexane <sup>1</sup>	< LOQ	3880	200	pass		Ethyl acetate <sup>1</sup>	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether <sup>1</sup>	< LOQ	5000	200	pass	
Ethylene glycol <sup>1</sup>	< LOQ	620	200	pass		Ethylene oxide <sup>1</sup>	< LOQ	50.0	20.0	pass	
Hexanes (sum) <sup>1</sup>	< LOQ	290	150	pass		Isopropyl acetate <sup>1</sup>	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene) <sup>1</sup>	< LOQ	70.0	30.0	pass		m,p-Xylene <sup>1</sup>	< LOQ		200		
Methanol <sup>1</sup>	< LOQ	3000	200	pass		Methylene chloride <sup>1</sup>	< LOQ	600	60.0	pass	
Methylpropane (Isobutane) <sup>1</sup>	< LOQ		200			n-Butane <sup>1</sup>	< LOQ		200		
n-Heptane <sup>1</sup>	< LOQ	5000	200	pass		n-Hexane <sup>1</sup>	< LOQ		30.0		
n-Pentane <sup>1</sup>	< LOQ		200			o-Xylene <sup>1</sup>	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran <sup>1</sup>	< LOQ	720	100	pass		Toluene <sup>1</sup>	< LOQ	890	100	pass	
Total Xylenes <sup>1</sup>	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Pesticides Method: AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2405748 Analyze 07/30/24 01:51 PM

Analyte	Result	Limits	Status	Notes
Multi-Residue Pesticide Profile	< LOQ for all analytes			



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 24-008054/D001.R000  
**Report Date:** 07/31/2024  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 07/24/24 13:43

**Metals**

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Arsenic <sup>L</sup>	< LOQ	0.200	mg/kg	0.00394	2405738	07/30/24 AOAC 2013.06 (mod.) <sup>P</sup>	pass	
Cadmium <sup>L</sup>	< LOQ	0.200	mg/kg	0.00394	2405738	07/30/24 AOAC 2013.06 (mod.) <sup>P</sup>	pass	
Lead <sup>L</sup>	< LOQ	0.500	mg/kg	0.00394	2405738	07/30/24 AOAC 2013.06 (mod.) <sup>P</sup>	pass	
Mercury <sup>L</sup>	< LOQ	0.100	mg/kg	0.00197	2405738	07/30/24 AOAC 2013.06 (mod.) <sup>P</sup>	pass	

**Mycotoxins**

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aflatoxin B1 <sup>L</sup>	< LOQ		µg/kg	5.00	2405710	07/29/24 AOAC 2007.01 & EN 15662 (mod)		
Aflatoxin B2 <sup>L</sup>	< LOQ		µg/kg	5.00	2405710	07/29/24 AOAC 2007.01 & EN 15662 (mod)		
Aflatoxin G1 <sup>L</sup>	< LOQ		µg/kg	5.00	2405710	07/29/24 AOAC 2007.01 & EN 15662 (mod)		
Aflatoxin G2 <sup>L</sup>	< LOQ		µg/kg	5.00	2405710	07/29/24 AOAC 2007.01 & EN 15662 (mod)		
Ochratoxin A <sup>L</sup>	< LOQ	20.0	µg/kg	5.00	2405710	07/29/24 AOAC 2007.01 & EN 15662 (mod)	pass	
Total Aflatoxins	< LOQ	20.0	µg/kg	20.0		07/30/24 AOAC 2007.01 & EN 15662 (mod) <sup>P</sup>	pass	



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 24-008054/D001.R000  
**Report Date:** 07/31/2024  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 07/24/24 13:43

**Abbreviations**

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓟ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

**Units of Measure**

cfu/g = Colony forming units per gram

g = Gram

g/ml = Gram per milliliter

µg/g = Microgram per gram

µg/kg = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/355ml = Milligram per 355ml

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner  
General Manager



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 24-008054/D001.R000  
**Report Date:** 07/31/2024  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 07/24/24 13:43



Hemp & Cannabis  
 Chain of Custody

NW-Natural-Goods-  
 1721775233

<b>Company Details</b> Company: <u>NW Natural Goods</u> [Redacted] [Redacted] [Redacted] [Redacted] [Redacted] [Redacted] [Redacted]		<b>Project Details</b> Turnaround Time: <u>5 Business Days   Req. For Micro Testing   Standard</u> Relinquishment   Sampling, Courier & Shipping Options: <u>Pick-Up Courier Service</u> Compliance: <u>Compliance</u> <b>Pick-Up Details</b> Pick-Up Location Name: <u>NW Natural Goods</u> [Redacted] [Redacted] [Redacted]			<b>Testing</b>					
					H0010 - Potency Cannabis (Basic+Expanded)	H0008 - Residual Solvents (Cannabis - Oregon)	H0013 - Cannabis Heavy Metals Pro le CR	P2320 - Multi-Residue Pesticide Pro le (Cannabis)	H0042 - A. atoxines+Ochratoxin   CLCC	M1010 - Micro Pro le D
#	Sample Name	Material	Amount Provided	Reporting Unit	Serving Size					
1	BEV- LM024206-1	Cannabinoid Beverage	4 each	mg/g & mg/serving	362.1g	✓	✓	✓	✓	✓

Relinquished By	Date	Time	Temp., °C
JOE MANGAN	07/23/2024	15:53	
BR	07/24/2024	11:10	18.80

Received By	Date	Time	Received Temp., °C	Evidence of Cooling?
BR	07/24/2024	10:08	25.00	No

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of services](#) associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories  
 12423 NE Whitaker Way  
 Portland, OR 97230

P: (503) 254-1794  
[info@columbialaboratories.com](mailto:info@columbialaboratories.com)

Page 1 of 1  
[www.columbialaboratories.com](http://www.columbialaboratories.com)



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 24-008054/D001.R000  
**Report Date:** 07/31/2024  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 07/24/24 13:43



P2320 Multi-Residue Pesticide Profile  
 Cannabis

Analyte	LOQ (mg/kg)
2,4-D	0.1
Abamectin	0.1
Acephate	0.2
Acequinocyl	0.2
Acetamiprid	0.1
Acetochlor	0.2
Acrinathrin	0.1
Alachlor	0.1
Aldicarb	0.1
Aldoxycarb	0.1
Aldrin	0.1
Ametoctradin	0.1
Ametryn	0.1
Anilazine	0.1
Aspon	0.1
Asulam	0.1
Atrazine	0.1
Atrazine-desethyl	0.1
Azinphos-ethyl	0.1
Azinphos-methyl	0.1
Azoxystrobin	0.1
Benalaxyl	0.1
Bendiocarb	0.1
Benoxacor	0.1
Bensulide	0.1
Bentazon	0.1
Bifenazate	0.1
Bifenox	0.1
Bifenthrin	0.1
Binapacryl	0.1
Boscalid	0.1
Bromacil	0.1
Bromophos-ethyl	0.1
Bromopropylate	0.1
Bromoxynil	0.1
Bupirimate	0.1
Buprofezin	0.1
Butachlor	0.1
Butylate	0.1
Cadusafos	0.1
Captan	0.2
Carbaryl	0.1
Carbendazim	0.1
Carbofuran	0.1
Carbofuran 3-hydroxy	0.1
Carbophenothion	0.1
Carbophenothion-methyl	0.1
Carboxin	0.1

Analyte	LOQ (mg/kg)
Chlorantraniliprol	0.1
Chlordane, cis-	0.1
Chlordane, trans-	0.1
Chlorfenapyr	0.1
Chlorfenvinphos	0.1
Chlorobenzilate	0.1
Chlorpyrifos-ethyl	0.1
Chlorpyrifos-methyl	0.1
Chlorthal-dimethyl (Dacthal)	0.1
Clethodim	0.1
Clethodim sulfone	0.1
Clethodim sulfoxide	0.1
Clofentezine	0.1
Clomazone	0.1
Clopyralid	0.1
Clothianidin	0.1
Coumaphos	0.1
Crotoxyphos	0.1
Cyanofenphos	0.1
Cyanophos	0.1
Cyantraniliprole	0.1
Cyazofamid	0.1
Cyfluthrin	0.1
Cyhalothrin, lambda	0.1
Cymoxanil	0.1
Cypermethrin	0.1
Cyprodinil	0.1
DDD, o,p'-	0.1
DDD, p,p'-	0.1
DDE, o,p'-	0.1
DDE, p,p'-	0.1
DDT, o,p'-	0.1
DDT, p,p'-	0.1
DEET	0.1
Deltamethrin	0.1
Demeton-S	0.1
Demeton-s-methyl	0.1
Demeton-S-methyl-sulfone	0.1
Desmedipham	0.1
Diazinon	0.1
Dicamba	0.1
Dichlofenthiol	0.1
Dichlofluanid	0.1
Dichlorbenzamid	0.1
Dichlorvos	0.1
Diclofop	0.1
Diclofop-methyl	0.1
Dicrotophos	0.1

Analyte	LOQ (mg/kg)
Dieldrin	0.1
Diethofencarb	0.1
Difenoconazol	0.1
Diffubenzuron	0.1
Diffufenzopyr	0.1
Dimethenamid	0.1
Dimethoat	0.1
Dimethomorph	0.1
Dinoseb	0.1
Dinotefuran	0.1
Dioxathion	0.1
Diphenamid	0.1
Diphenylamine (DPA)	0.1
Disulfoton	0.1
Disulfoton-sulfone	0.1
Disulfoton-Sulfoxide	0.1
Diuron	0.1
DNOC	0.1
Edifenphos	0.1
Endosulfan (alpha isomer)	0.1
Endosulfan (beta isomer)	0.1
Endosulfan-sulfate	0.1
Endrin	0.1
EPN	0.1
EPTC	0.1
Esfenvalerate/Fenvalerate	0.1
Ethiofencarb	0.1
Ethion	0.1
Ethofumesate	0.1
Ethoprophos	0.1
Etofenprox	0.1
Etoxazole	0.1
Etrimfos	0.1
Famoxadone	0.1
Famphur	0.1
Fenamiphos	0.1
Fenamiphos-Sulfone	0.1
Fenamiphos-Sulfoxide	0.1
Fenazaquin	0.1
Fenbuconazole	0.1
Fenhexamid	0.1
Fenobucarb	0.1
Fenoxycarb	0.1
Fenpropathrin	0.1
Fensulfothion	0.1
Fenthion	0.1
Fenuron	0.1
Fipronil	0.1

LOQ= Limit of Quantitation  
 mg/kg= milligram per kilogram (ppm)

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



Report Number: 24-008054/D001.R000  
 Report Date: 07/31/2024  
 ORELAP#: OR100028  
 Purchase Order:  
 Received: 07/24/24 13:43



P2320 Multi-Residue Pesticide Profile  
 Cannabis

Analyte	LOQ (mg/kg)
Flonicamid	0.1
Fluazifop	0.1
Fluazinam	0.1
Flucythrinate	0.1
Fludioxonil	0.1
Flufenacet	0.1
Flumioxazin	0.1
Fluopicolide	0.1
Fluopyram	0.1
Fluoxastrobin	0.1
Flupyradifurone	0.1
Fluridone	0.1
Fluroxypyr	0.1
Fluthiacet-methyl	0.1
Flutolanil	0.1
Flutriafol	0.1
Fluvalinate	0.1
Fluxapyroxad	0.1
Fomesafen	0.1
Formetanate	0.1
Furathiocarb	0.1
Haloxypop	0.1
Heptachlor	0.1
Heptachlor epoxide	0.1
Hexaconazole	0.1
Hexazinone	0.1
Hexythiazox	0.1
Hydropene	0.1
Imazalil	0.1
Imazethapyr	0.1
Imidacloprid	0.1
Indaziflam	0.1
Indoxacarb	0.1
Iprobenfos	0.1
Iprodion	0.1
Isobenzan	0.1
Isofenphos	0.1
Isofenphos-methyl	0.1
Isofenphos-oxon	0.1
Isoprocab	0.1
Isoprothiolane	0.1
Isoproturon	0.1
Isoxaben	0.1
Kresoxim-methyl	0.1
Lindane	0.1
Linuron	0.1
Malaoxon	0.1
Malathion	0.1

Analyte	LOQ (mg/kg)
Mandipropamid	0.1
MCPA	0.1
MCPB	0.1
MCCP	0.1
Mecabam	0.1
Mepanipirim	0.1
Mesotrione	0.1
Metalaxyl	0.1
Methamidophos	0.1
Methiocarb	0.1
Methiocarb sulfone	0.1
Methiocarb sulfoxide	0.1
Methomyl	0.1
Methoxyfenozide	0.1
Metolachlor	0.1
Metolcarb	0.1
Metrafenone	0.1
Mevinphos	0.1
MGK 264	0.1
Molinate	0.1
Monocrotophos	0.1
Monolinuron	0.1
Myclobutanil	0.1
Naled	0.1
Napropamide	0.1
Neburon	0.1
Norflurazon	0.1
Novaluron	0.1
Omethoat	0.1
Oryzalin	0.1
Oxadiazon	0.1
Oxadixyl	0.1
Oxamyl	0.1
Oxamyl-oxime	0.1
Oxychlorane	0.1
Oxydemeton-Methyl	0.1
Oxyfluorfen	0.1
Paclbutrazol	0.1
Paraoxon-ethyl	0.1
Paraoxon-methyl	0.1
Parathion-methyl	0.1
Penconazole	0.1
Pendimethalin	0.1
Penflufen	0.1
Penthiopyrad	0.1
Permethrin	0.1
Perthane	0.1
Phenmedipham	0.1

Analyte	LOQ (mg/kg)
Phenothrin	0.1
Phenthoate	0.1
Phorate	0.1
Phorate-Sulfone	0.1
Phorate-Sulfoxide	0.1
Phosalone	0.1
Phosmet	0.1
Phosphamidon	0.1
Phoxim	0.1
Pinoxaden	0.1
Piperonyl Butoxide	0.1
Pirimicarb	0.1
Pirimiphos-ethyl	0.1
Pirimiphos-methyl	0.1
Prallethrin	0.1
Prochloraz	0.1
Procymidone	0.1
Profenofos	0.1
Promecarb	0.1
Prometon	0.1
Prometryn	0.1
Propachlor	0.1
Propamocarb	0.1
Propanil	0.1
Propazine	0.1
Propetamophos	0.1
Propham	0.1
Propiconazole	0.1
Propoxur	0.1
Propyzamide	0.1
Prothiofos	0.1
Pyraclostrobin	0.1
Pyraflufen Ethyl	0.1
Pyrazophos	0.1
Pyrethrin	0.1
Pyridaben	0.1
Pyrimethanil	0.1
Pyriproxifen	0.1
Pyroxasulfone	0.1
Pyroxsulam	0.1
Quinalphos	0.1
Quinclorac	0.1
Quinoxifen	0.1
Quintozene(PCNB)	0.2
Quizalofop	0.1
Resmethrin	0.1
Rotenone	0.1
Saflufenacil	0.1

LOQ= Limit of Quantitation  
 mg/kg= milligram per kilogram (ppm)

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430





12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 24-008054/D001.R000  
**Report Date:** 07/31/2024  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 07/24/24 13:43



P2320 Multi-Residue Pesticide Profile  
 Cannabis

Analyte	LOQ (mg/kg)
Sebuthylazin	0.1
Sethoxydim	0.1
Simazine	0.1
Simetryn	0.1
Spinetoram J/L	0.1
Spinosyn A/D	0.1
Spirodiclofen	0.1
Spiromesifen	0.1
Spirotetramat	0.1
Spiroxamine	0.1
Sulfentrazone	0.1
Sulfotep	0.1
Sulfoxafflor	0.1
Sulprofos	0.1
Tebuconazole	0.1
Tebufenozide	0.1
Terbufos	0.1
Terbuthylazine	0.1
Terbutryn	0.1
Tetrachlorvinphos	0.1
Tetraconazole	0.1
Tetramethrin	0.1
Thiabendazol	0.1
Thiabendazol-5-hydroxy	0.1
Thiacloprid	0.1
Thiamethoxam	0.1
Thiobencarb	0.1
Thiodicarb	0.1
Thiometon	0.1
Thiophanate-methyl	0.2
Tolfenpyrad	0.1
Tolyfluanid	0.1
Triadimefon	0.1
Triadimenol	0.1
Triazophos	0.1
Trifloxystrobin	0.1
Triflumizole	0.1
Triticonazole	0.1
Zoxamid	0.1

LOQ= Limit of Quantitation  
 mg/kg= milligram per kilogram (ppm)

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 24-008054/D001.R000  
**Report Date:** 07/31/2024  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 07/24/24 13:43

Revision: 4 Document ID: 7148  
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V986 Batch ID: 2405695

Laboratory Control Sample										
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes	
CBDVA	2	0.0010	0.0010	%	100	80.0	- 120	Acceptable		
CBDV	2	0.00102	0.00103	%	98.6	80.0	- 120	Acceptable		
CBE	2	0.00102	0.00103	%	99.4	80.0	- 120	Acceptable		
CBDA	1	0.0009	0.0009	%	95.3	90.0	- 110	Acceptable		
CBGA	1	0.0009	0.0009	%	94.8	80.0	- 120	Acceptable		
CBG	1	0.00103	0.00109	%	94.6	80.0	- 120	Acceptable		
CBD	1	0.0010	0.00105	%	94.2	90.0	- 110	Acceptable		
THCV	2	0.0009	0.0009	%	101	80.0	- 120	Acceptable		
d8THCV	2	0.0009	0.0010	%	99.0	80.0	- 120	Acceptable		
THCVA	2	0.0010	0.0010	%	99.4	80.0	- 120	Acceptable		
CBN	1	0.0010	0.0010	%	96.1	80.0	- 120	Acceptable		
exo-THC	2	0.0010	0.0010	%	99.7	80.0	- 120	Acceptable		
d9THC	1	0.00100	0.00102	%	98.5	90.0	- 110	Acceptable		
d8THC	1	0.0009	0.0009	%	94.7	90.0	- 110	Acceptable		
9S-d10THC	1	0.0009	0.0010	%	95.4	80.0	- 120	Acceptable		
CBL	2	0.00102	0.0010	%	103	80.0	- 120	Acceptable		
9R-d10THC	1	0.0009	0.0009	%	94.7	80.0	- 120	Acceptable		
CBC	2	0.00102	0.00104	%	98.6	80.0	- 120	Acceptable		
THCA	1	0.0009	0.0009	%	93.5	90.0	- 110	Acceptable		
CBCA	2	0.0010	0.0010	%	99.3	80.0	- 120	Acceptable		
CBLA	2	0.00100	0.00101	%	98.9	80.0	- 120	Acceptable		
d9THCP	2	0.0010	0.0010	%	101	80.0	- 120	Acceptable		
CBT	2	0.00101	0.00102	%	98.8	80.0	- 120	Acceptable		

Method Blank							
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes	
CBDVA	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBDV	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBE	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBDA	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBGA	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBG	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBD	<LOQ	0.0001	%	< 0.0001	Acceptable		
THCV	<LOQ	0.0001	%	< 0.0001	Acceptable		
d8THCV	<LOQ	0.0001	%	< 0.0001	Acceptable		
THCVA	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBN	<LOQ	0.0001	%	< 0.0001	Acceptable		
exo-THC	<LOQ	0.0001	%	< 0.0001	Acceptable		
d9THC	<LOQ	0.0001	%	< 0.0001	Acceptable		
d8THC	<LOQ	0.0001	%	< 0.0001	Acceptable		
9S-d10THC	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBL	<LOQ	0.0001	%	< 0.0001	Acceptable		
9R-d10THC	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBC	<LOQ	0.0001	%	< 0.0001	Acceptable		
THCA	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBCA	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBLA	<LOQ	0.0001	%	< 0.0001	Acceptable		
d9THCP	<LOQ	0.0001	%	< 0.0001	Acceptable		
CBT	<LOQ	0.0001	%	< 0.0001	Acceptable		

Abbreviations

ND - None Detected at or above MRL  
 RPD - Relative Percent Difference  
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 24-008054/D001.R000  
**Report Date:** 07/31/2024  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 07/24/24 13:43

Revision: 4 Document ID: 7148  
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V986		Batch ID: 2405695						
Sample Duplicate		Sample ID: 24-0080160001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBG	0.0004	0.0004	0.0001	%	0.421	< 20	Acceptable	
CBD	0.0148	0.0147	0.0001	%	0.510	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
d9THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
d8THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBC	0.0001	0.0001	0.0001	%	0.429	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	

**Abbreviations**

- ND - None Detected at or above MRL
- RPD - Relative Percent Difference
- LOQ - Limit of Quantitation

**Units of Measure:**

% - Percent



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



Report Number: 24-008054/D001.R000

Report Date: 07/31/2024

ORELAP#: OR100028

Purchase Order:

Received: 07/24/24 13:43

Revision: 2 Document ID: 7087

Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents				Batch ID: 2405741					
Method Blank				Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Propane	ND	< 200		563	584	µg/g	96.4	60 - 120	
Isobutane	ND	< 200		716	767	µg/g	93.4	60 - 120	
Butane	ND	< 200		728	782	µg/g	93.1	60 - 120	
2,2-Dimethylpropane	ND	< 200		903	939	µg/g	96.2	60 - 120	
Methanol	ND	< 200		1480	1600	µg/g	92.5	60 - 120	
Ethylene Oxide	ND	< 30		55.6	57.1	µg/g	97.4	60 - 120	
2-Methylbutane	ND	< 200		1530	1620	µg/g	94.4	60 - 120	
Pentane	ND	< 200		1480	1610	µg/g	91.9	60 - 120	
Ethanol	ND	< 200		1410	1600	µg/g	88.1	70 - 130	
Ethyl Ether	ND	< 200		1450	1610	µg/g	90.1	60 - 120	
2,2-Dimethylbutane	ND	< 30		164	190	µg/g	86.3	60 - 120	
Acetone	ND	< 200		1460	1610	µg/g	90.7	60 - 120	
2-Propanol	ND	< 200		1440	1610	µg/g	89.4	60 - 120	
Ethyl Formate	ND	< 500		1220	1630	µg/g	74.8	70 - 130	
Acetonitrile	ND	< 100		429	486	µg/g	88.3	60 - 120	
Methyl Acetate	ND	< 500		1300	1610	µg/g	80.7	70 - 130	
2,3-Dimethylbutane	ND	< 30		148	163	µg/g	90.8	60 - 120	
Dichloromethane	ND	< 60		438	482	µg/g	90.9	60 - 120	
2-Methylpentane	ND	< 30		161	178	µg/g	90.4	60 - 120	
MTBE	ND	< 500		1260	1610	µg/g	78.3	70 - 130	
3-Methylpentane	ND	< 30		438	490	µg/g	89.4	60 - 120	
Hexane	ND	< 30		159	175	µg/g	90.9	60 - 120	
1-Propanol	ND	< 500		1420	1610	µg/g	88.2	70 - 130	
Methylethylketone	ND	< 500		1310	1610	µg/g	81.4	70 - 130	
Ethyl acetate	ND	< 200		1440	1600	µg/g	90.0	60 - 120	
2-Butanol	ND	< 200		1460	1610	µg/g	90.7	60 - 120	
Tetrahydrofuran	ND	< 100		456	504	µg/g	90.5	60 - 120	
Cyclohexane	ND	< 200		1510	1620	µg/g	93.2	60 - 120	
2-methyl-1-propanol	ND	< 500		1390	1610	µg/g	86.3	70 - 130	
Benzene	ND	< 1		4.6	5.08	µg/g	90.6	60 - 120	
Isopropyl Acetate	ND	< 200		1610	1610	µg/g	100.0	60 - 120	
Heptane	ND	< 200		1600	1610	µg/g	99.4	60 - 120	
1-Butanol	ND	< 500		1500	1610	µg/g	93.2	70 - 130	
Propyl Acetate	ND	< 500		1610	1610	µg/g	100.0	70 - 130	
1,4-Dioxane	ND	< 100		464	488	µg/g	95.1	60 - 120	
2-Ethoxyethanol	ND	< 30		168	163	µg/g	103.1	60 - 120	
Methylisobutylketone	ND	< 500		1630	1620	µg/g	100.6	70 - 130	
3-Methyl-1-butanol	ND	< 500		1550	1610	µg/g	96.3	70 - 130	
Ethylene Glycol	ND	< 200		476	488	µg/g	97.5	60 - 120	
Toluene	ND	< 100		468	492	µg/g	95.1	60 - 120	
Isobutyl Acetate	ND	< 500		1620	1620	µg/g	100.0	70 - 130	
1-Pentanol	ND	< 500		1620	1610	µg/g	100.6	70 - 130	
Butyl Acetate	ND	< 500		1690	1650	µg/g	102.4	70 - 130	
Ethylbenzene	ND	< 200		933	969	µg/g	96.3	60 - 120	
m,p-Xylene	ND	< 200		936	981	µg/g	95.4	60 - 120	
o-Xylene	ND	< 200		1010	966	µg/g	104.6	60 - 120	
Cumene	ND	< 30		178	167	µg/g	106.6	60 - 120	
Anisole	ND	< 500		1760	1610	µg/g	109.3	70 - 130	
DMSO	ND	< 500		1890	1610	µg/g	117.4	70 - 130	
1,2-dimethoxyethane	ND	< 50		178	170	µg/g	104.7	70 - 130	
Triethylamine	ND	< 500		1410	1620	µg/g	87.0	70 - 130	
N,N-dimethylformamide	ND	< 150		494	499	µg/g	99.0	70 - 130	
N,N-dimethylacetamide	ND	< 150		501	489	µg/g	102.5	70 - 130	
Pyridine	ND	< 50		150	167	µg/g	89.8	70 - 130	
Sulfolane	ND	< 50		151	169	µg/g	89.3	70 - 130	
1,2-Dichloroethane	ND	< 1		0.971	1	µg/g	97.1	70 - 130	
Chloroform	ND	< 1		0.839	1	µg/g	83.9	70 - 130	
Trichloroethylene	ND	< 1		0.901	1	µg/g	90.1	70 - 130	
1,1-Dichloroethane	ND	< 1		0.752	1	µg/g	75.2	70 - 130	



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



Report Number: 24-008054/D001.R000  
 Report Date: 07/31/2024  
 ORELAP#: OR100028  
 Purchase Order:  
 Received: 07/24/24 13:43

Revision: 2 Document ID: 7087  
 Legacy ID: CFL-E33Effective:

QC - Sample Duplicate

Sample ID: 24-007941-0001

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Methylethylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Sulfolane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,1-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL  
 RPD - Relative Percent Difference  
 LOQ - Limit of Quantitation

Units of Measure:

µg/g- Microgram per gram or ppm



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 24-008054/D001.R000  
**Report Date:** 07/31/2024  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 07/24/24 13:43





Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.