



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-000191/D001.R000
Report Date: 01/15/2025
ORELAP#: OR100028
Purchase Order:
Received: 01/08/25 11:49

Customer: NW Natural Goods
Product identity: HEMP - DSB 0002
Metrc ID: .
Metrc Source ID:
Laboratory ID: 25-000191-0001

Summary

Potency:

Analyte per 4g	Result	Limits	Units	Status	
CBD per 4g	18.3		mg/4g		CBD-Total per Serving Size 18.3 mg/4g
Δ9-THC per 4g	2.06		mg/4g		Delta-9-THC-Total per 2.06 mg/4g
(Reported in milligrams per serving)					

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

Analyte	Result (mg/kg)	Limits (mg/kg)	Status
Multi-Residue Pesticide Profile	< LOQ for all analytes		

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 25-000191/D001.R000
Report Date: 01/15/2025
ORELAP#: OR100028
Purchase Order:
Received: 01/08/25 11:49

Customer: NW Natural Goods
 United States of America (USA)
Product identity: HEMP - DSB 0002
Metrc ID: .
Metrc Source ID:
Material: Cannabinoid Edible
Sample Date:
Laboratory ID: 25-000191-0001
Evidence of Cooling: No
Temp: 19.3
Relinquished by: BCR
Serving Size #1: 4 g

Sample Results

Potency per 4g		Method: J AOAC 2015 V98-6 (mod) ^b		Units mg/se	Batch: 2500198	Analyze: 1/9/25 10:14:00 PM
Analyte	Result	Limits	Units	LOQ	Notes	
CBC per 4g	< LOQ		mg/4g	0.125		
CBC-A per 4g	< LOQ		mg/4g	0.125		
CBC-Total per 4g	< LOQ		mg/4g	0.235		
CBD per 4g	18.3		mg/4g	0.125		
CBD-A per 4g [±]	< LOQ		mg/4g	0.125		
CBD-Total per 4g [±]	18.3		mg/4g	0.235		
CBDV per 4g	< LOQ		mg/4g	0.125		
CBDV-A per 4g	< LOQ		mg/4g	0.125		
CBDV-Total per 4g	< LOQ		mg/4g	0.233		
CBE per 4g	< LOQ		mg/4g	0.125		
CBG per 4g	< LOQ		mg/4g	0.125		
CBG-A per 4g	< LOQ		mg/4g	0.125		
CBG-Total per 4g	< LOQ		mg/4g	0.233		
CBL per 4g	< LOQ		mg/4g	0.125		
CBL-A per 4g	< LOQ		mg/4g	0.125		
CBL-Total per 4g	< LOQ		mg/4g	0.235		
CBN per 4g	< LOQ		mg/4g	0.125		
CBT per 4g	< LOQ		mg/4g	0.125		
Δ10-THC-9R per 4g	< LOQ		mg/4g	0.125		
Δ10-THC-9S per 4g	< LOQ		mg/4g	0.125		
Δ10-THC-Total per 4g	< LOQ		mg/4g	0.250		
Δ8-THC per 4g [±]	< LOQ		mg/4g	0.125		
Δ8-THCV per 4g	< LOQ		mg/4g	0.125		
Δ9-THC per 4g [±]	2.06		mg/4g	0.125		
Δ9-THC-Total per 4g	2.06		mg/4g	0.235		
Δ9-THCP per 4g	< LOQ		mg/4g	0.125		
Δ9-THCV per 4g	< LOQ		mg/4g	0.125		
Δ9-THCV-A per 4g	< LOQ		mg/4g	0.125		
Δ9-THCV-Total per 4g	< LOQ		mg/4g	0.235		

www.columbialaboratories.com
 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0430



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 25-000191/D001.R000
Report Date: 01/15/2025
ORELAP#: OR100028
Purchase Order:
Received: 01/08/25 11:49

Potency per 4g		Method: J AOAC 2015 V98-6 (mod) ^b		Units mg/se	Batch: 2500198	Analyze: 1/9/25 10:14:00 PM
Analyte	Result	Limits	Units	LOQ	Notes	
exo-THC per 4g	< LOQ		mg/4g	0.125		
THC-A per 4g ¹	< LOQ		mg/4g	0.125		
Total Cannabinoids per 4g	20.4		mg/4g			

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2500152	01/11/25 AOAC 991.14 (Petrifilm)		
Total Coliforms	< LOQ		cfu/g	10	2500152	01/11/25 AOAC 991.14 (Petrifilm)		
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2500153	01/12/25 AOAC 2014.05 (RAPID)		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2500153	01/12/25 AOAC 2014.05 (RAPID)		

Solvents		Method: Residual Solvents by HS-GC-MS ^b				Units µg/g	Batch 2500215	Analyze 01/10/25 03:45 PM			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane ¹	< LOQ	380	100	pass		2-Butanol ¹	< LOQ	5000	200	pass	
2-Ethoxyethanol ¹	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane) ¹	< LOQ		200		
2-Methylpentane ¹	< LOQ		30.0			2-Propanol (IPA) ¹	< LOQ	5000	200	pass	
2,2-Dimethylbutane ¹	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane) ¹	< LOQ		200		
2,3-Dimethylbutane ¹	< LOQ		30.0			3-Methylpentane ¹	< LOQ		30.0		
Acetone ¹	< LOQ	5000	200	pass		Acetonitrile ¹	< LOQ	410	100	pass	
Benzene ¹	< LOQ	2.00	1.00	pass		Butanes (sum) ¹	< LOQ	5000	400	pass	
Cyclohexane ¹	< LOQ	3880	200	pass		Ethyl acetate ¹	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether ¹	< LOQ	5000	200	pass	
Ethylene glycol ¹	< LOQ	620	200	pass		Ethylene oxide ¹	< LOQ	50.0	20.0	pass	
Hexanes (sum) ¹	< LOQ	290	150	pass		Isopropyl acetate ¹	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene) ¹	< LOQ	70.0	30.0	pass		m,p-Xylene ¹	< LOQ		200		
Methanol ¹	< LOQ	3000	200	pass		Methylene chloride ¹	< LOQ	600	60.0	pass	
Methylpropane (Isobutane) ¹	< LOQ		200			n-Butane ¹	< LOQ		200		
n-Heptane ¹	< LOQ	5000	200	pass		n-Hexane ¹	< LOQ		30.0		
n-Pentane ¹	< LOQ		200			o-Xylene ¹	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran ¹	< LOQ	720	100	pass		Toluene ¹	< LOQ	890	100	pass	
Total Xylenes ¹	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Pesticides		Method: AOAC 2007.01		Units mg/kg	Batch 2500288	Analyze 01/14/25 02:24 PM
Analyte	Result	Limits	Status	Notes		
Multi-Residue Pesticide Profile	< LOQ for all analytes					



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 25-000191/D001.R000
Report Date: 01/15/2025
ORELAP#: OR100028
Purchase Order:
Received: 01/08/25 11:49

Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Arsenic [±]	< LOQ	0.200	mg/kg	0.0164	2500202	01/10/25 AOAC 2013.06 (mod.) [Ⓟ]	pass	
Cadmium [±]	< LOQ	0.200	mg/kg	0.0164	2500202	01/10/25 AOAC 2013.06 (mod.) [Ⓟ]	pass	
Lead [±]	< LOQ	0.500	mg/kg	0.0164	2500202	01/10/25 AOAC 2013.06 (mod.) [Ⓟ]	pass	
Mercury [±]	< LOQ	0.100	mg/kg	0.00820	2500202	01/10/25 AOAC 2013.06 (mod.) [Ⓟ]	pass	

Nutrition

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Moisture (Loss on Drying)	19.1		g/100g	0.10	2500209	01/09/25 AOAC 925.10 (mod.)		
Water Activity	0.688		Aw	0.030	2500167	01/09/25 AOAC 978.18		

Notes:

See attached Mycotoxin results



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-000191/D001.R000
Report Date: 01/15/2025
ORELAP#: OR100028
Purchase Order:
Received: 01/08/25 11:49

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^p = ISO/IEC 17025:2017 accredited method.

[⊥] = TNI accredited analyte.

Units of Measure

cfu/g = Colony forming units per gram

g = Gram

g/100g = Grams per 100 Grams

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/4g = Milligram per 4g

% = Percentage of sample

Aw = Water Activity

% wt = µg/g divided by 10,000



Residue List

Method AOAC 2007.01

Units mg/kg

Analyzed 1/14/25

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
2,4-D	0.10	2,4-DB	0.10	2,4-DP	0.10	2,4,5-T	0.10
2,4,5-TP	0.10	Abamectin (Avermectin)	0.10	Acephate	0.20	Acequinocyl	0.10
Acetamiprid	0.10	Acetochlor	0.20	Acibenzolar-s-methyl	0.10	Acifluorfen	0.10
Acrinathrin	0.10	Afidopyropen	0.10	Alachlor	0.20	Aldicarb	0.10
Aldicarb-sulfone	0.10	Aldicarb-sulfoxide	0.10	Aldrin	0.10	Ametoctradin	0.10
Ametryn	0.10	Aminocyclopyrachlor	0.10	Anilazine	0.30	Aspon	0.10
Asulam	0.10	Atrazine	0.10	Atrazine-desethyl	0.10	Azadirachtin	0.10
Azinphos-ethyl	0.10	Azinphos-methyl	0.10	Azoxystrobin	0.10	Benalaxyl	0.10
Bendiocarb	0.10	Benfluralin	0.10	Benoxacor	0.10	Bensulide	0.10
Bentazone	0.10	Benzovindiflupyr	0.10	BHC (, , , isomers)	0.10	Bifenazate	0.10
Bifenox	0.10	Bifenthrin	0.10	Binapacryl	0.40	Bioresmethrin	0.10
Bitertanol	0.20	Boscalid	0.10	Broflanilide	0.10	Bromacil	0.20
Bromophos-ethyl	0.20	Bromophos-methyl	0.10	Bromopropylate	0.10	Bromoxynil	0.10
Bromuconazole	0.10	Bupirimate	0.10	Buprofezin	0.10	Butachlor	0.10
Butoxycarboxim	0.10	Butralin	0.20	Butylate	0.10	Cadusafos	0.10
Captafol	1.00	Captan	0.20	Carbaryl	0.10	Carbendazim	0.10
Carbofuran	0.10	Carbofuran-3-hydroxy	0.10	Carbophenothion	0.10	Carbophenothion-methyl	0.10
Carboxin	0.10	Carfentrazone-ethyl	0.10	Chlorantraniliprole	0.10	Chlordane	0.10
Chlordimeform	0.10	Chlorfenapyr	0.20	Chlorfenson	0.10	Chlorfenvinphos	0.10
Chlorimuron-ethyl	0.10	Chlornitrofen	0.20	Chlorobenzilate	0.10	Chloroneb	0.10
Chlorothalonil	0.40	Chlorpropham (CIPC)	0.10	Chlorpyrifos-ethyl	0.10	Chlorpyrifos-methyl	0.10
Chlorsulfuron	0.10	Chlorthal-dimethyl (Dacthal, D)	0.10	Chlorthion	0.20	Chlorthiophos	0.10
Cinerin I	0.10	Clethodim	0.10	Clethodim-sulfone	0.10	Clethodim-sulfoxide	0.10
Clofentezine	0.10	Clomazone	0.10	Clopyralid	0.10	Clothianidin	0.10
Coumaphos	0.10	Crotoxyphos	0.10	Cyanazine	0.10	Cyanofenphos	0.10
Cyanophos	0.40	Cyantraniliprole	0.10	Cyazofamid	0.10	Cycloate	0.10
Cycloxydim	0.10	Cyflufenamid	0.10	Cyflumetofen	0.10	Cyfluthrin (incl. Beta-Cyfluthrin)	0.20
Cyhalothrin, lambda	0.10	Cymoxanil	0.10	Cypermethrin and isomers (su)	0.10	Cyprodinil	0.10
Cyromazine	0.10	DDD-o,p'	0.10	DDD-p,p'	0.10	DDE-o,p'	0.10
DDE-p,p'	0.10	DDT-o,p'	0.10	DDT-p,p'	0.10	DEF (Tribufos)	0.10
Deltamethrin	0.10	Demeton	0.20	Demeton-s-methyl	0.20	Demeton-s-methyl sulfone	0.20
Desmedipham	0.10	Diallate	0.10	Diazinon	0.10	Diazoxon (Diazinon OA)	0.10
Dicamba	0.10	Dichlobenil	0.10	Dichlofenthion	0.10	Dichlofluanid	0.10
Dichlorbenzamide	0.10	Dichlorvos	0.10	Diclobutrazol	0.10	Diclofop	0.10



Residue List

Method AOAC 2007.01

Units mg/kg

Analyzed 1/14/25

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
Diclofop-methyl	0.10	Dicloran	0.40	Dicofol o,p	0.20	Dicofol-p,p	0.20
Dicrotophos	0.10	Dieldrin	0.10	Diethofencarb	0.10	Diethyltoluamide (DEET)	0.10
Difenoconazole	0.10	Diflubenzuron	0.10	Diflufenzopyr	0.10	Dimethenamid	0.10
Dimethoate	0.10	Dimethomorph	0.10	Diniconazole	0.10	Dinocap	0.10
Dinoseb	0.10	Dinotefuran	0.10	Dioxathion	0.10	Diphenamid	0.10
Diphenylamine	0.10	Disulfoton	0.20	Disulfoton-sulfone	0.10	Disulfoton-sulfoxide	0.10
Dithianon	0.10	Dithiopyr	0.10	Diuron	0.10	Diuron metabolite (DCPMU)	0.10
DNOC (Dinitrocresol)	0.10	Edifenphos	0.10	Endosulfan I (alpha)	0.20	Endosulfan II (beta)	0.20
Endosulfan sulfate	0.10	Endrin	0.20	Endrin Aldehyde	0.20	EPN	0.10
EPTC	0.10	Esfenvalerate	0.20	Etaconazole	0.10	Ethaboxam	0.10
Ethalfuralin	0.10	Ethiofencarb	0.10	Ethion	0.10	Ethirimol	0.10
Ethofumesate	0.10	Ethoprophos	0.10	Ethoxyquin	0.20	Etofenprox	0.10
Etoxazole	0.10	Etridiazole	0.10	Etrimfos	0.10	Famoxadone	0.20
Famphur	0.10	Fenamidone	0.10	Fenamiphos	0.10	Fenamiphos-sulfone	0.10
Fenamiphos-sulfoxide	0.10	Fenarimol	0.10	Fenazaquin	0.10	Fenbuconazole	0.10
Fenbutatin oxide	0.10	Fenchlorphos	0.10	Fenchlorphos-oxon	0.10	Fenhexamid	0.10
Fenitrothion	0.10	Fenobucarb	0.10	Fenoxaprop-p-ethyl	0.10	Fenoxycarb	0.10
Fenpropathrin	0.10	Fenpyroximate	0.10	Fenson	0.20	Fensulfothion	0.10
Fenthion	0.10	Fenuron	0.10	Fipronil	0.10	Fonicamid	0.10
Fluazifop	0.10	Fluazinam	0.10	Fluchloralin	0.10	Flucythrinate	0.30
Fludioxonil	0.10	Flufenacet	0.10	Flumetsulam	0.10	Flumioxazin	0.10
Fluometuron	0.10	Fluopicolide	0.10	Fluopyram	0.10	Fluoxastrobin	0.10
Fluprimidol	0.10	Flupyradifurone	0.10	Fluridone	0.10	Fluroxypyr	0.10
Flusilazole	0.10	Fluthiacet-methyl	0.10	Flutianil	0.10	Flutolanil	0.10
Flutriafol	0.10	Fluxapyroxad	0.10	Folpet	0.10	Fomesafen	0.10
Fonofos	0.10	Foramsulfuron	0.10	Forchlorfenuron	0.10	Formetanate	0.10
Furathiocarb	0.10	Halosulfuron-methyl	0.10	Haloxyfop	0.10	Heptachlor	0.10
Heptachlor epoxide	0.10	Hexachlorobenzene	0.10	Hexaconazole	0.10	Hexazinone	0.10
Hexythiazox	0.10	Hydroprene	0.10	Imazalil	0.10	Imazamox	0.10
Imazapic	0.10	Imazapyr	0.10	Imazaquin	0.10	Imazethapyr	0.10
Imidacloprid	0.10	Indaziflam	0.10	Indoxacarb	0.10	Iprobenfos	0.10
Iprodione	0.10	Isazophos	0.10	Isobenzan	0.10	Isocarbophos	0.10
Isodrin	0.10	Isofenphos	0.10	Isofenphos-methyl	0.10	Isofenphos-oxon	0.10
Isofetamid	0.10	Isoprocarb	0.10	Isopropalin	0.10	Isoprothiolane	0.10



Residue List

Method AOAC 2007.01

Units mg/kg

Analyzed 1/14/25

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
Isoproturon	0.10	Isoxaben	0.10	Isoxaflutole	0.10	Jasmolin I	0.10
Kresoxim-methyl	0.10	Lactofen	0.20	Lenacil	0.10	Linuron	0.10
Malaoxon	0.10	Malathion	0.10	Mandestrobin	0.10	Mandipropamid	0.10
MCPA	0.10	MCPB	0.10	MCPP (Mecoprop)	0.10	MCPP-P	0.10
Mecarbam	0.10	Mefentrifluconazole	0.10	Mepanipyrim	0.10	Mesosulfuron-methyl	0.10
Mesotrione	0.10	Metaxyl	0.10	Metaldehyde	0.10	Metconazole	0.10
Methacrifos	0.10	Methamidophos	0.10	Methidathion	0.10	Methiocarb	0.10
Methiocarb-sulfone	0.10	Methiocarb-sulfoxide	0.10	Methiozolin	0.10	Methomyl	0.10
Methoxychlor	0.10	Methoxyfenozide	0.10	Metobromuron	0.10	Metolacarb	0.10
Metolachlor	0.10	Metrafenone	0.10	Metribuzin	0.10	Metsulfuron-methyl	0.10
Mevinphos	0.10	Mexacarbate	0.10	MGK-264	0.10	Mirex	0.10
Molinate	0.10	Monocrotophos	0.10	Monolinuron	0.10	Myclobutanil	0.10
Naled	0.10	Napropamide	0.10	Neburon	0.10	Nicosulfuron	0.10
Nitrapyrin	0.10	Nitrofen	0.20	Norflurazon	0.10	Novaluron	0.10
Nuarimol	0.20	O-Phenylphenol	0.50	Omethoate	0.10	Oryzalin	0.10
Oxadiazon	0.10	Oxadixyl	0.10	Oxamyl	0.10	Oxamyl-oxime	0.10
Oxathiapiprolin	0.10	Oxychlor dane	0.10	Oxydemeton-methyl	0.10	Oxyfluorfen	0.10
Oxythioquinox	0.20	Paclobutrazole	0.10	Paraoxon-ethyl	0.10	Paraoxon-methyl	0.10
Parathion-ethyl	0.10	Parathion-methyl	0.30	Penconazole	0.10	Pendimethalin	0.10
Penflufen	0.10	Pentachloroaniline	0.10	Pentachloroanisole	0.10	Pentachlorobenzene	0.10
Pentachlorophenol	0.10	Pentachlorothioanisole	0.30	Penthiopyrad	0.10	Permethrin	0.10
Perthane	0.10	Phenmedipham	0.10	Phenothrin	0.10	Phenthoate	0.10
Phorate	0.10	Phorate OA	0.10	Phorate-sulfone	0.10	Phorate-sulfoxide	0.10
Phosalone	0.10	Phosmet	0.10	Phosmet oxon	0.10	Phosphamidon	0.10
Phoxim	0.10	Picloram	0.10	Pinoxaden	0.10	Piperonyl butoxide	0.10
Pirimicarb	0.10	Pirimiphos-ethyl	0.10	Pirimiphos-methyl	0.10	Prallethrin	0.10
Primisulfuron-methyl	0.10	Prochloraz	0.10	Procymidone	0.10	Prodiamine	0.10
Profenofos	0.10	Profluralin	0.10	Promecarb	0.10	Prometon	0.10
Prometryn	0.10	Pronamide (Propyzamid)	0.10	Propachlor	0.10	Propamocarb	0.10
Propanil	0.10	Propargite	0.10	Propazine	0.10	Propetamphos	0.10
Propham	0.10	Propiconazole	0.10	Propoxur	0.10	Propoxycarbazone sodium	0.10
Prosulfuron	0.10	Prothioconazole	0.10	Prothiofos	0.10	Pydiflumetofen	0.10
Pymetrozine	0.10	Pyraclostrobin	0.10	Pyraflufen-ethyl	0.10	Pyrazophos	0.10
Pyrethrins (total)	0.10	Pyridaben	0.10	Pyridate	0.10	Pyrifluquinazon	0.10



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 25-000191/D001.R000
Report Date: 01/15/2025
ORELAP#: OR100028
Purchase Order:
Received: 01/08/25 11:49

Residue List

Method AOAC 2007.01

Units mg/kg

Analyzed 1/14/25

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
Pyrimethanil	0.10	Pyriproxyfen	0.10	Pyroxasulfone	0.10	Pyroxulam	0.10
Quinalphos	0.10	Quinclorac	0.10	Quinoxifen	0.10	Quintozene (PCNB)	0.10
Quizalofop	0.10	Resmethrin	0.10	Rimsulfuron	0.10	Rotenone	0.10
S-421	0.10	Saflufenacil	0.10	Sebuthylazine	0.10	Sedaxane	0.10
Sethoxydim	0.10	Siduron	0.10	Simazine	0.10	Simetryn	0.10
Spinetoram	0.10	Spinosad	0.10	Spirodiclofen	0.10	Spiromesifen	0.10
Spirotetramat	0.10	Spirotetramat enol	0.10	Spiroxamine	0.10	Sulfallate	0.10
Sulfentrazone	0.30	Sulfometuron-methyl	0.10	Sulfosulfuron	0.10	Sulfotep	0.10
Sulfoxaflor	0.10	Sulprofos	0.10	Tau-fluvalinate	0.10	Tebuconazole	0.10
Tebufenozide	0.10	Tebuthiuron	0.10	Tecnazene	0.10	Tefluthrin	0.10
Tembotrione	0.10	Terbacil	0.40	Terbufos	0.10	Terbufos-sulfone	0.10
Terbufos-sulfoxide	0.10	Terbutylazine	0.10	Terbutryn	0.10	Tetrachlorvinphos	0.10
Tetraconazole	0.10	Tetradifon	0.10	Tetramethrin	0.10	Tetrasul	0.10
Thiabendazol 5 hydroxy	0.10	Thiabendazole	0.10	Thiacloprid	0.10	Thiamethoxam	0.10
Thifensulfuron-methyl	0.10	Thiobencarb	0.10	Thiodicarb	0.10	Thiometon	0.20
Thionazin	0.10	Thiophanate-methyl	0.10	Tolclofos-methyl	0.10	Tolfenpyrad	0.10
Tolyfluanid	0.10	Topramezone	0.10	Tralkoxydim	0.10	Triadimefon	0.10
Triadimenol	0.10	Triallate	0.10	Triasulfuron	0.10	Triazophos	0.10
Tribenuron-methyl	0.10	Trichlorfon (Metrifonate)	0.10	Triclopyr	0.20	Trifloxystrobin	0.10
Trifloxysulfuron	0.10	Triflumizole	0.10	Trifluralin	0.10	Triflurosulfuron-methyl	0.10
Triforine	0.10	Trinexapac-ethyl	0.10	Triticonazole	0.10	Vinclozolin	0.10
Zoxamide	0.10						



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 25-000191/D001.R000
Report Date: 01/15/2025
ORELAP#: OR100028
Purchase Order:
Received: 01/08/25 11:49



Certificate of Analysis

Provided for quality control or research and development purposes.

Powered by Confident LIMS
 1 of 2

Columbia Labs
 12423 NE Whitaker Way
 Portland, OR 97230
 cannahemp@tentamus.com
 (503) 254-1794
 Lic. #010-1003224D558

Sample: 2501CH0165.0960

Strain: NA
 Batch#: ; Batch Size: g
 Sample Received: 01/09/2025; Report Created: 01/10/2025
 Harvest/Production Date:
 Sampling: Random; Environment: Room Temp

000191-01
 Ingestible, Soft Chew, Other
 Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Mycotoxins
 1366 LCQQQ4 20250108-5

Pass

Analyte	LOQ	Limit	Result	Status
	PPB	PPB	PPB	
B1	10.00		<LOQ	Tested
B2	10.00		<LOQ	Tested
G1	10.00		<LOQ	Tested
G2	10.00		<LOQ	Tested
Ochratoxin A	10.00	20.00	<LOQ	Pass
Total Aflatoxins	10.00	20.00	<LOQ	Pass

Method: Modified AOAC 2007.01, Triple Quad analysis; LOQ = Limit of Quantification; PPB = Parts Per Billion; ND = Not Detected; NR = Not Reported; ORELAP ID 4057. ChemHistory estimates its internal laboratory uncertainty acceptance limits to be 7% for sample pesticide results.



5691 SE International Way
 Portland, OR
 (503) 305-5252
 http://chemhistory.com
 Lic# OLCC 010-1002015CA5E ORELAP 4057

Patrick Trujillo
 Patrick Trujillo
 Laboratory Director

Confident LIMS
 All Rights Reserved
 coa.support@confidentlms.com
 (866) 506-5866
 www.confidentlms.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057, ISO 17025 accredited ID# 5487.01, and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 25-000191/D001.R000
Report Date: 01/15/2025
ORELAP#: OR100028
Purchase Order:
Received: 01/08/25 11:49



Certificate of Analysis

Powered by Confident LIMS
 2 of 2

Columbia Labs
 12423 NE Whitaker Way
 Portland, OR 97230
 cannahemp@tentamus.com
 (503) 254-1794
 Lic. #010-1003224D558

Sample: 2501CH0165.0960

Strain: NA
 Batch#: ; Batch Size: g
 Sample Received: 01/09/2025; Report Created: 01/10/2025
 Harvest/Production Date:
 Sampling: Random; Environment: Room Temp

000191-01

Ingestible, Soft Chew, Other
 Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
1366 LCQQQ4 20250108-5	MRMB010925101CN	Mycotoxins	Sample Duplicate

QC Notes
 None

Aflatoxins	ICV amount	Blank amount	LCS amount	CCV amount	LCS Expected	LCS % Recovery	Units	LCS Acceptance Limits
B1	998.79	0	225.1	1024.85	200	1.1255	ppb	60-120%
B2	916.42	0	233.94	1041.54	200	1.1697	ppb	60-120%
G1	955.74	0	239	992.82	200	1.195	ppb	60-120%
G2	829.98	0	248.83	991.07	200	1.24415	ppb	60-120%
Ochratoxin A	1033.52	0	265.08	1167.27	200	1.3254	ppb	60-120%

5691 SE International Way
 Portland, OR
 (503) 305-5252
 http://chemhistory.com
 Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com

Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057, ISO 17025 accredited ID# 5487.01, and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-000191/D001.R000
Report Date: 01/15/2025
ORELAP#: OR100028
Purchase Order:
Received: 01/08/25 11:49

Revision: 4 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 **Batch ID: 2500198**

Laboratory Control Sample

Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0325	0.0318	%	102	80.0 - 120	Acceptable	
CBDV	2	0.0352	0.0338	%	104	80.0 - 120	Acceptable	
CBE	2	0.0350	0.0341	%	103	80.0 - 120	Acceptable	
CBDA	1	0.0367	0.0354	%	104	90.0 - 110	Acceptable	
CBGA	1	0.0357	0.0346	%	103	80.0 - 120	Acceptable	
CBG	1	0.0354	0.0338	%	105	80.0 - 120	Acceptable	
CBD	1	0.0338	0.0333	%	102	90.0 - 110	Acceptable	
THCV	2	0.0344	0.0339	%	101	80.0 - 120	Acceptable	
d8THCV	2	0.0357	0.0346	%	103	80.0 - 120	Acceptable	
THCVA	2	0.0322	0.0310	%	104	80.0 - 120	Acceptable	
CBN	1	0.0336	0.0325	%	103	80.0 - 120	Acceptable	
exo-THC	2	0.0317	0.0316	%	100	80.0 - 120	Acceptable	
d9THC	1	0.0344	0.0333	%	103	90.0 - 110	Acceptable	
d8THC	1	0.0338	0.0341	%	99.2	90.0 - 110	Acceptable	
9S-d10THC	1	0.0353	0.0352	%	100	80.0 - 120	Acceptable	
CBL	2	0.0313	0.0320	%	97.7	80.0 - 120	Acceptable	
9R-d10THC	1	0.0364	0.0365	%	99.8	80.0 - 120	Acceptable	
CBC	2	0.0328	0.0337	%	97.2	80.0 - 120	Acceptable	
THCA	1	0.0378	0.0355	%	107	90.0 - 110	Acceptable	
CBCA	2	0.0312	0.0327	%	95.5	80.0 - 120	Acceptable	
CBLA	2	0.0337	0.0332	%	102	80.0 - 120	Acceptable	
d9THCP	2	0.0300	0.0324	%	92.6	80.0 - 120	Acceptable	
CBT	2	0.0308	0.0340	%	90.5	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBDV	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBE	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBDA	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBGA	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBG	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBD	<LOQ	0.00329	%	< 0.00329	Acceptable	
THCV	<LOQ	0.00329	%	< 0.00329	Acceptable	
d8THCV	<LOQ	0.00329	%	< 0.00329	Acceptable	
THCVA	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBN	<LOQ	0.00329	%	< 0.00329	Acceptable	
exo-THC	<LOQ	0.00329	%	< 0.00329	Acceptable	
d9THC	<LOQ	0.00329	%	< 0.00329	Acceptable	
d8THC	<LOQ	0.00329	%	< 0.00329	Acceptable	
9S-d10THC	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBL	<LOQ	0.00329	%	< 0.00329	Acceptable	
9R-d10THC	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBC	<LOQ	0.00329	%	< 0.00329	Acceptable	
THCA	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBCA	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBLA	<LOQ	0.00329	%	< 0.00329	Acceptable	
d9THCP	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBT	<LOQ	0.00329	%	< 0.00329	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 25-000191/D001.R000
Report Date: 01/15/2025
ORELAP#: OR100028
Purchase Order:
Received: 01/08/25 11:49

Revision: 4 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

AOAC 2015 V98-6		Batch ID: 2500198						
Sample Duplicate		Sample ID: 25-000169-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
CBD	0.256	0.254	0.00304	%	0.533	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
d9THC	0.127	0.126	0.00304	%	0.680	< 20	Acceptable	
d8THC	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
CBC	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.00304	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-000191/D001.R000
Report Date: 01/15/2025
ORELAP#: OR100028
Purchase Order:
Received: 01/08/25 11:49

Revision: 2 Document ID: 7087
Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents				Batch ID: 2500215					
Method Blank				Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Propane	ND	< 200		519	585	µg/g	88.7	60 - 120	
Isobutane	ND	< 200		653	770	µg/g	84.8	60 - 120	
Butane	ND	< 200		643	769	µg/g	83.6	60 - 120	
2,2-Dimethylpropane	ND	< 200		800	956	µg/g	83.7	60 - 120	
Methanol	ND	< 200		1340	1620	µg/g	82.7	60 - 120	
Ethylene Oxide	ND	< 30		44.5	57.7	µg/g	77.1	60 - 120	
2-Methylbutane	ND	< 200		1390	1640	µg/g	84.8	60 - 120	
Pentane	ND	< 200		1350	1640	µg/g	82.3	60 - 120	
Ethanol	ND	< 200		1220	1620	µg/g	75.3	70 - 130	
Ethyl Ether	ND	< 200		1330	1630	µg/g	81.6	60 - 120	
2,2-Dimethylbutane	ND	< 30		167	212	µg/g	78.8	60 - 120	
Acetone	ND	< 200		1320	1630	µg/g	81.0	60 - 120	
2-Propanol	ND	< 200		1290	1620	µg/g	79.6	60 - 120	
Ethyl Formate	ND	< 500		1130	1600	µg/g	70.6	70 - 130	
Acetonitrile	ND	< 100		381	504	µg/g	75.6	60 - 120	
Methyl Acetate	ND	< 500		1400	1600	µg/g	87.5	70 - 130	
2,3-Dimethylbutane	ND	< 30		157	189	µg/g	83.1	60 - 120	
Dichloromethane	ND	< 60		422	538	µg/g	78.4	60 - 120	
2-Methylpentane	ND	< 30		154	182	µg/g	84.6	60 - 120	
MTBE	ND	< 500		1460	1600	µg/g	91.3	70 - 130	
3-Methylpentane	ND	< 30		152	179	µg/g	84.9	60 - 120	
Hexane	ND	< 30		154	178	µg/g	86.5	60 - 120	
1-Propanol	ND	< 500		1410	1600	µg/g	88.1	70 - 130	
Methylethylketone	ND	< 500		1450	1600	µg/g	90.6	70 - 130	
Ethyl acetate	ND	< 200		1400	1620	µg/g	86.4	60 - 120	
2-Butanol	ND	< 200		1370	1620	µg/g	84.6	60 - 120	
Tetrahydrofuran	ND	< 100		450	511	µg/g	88.1	60 - 120	
Cyclohexane	ND	< 200		1460	1620	µg/g	90.1	60 - 120	
2-methyl-1-propanol	ND	< 500		1500	1600	µg/g	93.8	70 - 130	
Benzene	ND	< 1		4.82	6.03	µg/g	79.9	60 - 120	
Isopropyl Acetate	ND	< 200		1300	1620	µg/g	80.2	60 - 120	
Heptane	ND	< 200		1330	1620	µg/g	82.1	60 - 120	
1-Butanol	ND	< 500		1550	1600	µg/g	96.9	70 - 130	
Propyl Acetate	ND	< 500		1570	1610	µg/g	97.5	70 - 130	
1,4-Dioxane	ND	< 100		442	503	µg/g	87.9	60 - 120	
2-Ethoxyethanol	ND	< 30		136	176	µg/g	77.3	60 - 120	
Methylisobutylketone	ND	< 500		1610	1610	µg/g	100.0	70 - 130	
3-Methyl-1-butanol	ND	< 500		1630	1600	µg/g	101.9	70 - 130	
Ethylene Glycol	ND	< 200		371	501	µg/g	74.1	60 - 120	
Toluene	ND	< 100		500	543	µg/g	92.1	60 - 120	
Isobutyl Acetate	ND	< 500		1640	1600	µg/g	102.5	70 - 130	
1-Pentanol	ND	< 500		1690	1600	µg/g	105.6	70 - 130	
Butyl Acetate	ND	< 500		1640	1600	µg/g	102.5	70 - 130	
Ethylbenzene	ND	< 200		905	983	µg/g	92.1	60 - 120	
m,p-Xylene	ND	< 200		909	1030	µg/g	88.3	60 - 120	
o-Xylene	ND	< 200		924	979	µg/g	94.4	60 - 120	
Cumene	ND	< 30		181	183	µg/g	98.9	60 - 120	
Anisole	ND	< 500		1790	1610	µg/g	111.2	70 - 130	
DMSO	ND	< 500		1660	1600	µg/g	103.8	70 - 130	
1,2-dimethoxyethane	ND	< 50		138	164	µg/g	84.1	70 - 130	
Triethylamine	ND	< 500		1490	1600	µg/g	93.1	70 - 130	
N,N-dimethylformamide	ND	< 150		465	481	µg/g	96.7	70 - 130	
N,N-dimethylacetamide	ND	< 150		562	486	µg/g	115.6	70 - 130	
Pyridine	ND	< 50		172	168	µg/g	102.4	70 - 130	
Sulfolane	ND	< 50		187	165	µg/g	113.3	70 - 130	
1,2-Dichloroethane	ND	< 1		0.976	1	µg/g	97.6	70 - 130	
Chloroform	ND	< 1		1.03	1	µg/g	103.0	70 - 130	
Trichloroethylene	ND	< 1		1.06	1	µg/g	106.0	70 - 130	
1,1-Dichloroethane	ND	< 1		0.959	1	µg/g	95.9	70 - 130	



QC - Sample Duplicate

Sample ID: 25-000134-0001

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Methylethylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Sulfolane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,1-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

µg/g- Microgram per gram or ppm



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-000191/D001.R000
Report Date: 01/15/2025
ORELAP#: OR100028
Purchase Order:
Received: 01/08/25 11:49





Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.