



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-000913/D002.R000
Report Date: 01/27/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/23/23 11:13

Customer: NW Natural Goods
Product identity: HEMP - EB 0063
Client/Metric ID: .
Laboratory ID: 23-000913-0001

Summary

Potency:

Analyte per 4g	Result	Limits	Units	Status	
CBC per 4g	0.218		mg/4g		CBD-Total per Serving Size 25.5 mg/4g
CBD per 4g	25.5		mg/4g		
CBDV per 4g	0.124		mg/4g		THC-Total per Serving Size <LOQ (Reported in milligrams per serving)
CBG per 4g	0.496		mg/4g		
CBN per 4g	5.24		mg/4g		

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

Analyte	Result (mg/kg)	Limits (mg/kg)	Status
Multi-Residue Pesticide Profile	< LOQ for all analytes		

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-000913/D002.R000
Report Date: 01/27/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/23/23 11:13

Customer: NW Natural Goods

Product identity: HEMP - EB 0063

Client/Metric ID: .

Sample Date:

Laboratory ID: 23-000913-0001

Evidence of Cooling: No

Temp: 19.6 °C

Relinquished by: Hinton

Serving Size #1: 4 g

Sample Results

Potency per 4g		Method: J AOAC 2015 V98-6 (mod) ^b		Units mg/se Batch: 2300773		Analyze: 1/25/23 3:32:00 AM
Analyte	Result	Limits	Units	LOQ	Notes	
CBC per 4g	0.218		mg/4g	0.122		
CBC-A per 4g	< LOQ		mg/4g	0.122		
CBC-Total per 4g	< LOQ		mg/4g	0.229		
CBD per 4g	25.5		mg/4g	0.122		
CBD-A per 4g	< LOQ		mg/4g	0.122		
CBD-Total per 4g	25.5		mg/4g	0.229		
CBDV per 4g	0.124		mg/4g	0.122		
CBDV-A per 4g	< LOQ		mg/4g	0.122		
CBDV-Total per 4g	< LOQ		mg/4g	0.227		
CBE per 4g	< LOQ		mg/4g	0.122		
CBG per 4g	0.496		mg/4g	0.122		
CBG-A per 4g	< LOQ		mg/4g	0.122		
CBG-Total per 4g	0.496		mg/4g	0.227		
CBL per 4g	< LOQ		mg/4g	0.122		
CBL-A per 4g	< LOQ		mg/4g	0.122		
CBL-Total per 4g	< LOQ		mg/4g	0.229		
CBN per 4g	5.24		mg/4g	0.122		
CBT per 4g	< LOQ		mg/4g	0.122		
Δ8-THCV per 4g	< LOQ		mg/4g	0.122		
Δ10-THC-9R per 4g	< LOQ		mg/4g	0.122		
Δ10-THC-9S per 4g	< LOQ		mg/4g	0.122		
Δ10-THC-Total per 4g	0.000		mg/4g	0.244		
Δ8-THC per 4g	< LOQ		mg/4g	0.122		
Δ9-THC per 4g	< LOQ		mg/4g	0.122		
exo-THC per 4g	< LOQ		mg/4g	0.122		
THC-A per 4g	< LOQ		mg/4g	0.122		
THC-Total per 4g	< LOQ		mg/4g	0.229		
THCV per 4g	< LOQ		mg/4g	0.122		
THCV-A per 4g	< LOQ		mg/4g	0.122		
THCV-Total per 4g	< LOQ		mg/4g	0.229		
Total Cannabinoids per 4g	31.7		mg/4g			



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-000913/D002.R000
Report Date: 01/27/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/23/23 11:13

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2300700	01/26/23 AOAC 991.14 (Petrifilm) [®]		
Total Coliforms	< LOQ		cfu/g	10	2300700	01/26/23 AOAC 991.14 (Petrifilm) [®]		
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2300701	01/27/23 AOAC 2014.05 (RAPID) [®]		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2300701	01/27/23 AOAC 2014.05 (RAPID) [®]		

Solvents Method: Residual Solvents by GC/MS[®] Units µg/g Batch 2300804 Analyze 01/26/23 11:39 AM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Pesticides Method: AOAC 2007.01 & EN 15662 (mod)[®] Units mg/kg Batch 2300812 Analyze 01/26/23 02:23 PM

Analyte	Result	Limits	Status	Notes
Multi-Residue Pesticide Profile	< LOQ for all analytes			

Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Arsenic	< LOQ	0.200	mg/kg	0.0186	2300807	01/26/23 AOAC 2013.06 (mod.) [®]	pass	
Cadmium	< LOQ	0.200	mg/kg	0.0186	2300807	01/26/23 AOAC 2013.06 (mod.) [®]	pass	
Lead	< LOQ	0.500	mg/kg	0.0186	2300807	01/26/23 AOAC 2013.06 (mod.) [®]	pass	
Mercury	< LOQ	0.100	mg/kg	0.00932	2300807	01/26/23 AOAC 2013.06 (mod.) [®]	pass	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-000913/D002.R000
Report Date: 01/27/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/23/23 11:13

Nutrition

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Moisture (Loss on Drying)	18.9		g/100g	0.10	2300742	01/24/23 AOAC 925.10 (mod.) ^p		
Water Activity	0.702		Aw	0.030	2300740	01/24/23 AOAC 978.18 ^p		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-000913/D002.R000
Report Date: 01/27/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/23/23 11:13

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^p = ISO/IEC 17025:2017 accredited method.

Units of Measure

cfu/g = Colony forming units per gram

g = g

g/100g = Grams per 100 Grams

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/4g = Milligram per 4g

% = Percentage of sample

Aw = Water Activity

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-000913/D002.R000
Report Date: 01/27/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/23/23 11:13



Hemp & Cannabis: Usable / Extract / Finished Product
Chain of Custody Record
 ORELAP ID: OR100028 ANAB ISO 17025 ID: AT-1508

NW NATURAL GOODS 23-000913



Company: Northwest Natural Goods Contact: Annie Nair Address: 11791 SE HWY 212 City: Clackamas State: OR Zip Code: 97015 <input checked="" type="checkbox"/> Email Results: annienair@nwnaturalgoods.com <input type="checkbox"/> Ph: () - <i>Billing Contact (if different)</i> Name: Email: Address: City: State: Zip: Ph: () -			Analysis Requested										PO Number: NW Natural Goods Project ID: Batch ID: Sampled by: Custom Reporting:																								
			Pesticides - OR 59 Compounds Pesticide Multi-Residue - 379 compounds Potency Residual Solvents Water Activity Moisture Micro: Yeast and Mold Micro: E.Coli and Total Coliform Heavy Metals Mycotoxins	<input type="checkbox"/> - Ind. Hemp product <input type="checkbox"/> - Rec. Cannabis Reporting Type: <input type="checkbox"/> - Compliance <input type="checkbox"/> - R&D Report to: <input type="checkbox"/> - METRC <input type="checkbox"/> - ODA <input type="checkbox"/> - USDA <input type="checkbox"/> - Other:	Turnaround time (TAT - Business Days): <input checked="" type="checkbox"/> - 5BD <input type="checkbox"/> - 3BD* <input type="checkbox"/> - 2BD* <i>*Check for availability</i>		<table border="1"> <thead> <tr> <th>Material Type †</th> <th>Weight (Units)</th> <th>Comments/Metrc ID</th> </tr> </thead> <tbody> <tr> <td></td> <td>80g</td> <td></td> </tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> </tbody> </table>	Material Type †	Weight (Units)	Comments/Metrc ID		80g																									
Material Type †	Weight (Units)	Comments/Metrc ID																																			
	80g																																				
Lab ID	Client Sample Identification	Sample date																																			
	HEMP - EB 0063	01/23/23	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																										
Signature - Relinquished By:		Date	Time	Signature - Received By:		Date	Time	Lab Use Only:																													
Annie Nair		01/23/23		MNA		1/23	10:37	<input type="checkbox"/> Shipped Via: _____ or <input type="checkbox"/> Client drop off Evidence of cooling: <input type="checkbox"/> Yes <input type="checkbox"/> No - Temp (°C): 19.6 Sample in good condition: <input type="checkbox"/> Yes <input type="checkbox"/> No Payment: <input type="checkbox"/> Cash <input type="checkbox"/> Check <input type="checkbox"/> CC <input type="checkbox"/> Net: _____ Prelog storage: _____																													
MNA		1/23	10:55	BS		01/27/23	1113																														

† - Material Type Codes: Plant Material (P) ; Isolate (I) ; Concentrate/Extract (C) ; Tincture/Topical (T) ; Edible (E) ; Beverage (B) ; Vapor Product (V)
 Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms
 12423 NE Whitaker Way P: (503) 254-1794 | Fax: (503) 254-1452 Page _____ of _____
 Portland, OR 97230 info@columbialaboratories.com www.columbialaboratories.com



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-000913/D002.R000
Report Date: 01/27/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/23/23 11:13

Revision: 1 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 Batch ID: 2300773

Laboratory Control Sample									
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes
CBDVA	2	0.0344	0.033	%	103	80.0	- 120	Acceptable	
CBDV	2	0.0366	0.035	%	104	80.0	- 120	Acceptable	
CBE	2	0.0359	0.035	%	103	80.0	- 120	Acceptable	
CBDA	1	0.0330	0.032	%	103	90.0	- 110	Acceptable	
CBGA	1	0.0335	0.032	%	104	80.0	- 120	Acceptable	
CBG	1	0.0349	0.033	%	106	80.0	- 120	Acceptable	
CBD	1	0.0331	0.032	%	102	90.0	- 110	Acceptable	
THCV	2	0.0361	0.035	%	102	80.0	- 120	Acceptable	
d8THCV	2	0.0365	0.034	%	106	80.0	- 120	Acceptable	
THCVA	2	0.0339	0.033	%	103	80.0	- 120	Acceptable	
CBN	1	0.0358	0.034	%	106	80.0	- 120	Acceptable	
exo-THC	2	0.0336	0.032	%	104	80.0	- 120	Acceptable	
d9THC	1	0.0361	0.035	%	103	90.0	- 110	Acceptable	
d8THC	1	0.0329	0.033	%	98.2	90.0	- 110	Acceptable	
9S-d10THC	1	0.0177	0.015	%	118	80.0	- 120	Acceptable	
CBL	2	0.0358	0.035	%	104	90.0	- 110	Acceptable	
9R-d10THC	1	0.0163	0.016	%	104	80.0	- 120	Acceptable	
CB	2	0.0354	0.035	%	102	80.0	- 120	Acceptable	
THCA	1	0.0328	0.032	%	104	80.0	- 120	Acceptable	
CBCA	2	0.0350	0.034	%	102	80.0	- 120	Acceptable	
CBLA	2	0.0364	0.035	%	104	90.0	- 110	Acceptable	
CBT	2	0.0364	0.035	%	104	80.0	- 120	Acceptable	

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.003	%	< 0.003	Acceptable	
CBDV	<LOQ	0.003	%	< 0.003	Acceptable	
CBE	<LOQ	0.003	%	< 0.003	Acceptable	
CBDA	<LOQ	0.003	%	< 0.003	Acceptable	
CBGA	<LOQ	0.003	%	< 0.003	Acceptable	
CBG	<LOQ	0.003	%	< 0.003	Acceptable	
CBD	<LOQ	0.003	%	< 0.003	Acceptable	
THCV	<LOQ	0.003	%	< 0.003	Acceptable	
d8THCV	<LOQ	0.003	%	< 0.003	Acceptable	
THCVA	<LOQ	0.003	%	< 0.003	Acceptable	
CBN	<LOQ	0.003	%	< 0.003	Acceptable	
exo-THC	<LOQ	0.003	%	< 0.003	Acceptable	
d9THC	<LOQ	0.003	%	< 0.003	Acceptable	
d8THC	<LOQ	0.003	%	< 0.003	Acceptable	
9S-d10THC	<LOQ	0.003	%	< 0.003	Acceptable	
CBL	<LOQ	0.003	%	< 0.003	Acceptable	
9R-d10THC	<LOQ	0.003	%	< 0.003	Acceptable	
CB	<LOQ	0.003	%	< 0.003	Acceptable	
THCA	<LOQ	0.003	%	< 0.003	Acceptable	
CBCA	<LOQ	0.003	%	< 0.003	Acceptable	
CBLA	<LOQ	0.003	%	< 0.003	Acceptable	
CBT	<LOQ	0.003	%	< 0.003	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-000913/D002.R000
Report Date: 01/27/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/23/23 11:13

Revision: 1 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6		Batch ID: 2300773						
Sample Duplicate		Sample ID: 23-000909-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBG	0.0058	0.0061	0.003	%	4.09	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBN	0.201	0.211	0.003	%	4.83	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
d9THC	0.195	0.205	0.003	%	4.77	< 20	Acceptable	
d8THC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-000913/D002.R000
 Report Date: 01/27/2023
 ORELAP#: OR100028
 Purchase Order:
 Received: 01/23/23 11:13

Revision: 2 Document ID: 7087
 Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents				Batch ID: 2300804					
Method Blank				Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Propane	ND	< 200		535	572	µg/g	93.5	60 - 120	
Isobutane	ND	< 200		629	731	µg/g	86.0	60 - 120	
Butane	ND	< 200		614	731	µg/g	84.0	60 - 120	
2,2-Dimethylpropane	ND	< 200		784	936	µg/g	83.8	60 - 120	
Methanol	ND	< 200		1600	1620	µg/g	98.8	60 - 120	
Ethylene Oxide	ND	< 30		48.5	56.2	µg/g	86.3	60 - 120	
2-Methylbutane	ND	< 200		1410	1610	µg/g	87.6	60 - 120	
Pentane	ND	< 200		1410	1600	µg/g	88.1	60 - 120	
Ethanol	ND	< 200		1510	1610	µg/g	93.8	70 - 130	
Ethyl Ether	ND	< 200		1400	1630	µg/g	85.9	60 - 120	
2,2-Dimethylbutane	ND	< 30		164	171	µg/g	95.9	60 - 120	
Acetone	ND	< 200		1500	1630	µg/g	92.0	60 - 120	
2-Propanol	ND	< 200		1510	1620	µg/g	93.2	60 - 120	
Ethyl Formate	ND	< 500		1640	1670	µg/g	98.2	70 - 130	
Acetonitrile	ND	< 100		435	498	µg/g	87.3	60 - 120	
Methyl Acetate	ND	< 500		1680	1730	µg/g	97.1	70 - 130	
2,3-Dimethylbutane	ND	< 30		140	171	µg/g	81.9	60 - 120	
Dichloromethane	ND	< 60		433	483	µg/g	89.6	60 - 120	
2-Methylpentane	ND	< 30		146	168	µg/g	86.9	60 - 120	
MTBE	ND	< 500		1560	1650	µg/g	94.5	70 - 130	
3-Methylpentane	ND	< 30		136	167	µg/g	81.4	60 - 120	
Hexane	ND	< 30		204	182	µg/g	112.1	60 - 120	
1-Propanol	ND	< 500		1480	1620	µg/g	91.4	70 - 130	
Methylethylketone	ND	< 500		1650	1620	µg/g	101.9	70 - 130	
Ethyl acetate	ND	< 200		1540	1610	µg/g	95.7	60 - 120	
2-Butanol	ND	< 200		1510	1600	µg/g	94.4	60 - 120	
Tetrahydrofuran	ND	< 100		400	483	µg/g	82.8	60 - 120	
Cyclohexane	ND	< 200		1600	1610	µg/g	99.4	60 - 120	
2-methyl-1-propanol	ND	< 500		1420	1620	µg/g	87.7	70 - 130	
Benzene	ND	< 1		4.48	5.02	µg/g	89.2	60 - 120	
Isopropyl Acetate	ND	< 200		1560	1620	µg/g	96.3	60 - 120	
Heptane	ND	< 200		1590	1610	µg/g	98.8	60 - 120	
1-Butanol	ND	< 500		1110	1630	µg/g	68.1	70 - 130	Q6
Propyl Acetate	ND	< 500		1420	1610	µg/g	88.2	70 - 130	
1,4-Dioxane	ND	< 100		474	491	µg/g	96.5	60 - 120	
2-Ethoxyethanol	ND	< 30		103	181	µg/g	56.9	60 - 120	Q6
Methylisobutylketone	ND	< 500		1580	1620	µg/g	97.5	70 - 130	
3-Methyl-1-butanol	ND	< 500		1210	1630	µg/g	74.2	70 - 130	
Ethylene Glycol	ND	< 200		452	484	µg/g	93.4	60 - 120	
Toluene	ND	< 100		417	485	µg/g	86.0	60 - 120	
Isobutyl Acetate	ND	< 500		1670	1630	µg/g	102.5	70 - 130	
1-Pentanol	ND	< 500		1240	1620	µg/g	76.5	70 - 130	
Butyl Acetate	ND	< 500		1390	1620	µg/g	85.8	70 - 130	
Ethylbenzene	ND	< 200		936	969	µg/g	96.6	60 - 120	
m,p-Xylene	ND	< 200		964	994	µg/g	97.0	60 - 120	
o-Xylene	ND	< 200		917	967	µg/g	94.8	60 - 120	
Cumene	ND	< 30		147	171	µg/g	86.0	60 - 120	
Anisole	ND	< 500		1170	1630	µg/g	71.8	70 - 130	
DMSO	ND	< 500		1210	1680	µg/g	72.0	70 - 130	
1,2-dimethoxyethane	ND	< 50		168	169	µg/g	99.4	70 - 130	
Triethylamine	ND	< 500		1650	1630	µg/g	101.2	70 - 130	
N,N-dimethylformamide	ND	< 150		420	482	µg/g	87.1	70 - 130	
N,N-dimethylacetamide	ND	< 150		375	510	µg/g	73.5	70 - 130	
Pyridine	ND	< 50		193	203	µg/g	95.1	70 - 130	
Sulfone	ND	< 50		130	172	µg/g	75.6	70 - 130	
1,2-Dichloroethane	ND	< 1		1.05	1	µg/g	105.0	70 - 130	
Chloroform	ND	< 1		1.08	1	µg/g	108.0	70 - 130	
Trichloroethylene	ND	< 1		1.11	1	µg/g	111.0	70 - 130	
1,1-Dichloroethane	ND	< 1		1.01	1	µg/g	101.0	70 - 130	



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-000913/D002.R000
Report Date: 01/27/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/23/23 11:13

Revision: 2 Document ID: 7087
 Legacy ID: CFL-E33Effective:

QC - Sample Duplicate		Sample ID: 23-000757-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Methyl ethyl ketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Sulfolane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,1-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Q6 - Quality control outside QC limits. Data acceptable based on remaining QC.

Units of Measure:

µg/g- Microgram per gram or ppm



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-000913/D002.R000
Report Date: 01/27/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/23/23 11:13





12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-000913/D002.R000
Report Date: 01/27/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/23/23 11:13

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.