



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-010096/D002.R000  
**Report Date:** 08/31/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 08/24/23 12:58

**Customer:** NW Natural Goods  
**Product identity:** HEMP - EB 0091  
**Client/Metric ID:** .  
**Laboratory ID:** 23-010096-0001

### Summary

**Potency:**

Analyte per 4g	Result	Limits	Units	Status	
CBC per 4g	0.202		mg/4g		CBD-Total per Serving Size 25.5 mg/4g
CBD per 4g	25.5		mg/4g		
CBG per 4g	0.692		mg/4g		THC-Total per Serving Size <LOQ
CBN per 4g	4.96		mg/4g		(Reported in milligrams per serving)

**Residual Solvents:**

*All analytes passing and less than LOQ.*

**Pesticides:**

Analyte	Result (mg/kg)	Limits (mg/kg)	Status
Multi-Residue Pesticide Profile	< LOQ for all analytes		

**Metals:**

*Less than LOQ for all analytes.*

**Microbiology:**

*Less than LOQ for all analytes.*



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-010096/D002.R000  
**Report Date:** 08/31/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 08/24/23 12:58

**Customer:** NW Natural Goods

**Product identity:** HEMP - EB 0091

**Client/Metric ID:** .

**Sample Date:**

**Laboratory ID:** 23-010096-0001

**Evidence of Cooling:** No

**Temp:** 22.7

**Relinquished by:** client

**Serving Size #1:** 4 g

### Sample Results

Potency per 4g					
Method: J AOAC 2015 V98-6 (mod) <sup>b</sup>					
Units mg/se Batch: 2310417 Analyze: 8/25/23 10:37:00 PM					
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 4g	0.202		mg/4g	0.125	
CBC-A per 4g	< LOQ		mg/4g	0.125	
CBC-Total per 4g	< LOQ		mg/4g	0.234	
CBD per 4g	25.5		mg/4g	0.125	
CBD-A per 4g	< LOQ		mg/4g	0.125	
CBD-Total per 4g	25.5		mg/4g	0.234	
CBDV per 4g	< LOQ		mg/4g	0.125	
CBDV-A per 4g	< LOQ		mg/4g	0.125	
CBDV-Total per 4g	< LOQ		mg/4g	0.233	
CBE per 4g	< LOQ		mg/4g	0.125	
CBG per 4g	0.692		mg/4g	0.125	
CBG-A per 4g	< LOQ		mg/4g	0.125	
CBG-Total per 4g	0.692		mg/4g	0.233	
CBL per 4g	< LOQ		mg/4g	0.125	
CBL-A per 4g	< LOQ		mg/4g	0.125	
CBL-Total per 4g	< LOQ		mg/4g	0.234	
CBN per 4g	4.96		mg/4g	0.125	
CBT per 4g	< LOQ		mg/4g	0.125	
Δ8-THCV per 4g	< LOQ		mg/4g	0.125	
Δ10-THC-9R per 4g	< LOQ		mg/4g	0.125	
Δ10-THC-9S per 4g	< LOQ		mg/4g	0.125	
Δ10-THC-Total per 4g	< LOQ		mg/4g	0.249	
Δ8-THC per 4g	< LOQ		mg/4g	0.125	
Δ9-THC per 4g	< LOQ		mg/4g	0.125	
delta-9-THCP per 4g	< LOQ		mg/4g	0.125	
exo-THC per 4g	< LOQ		mg/4g	0.125	
THC-A per 4g	< LOQ		mg/4g	0.125	
THC-Total per 4g	< LOQ		mg/4g	0.234	
THCV per 4g	< LOQ		mg/4g	0.125	
THCV-A per 4g	< LOQ		mg/4g	0.125	
THCV-Total per 4g	< LOQ		mg/4g	0.234	
Total Cannabinoids per 4g	31.4		mg/4g		



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-010096/D002.R000  
**Report Date:** 08/31/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 08/24/23 12:58

**Microbiology**

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2310345	08/27/23 AOAC 991.14 (Petrifilm) <sup>P</sup>		
Total Coliforms	< LOQ		cfu/g	10	2310345	08/27/23 AOAC 991.14 (Petrifilm) <sup>P</sup>		
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2310346	08/27/23 AOAC 2014.05 (RAPID) <sup>P</sup>		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2310346	08/27/23 AOAC 2014.05 (RAPID) <sup>P</sup>		

**Solvents** Method: Residual Solvents by GC/MS<sup>P</sup> Units µg/g Batch 2310428 Analyze 08/29/23 09:23 AM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethyl butane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethyl butane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropyl benzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

**Pesticides** Method: AOAC 2007.01 & EN 15662 (mod)<sup>P</sup> Units mg/kg Batch 2310517 Analyze 08/31/23 11:24 AM

Analyte	Result	Limits	Status	Notes
Multi-Residue Pesticide Profile	< LOQ for all analytes			



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-010096/D002.R000  
**Report Date:** 08/31/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 08/24/23 12:58

**Metals**

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Arsenic*	< LOQ	0.200	mg/kg	0.0168	2310465	08/29/23 AOAC 2013.06 (mod.) <sup>p</sup>	pass	
Cadmium*	< LOQ	0.200	mg/kg	0.0168	2310465	08/29/23 AOAC 2013.06 (mod.) <sup>p</sup>	pass	
Lead*	< LOQ	0.500	mg/kg	0.0168	2310465	08/29/23 AOAC 2013.06 (mod.) <sup>p</sup>	pass	
Mercury*	< LOQ	0.100	mg/kg	0.00838	2310465	08/29/23 AOAC 2013.06 (mod.) <sup>p</sup>	pass	

**Nutrition**

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Moisture (Loss on Drying)	18.3		g/100g	0.10	2310443	08/28/23 AOAC 925.10 (mod.) <sup>p</sup>		
Water Activity	0.688		Aw	0.030	2310368	08/25/23 AOAC 978.18 <sup>p</sup>		



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-010096/D002.R000  
**Report Date:** 08/31/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 08/24/23 12:58

### Abbreviations

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

<sup>p</sup> = ISO/IEC 17025:2017 accredited method.

<sup>¥</sup> = TNI accredited analyte.

### Units of Measure

cfu/g = Colony forming units per gram

g = g

g/100g = Grams per 100 Grams

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/4g = Milligram per 4g

% = Percentage of sample

Aw = Water Activity

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner  
General Manager



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-010096/D002.R000  
**Report Date:** 08/31/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 08/24/23 12:58



Cannabis Mult-Residue Profile, Limits of Quantitation

Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)
Abamectin	0.100	Clethodim	0.050	ndrin	0.100
Acephala	0.100	Clethodim Sulfoxide	0.050	PN	0.050
Acequinocyl	0.100	Clethodim Sulfoxide	0.050	PTC	0.100
Aceamiprid	0.020	Clomazone	0.020	s-envalera e/ envalera e	0.200
Aceochlor	0.100	Clofianid	0.200	aconazole	0.100
Acrinathrin	0.100	Coumaphos	0.050	halaluralin	0.100
Alachlor	0.100	Croxyphos	0.020	hioencarb	0.050
Aldicarb	0.100	Cyanazine	0.020	hion	0.200
Aldicarb sulfoxide	0.100	Cyanoenphos	0.020	hirimol	0.100
Aldoxycarb (Aldicarb-sulfoxide)	0.100	Cyaniliprole	0.050	hoimesa e	0.050
Aldrin	0.100	Cyazofluthrin	0.020	hoprophos	0.020
Ametoctradin	0.020	Cyfluthrin	0.100	oxaproprate	0.020
Ametoctradin	0.500	Cyfluthrin	0.100	oxazole	0.020
Aspersion	0.100	Cyfluthrin	0.200	ridiazole	0.100
Asulam	0.100	Cyfluthrin	0.200	rimosulf	0.020
Azinphosmethyl	0.100	Cyfluthrin	0.050	amoxadone	0.200
Azinphosmethyl	0.100	Cyfluthrin	0.200	amphur	0.100
Azinphosmethyl	0.020	Cyfluthrin	0.100	enamidon	0.020
Azinphosmethyl	0.020	Dac-hal	0.100	enamiphos	0.020
Azoxystrobin	0.020	Daminozide	0.100	enamiphos sulfoxide	0.020
Benalaxyl	0.020	DCPMU	0.050	enamiphos sulfoxide	0.020
Bendiocarb	0.020	DDD, o,p'	0.100	enazaquin	0.100
Benluralin	0.100	DDD, p,p'	0.100	enbutconazole	0.100
Benoxacor	0.050	DD, o,p'	0.100	enchlorphos	0.100
Bensulide	0.050	DD, p,p'	0.100	enchlorphos-oxon	0.100
Beta-cyfluthrin isomer	0.100	DDT, o,p'	0.100	enhexamid	0.100
Beta-cyfluthrin isomer	0.100	DDT, p,p'	0.100	enirohion	0.100
Beta-cyfluthrin isomer	0.500	D (Tribu-ox)	0.100	enobucarb	0.050
Benazoxypyr	0.020	Delamethrin	0.100	enoxyacarb	0.020
Benazoxypyr	0.020	Desmedipham	0.100	enpropacarb	0.050
Boscalid	0.020	Diallate	0.100	enpyroximate	0.020
Bromophosmethyl	0.100	Diazinon	0.020	enson	0.100
Bromophosmethyl	0.200	Diazoxon	0.100	ensulohion	0.020
Bromopropylate	0.100	Dichlobenil	0.100	ensulohion oxon	0.020
Bromuconazole	0.100	Dichlofuanid	0.100	ensulohion sulfoxide	0.100
Bupirimate	0.020	Dichlorvos	0.100	Fensulfthion-oxon-sulfone	0.020
Buprofezin	0.050	Diclobutylazole	0.050	en-hion	0.050
Buthyachlor	0.500	Dicozol	0.100	en-hion oxon	0.020
Buthyralin	0.200	Dicrophos	0.050	en-hion oxon sulfoxide	0.100
Buthyryl	0.100	Dieldrin	0.100	en-hion sulfoxide	0.050
Cadusafos	0.020	Diehoencarb	0.020	enuron	0.020
Captafent	1.000	Diehynolamide (D-T)	0.050	ipronil	0.100
Carbaryl	0.050	Diencoconazole	0.100	lonicamid	0.100
Carbendazim	0.100	Dimehenamid	0.050	luchloralin	0.100
Carbofent	0.020	Dimehoate	0.050	lucyhrinate	0.100
Carbophenothion	0.200	Dimehomorph	0.050	ludioxonil	0.200
Carboxin	0.020	Diniconazole	0.200	lu-enace	0.020
Carfenthiotrifluthrin	0.100	Dinoethuran	0.200	lumioxazin	0.100
Chloraniliprole	0.020	Dioxa-hion	0.100	luomeuron	0.020
Chlordane, cis-	0.200	Diphenamid	0.020	luopicolide	0.050
Chlordane, trans-	0.200	Diphenylamine	0.100	luopyram	0.020
Chloraniliprole	0.500	Disulofen	0.100	luoxastrobin	0.050
Chloraniliprole	0.200	Disulofen sulfoxide	0.100	lupyradiuron	0.020
Chloraniliprole	0.050	Disulofen sulfoxide	0.100	luridone	0.100
Chloraniliprole	0.100	Diuron	0.050	lutilazole	0.020
Chloraniliprole	0.200	di-enphos	0.050	luolanil	0.020
Chloraniliprole	0.050	ndosulan alpha	0.200	lurialol	0.020
Chloraniliprole	0.200	ndosulan beta	0.200	lualinate, au-	0.100
Chloraniliprole	1.000	ndosulan sulfate	0.100	luxaproxad	0.020



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794

**Report Number:** 23-010096/D002.R000  
**Report Date:** 08/31/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 08/24/23 12:58



Cannab s Mu t -Res due Prof e, L m ts of Quant tat on

Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)
omesa en	0.100	Mexacarba e	0.020	Propamocarb	0.050
ono os	0.100	MGK 264	0.020	Propanil	0.050
orchlor enuron	0.050	Mirex	0.100	Propargi e	0.050
orme ana e	0.050	Molina e	0.050	Propazine	0.020
ura hiocarb	0.020	Monocro ophos	0.100	Prope amphos	0.050
ep achlor	0.100	Monolinuron	0.020	Propham	0.050
ep achlor epoxide	0.100	Myclobu anil	0.050	Propiconazole	0.050
ep enphos	0.100	Naled	0.100	Propoxur	0.050
exachlorobenzene	0.100	Napropamide	0.050	Propoxycarbazone Na	0.050
exaconazole	0.100	Neburon	0.020	Propyzamide	0.050
exazinone	0.100	Ni rapyrin	0.100	Pro hio os	0.100
exy hiazox	0.020	Nor lurazon	0.050	Pyraclos robin	0.020
mazalil	0.100	Ome hoa e	0.100	Pyrazophos	0.050
midacloprid	0.100	O-Phenylphenol	0.100	Pyre hrins	0.050
ndazi lam	0.020	Oxadixyl	0.100	Pyridaben	0.020
ndoxacarb	0.020	Oxamyl	0.100	Pyrida ol	0.100
proben os	0.100	Oxamyl-oxime	0.100	Pyrida e	0.020
prodione	0.100	Oxychlorthane	0.100	Pyrima hanil	0.050
sobenzan	0.100	Oxydeme on-Me hyl	0.100	Pyriproxi en	0.020
socarbophos	0.500	Oxy hioquinox	0.200	Pyroxasul one	0.020
sodrin	0.100	Paclobu razol	0.050	Pyroxulam	0.020
so enphos	0.050	Paraaxon-e hyl	0.020	Quinalphos	0.050
so enphos-me hyl	0.020	Paraaxon me hyl	0.100	Quinoxy en	0.050
so enphos oxon	0.050	Para hion e hyl	0.100	Quin ozene (PCNB)	0.200
soproc carb	0.020	Para hion me hyl	0.200	Resme hrin	0.050
sopropalin	0.200	Penconazole	0.050	Ro enone	0.050
sopro hiolane	0.050	Pendime halin	0.050	S421	0.100
sopro uron	0.050	Pen lu en	0.020	Simazine	0.100
soxaben	0.050	Pen achloroaniline	0.100	Sime ryn	0.200
soxa lu ole	0.050	Pen achloroanisole	0.100	Spine oram	0.020
Kresoxim-me hyl	0.050	Pen achlorobenzene (PCB)	0.100	Spinosad	0.050
ac o en	0.500	Pentachlorothioanisole (PCTA)	0.100	Spirodiclo en	0.100
enacil	0.100	Pen hiopyrad	0.020	Spiromesi en	0.050
indane (gamma B C)	0.100	Perme hrin	0.050	Spiro e rama	0.050
inuron	0.020	Per hane	0.100	Spiroxamine	0.020
Malaaxon	0.050	Phenmedipham	0.050	Sul o ep	0.050
Mala hion	0.050	Phen hoa e	0.050	Sul oxa lor	0.050
Mandipropamid	0.020	Phora e	0.050	Sulpro os	0.020
Mecarbam	0.020	Phora e Sul one	0.050	Tebuconazole	0.100
Mepanipyrim	0.050	Phora e Sul oxide	0.050	Tebu enozide	0.020
Merphos	0.500	Phosalone	0.050	Tebu hiuron	0.020
Me alaxyl	0.050	Phosme	0.100	Tecnazene	0.100
Me aldehyde	0.050	Phosphamidon	0.050	Te lu hrin	0.100
Me conazole	0.100	Phoxim	0.050	Terbu os	0.020
Me hacri os	0.100	Pinoxaden	0.020	Terbu os sul one	0.050
Me hamidophos	0.050	Piperonyl bu oxide	0.050	Terbu os sul oxide	0.050
Me hida hion	0.050	Pirimicarb	0.020	Terbu hylazine	0.020
Me hiocarb	0.050	Pirimiphos-me hyl	0.050	Terbu ryn	0.020
Me hiocarb sul one	0.100	Pirimiphos-e hyl	0.020	Te rachlorvinphos	0.050
Me hiocarb sul oxide	0.100	Pralle hrin	0.100	Te raconazole	0.050
Me homyl	0.100	Prochloraz	0.020	Te radi on	0.200
Me hoxychlor	0.100	Procyimidone	0.100	Te rame hrin	0.050
Me hoxy enozide	0.020	Pro eno os	0.100	Te rasul	0.100
Me obromuron	0.050	Pro luralin	0.100	Thiabendazole	0.100
Me olachlor	0.100	Promecarb	0.050	Thiabendazole, 5-hydroxy	0.100
Me olcarb	0.050	Prome on	0.100	Thiacloprid	0.050
Me ra enone	0.050	Prome ryn	0.020	Thiame hoxam	0.100
Me ribuzin	0.100	Propachlor	0.020	Thiobencarb	0.050
Mevinphos	0.100			Thiodicarb	0.050
				Thiophana e-me hyl	0.050



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-010096/D002.R000  
**Report Date:** 08/31/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 08/24/23 12:58



Cannab s Mu t-Res due Prof e, L m ts of Quant tat on

Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)
Tolclo os-me hyl	0.100	Triazophos	0.020	Tri loxys robin	0.020
Tri orin	0.100	Tolyl luanid	0.050	Tri iconazole	0.050
Tralkoxydim	0.100	Tridiphane	0.500	Vinclozolin	0.100
Triadime on	0.050	Tri lumizole	0.020	Zoxamide	0.020
Trialla e	0.100	Tri luralin	0.100		

LOQ= Limit of Quantitation, mg/kg

Factors affecting the LOQ include instrument sensitivity or a particular analyte, sample size, moisture content (percent solids) of the sample, effectiveness of the cleanup on the sample extract, and especially the type of sample matrix.





12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-010096/D002.R000  
**Report Date:** 08/31/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 08/24/23 12:58



Hemp & Cannabis  
Chain of Custody

Northwest-Natural-  
goods-1692824334

ORELAP ID: OR100028 ANAB ED P0251D: A1608

	<b>Project Information</b> Project Name: <u>HEMP-EB 0001</u> PO Number: <u>N/A</u> Turnaround Time: <u>5 Business Days (Reg. For Micro Testing) Standard</u> Samples Delivered to Laboratory: <u>Schedule Pick-Up</u> Cannabis Type: <u>Industrial</u>				Testing							
					H000 - Potency/Cannabinoid/Basic - Extended Profile	P2320 - Pesticide - Multi-Residue Profile	H0008 - Residual Solvents - OF	H0013 - Heavy Metals Profile (Pb, As, Cd, Fe, & Hg)	M076 - Total Coliforms - E-Coli	P2323 - Yeast and Mold	N130 - Moisture and Loss on Drying	N300 - Water Activity
#	Sample Name Test	Material	Amount Provided	Reporting Unit	Serving Size							
1	HEMP-EB 0001	Edible	20 units for sale	mg/g & mg/-serving	4.0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Relinquished By	Date	Time	Temp, °C	Received By	Date	Time	Received Temp, °C	Evidence of Cooling?
Charles Moore	8/23/2023	13:58	Temp, °C	BR	8/24/2023	09:45		No
BR	8/24/2023	11:25	22.7	rlc	8/24/2023	12:58		No

Samples submitted to Columbia Laboratories with testing requirements consist of an agreement for services in accordance with the current terms of services associated with this COC. By signing "Relinquished By" you are agreeing to these terms.

Columbia Laboratories  
12423 NE Whitaker Way  
Portland, OR 97230

P: (503) 254-1794 | Fax: (503) 254-1102  
info@columbialaboratories.com

Page 1 of 1  
www.columbialaboratories.com



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-010096/D002.R000  
**Report Date:** 08/31/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 08/24/23 12:58

Revision: 4 Document D: 7148  
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V98-6 Batch ID: 2310417

Laboratory Control Sample									
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes
CBDVA	2	0.0313	0.0309	%	101	80.0	- 120	Acceptable	
CBDV	2	0.0319	0.0313	%	102	80.0	- 120	Acceptable	
CBE	2	0.0329	0.0329	%	100.0	80.0	- 120	Acceptable	
CEDA	1	0.0353	0.0338	%	105	90.0	- 110	Acceptable	
CBGA	1	0.0359	0.0343	%	104	80.0	- 120	Acceptable	
CBG	1	0.0380	0.0363	%	105	80.0	- 120	Acceptable	
CBD	1	0.0371	0.0351	%	106	90.0	- 110	Acceptable	
THCV	2	0.0201	0.0200	%	101	80.0	- 120	Acceptable	
Δ8THCV	2	0.0276	0.0276	%	100	80.0	- 120	Acceptable	
THCV/A	2	0.0309	0.0307	%	101	80.0	- 120	Acceptable	
CBN	1	0.0355	0.0343	%	103	80.0	- 120	Acceptable	
exo-THC	2	0.0301	0.0302	%	99.6	80.0	- 120	Acceptable	
Δ9THC	1	0.0372	0.0355	%	105	90.0	- 110	Acceptable	
Δ8THC	1	0.0371	0.0364	%	102	90.0	- 110	Acceptable	
9SΔ10THC	1	0.0365	0.0354	%	103	80.0	- 120	Acceptable	
CBL	2	0.0317	0.0311	%	102	80.0	- 120	Acceptable	
9RΔ10THC	1	0.0117	0.0115	%	102	80.0	- 120	Acceptable	
CBG	2	0.0331	0.0335	%	98.9	80.0	- 120	Acceptable	
THCA	1	0.0365	0.0344	%	106	90.0	- 110	Acceptable	
CBGA	2	0.0329	0.0319	%	103	80.0	- 120	Acceptable	
CBLA	2	0.0654	0.0647	%	101	80.0	- 120	Acceptable	
Δ9THCP	2	0.0312	0.0316	%	98.7	80.0	- 120	Acceptable	
CBT	2	0.0305	0.0308	%	98.9	80.0	- 120	Acceptable	

Method Blank						
Analyte	Result	LOQ	Units	Limits		Evaluation
CBDVA	<LOQ	0.00316	%	< 0.00316		Acceptable
CBDV	<LOQ	0.00316	%	< 0.00316		Acceptable
CBE	<LOQ	0.00316	%	< 0.00316		Acceptable
CEDA	<LOQ	0.00316	%	< 0.00316		Acceptable
CBGA	<LOQ	0.00316	%	< 0.00316		Acceptable
CBG	<LOQ	0.00316	%	< 0.00316		Acceptable
CBD	<LOQ	0.00316	%	< 0.00316		Acceptable
THCV	<LOQ	0.00316	%	< 0.00316		Acceptable
Δ8THCV	<LOQ	0.00316	%	< 0.00316		Acceptable
THCV/A	<LOQ	0.00316	%	< 0.00316		Acceptable
CBN	<LOQ	0.00316	%	< 0.00316		Acceptable
exo-THC	<LOQ	0.00316	%	< 0.00316		Acceptable
Δ9THC	<LOQ	0.00316	%	< 0.00316		Acceptable
Δ8THC	<LOQ	0.00316	%	< 0.00316		Acceptable
9SΔ10THC	<LOQ	0.00316	%	< 0.00316		Acceptable
CBL	<LOQ	0.00316	%	< 0.00316		Acceptable
9RΔ10THC	<LOQ	0.00316	%	< 0.00316		Acceptable
CBG	<LOQ	0.00316	%	< 0.00316		Acceptable
THCA	<LOQ	0.00316	%	< 0.00316		Acceptable
CBGA	<LOQ	0.00316	%	< 0.00316		Acceptable
CBLA	<LOQ	0.00316	%	< 0.00316		Acceptable
Δ9THCP	<LOQ	0.00316	%	< 0.00316		Acceptable
CBT	<LOQ	0.00316	%	< 0.00316		Acceptable

Abbreviations  
 ND - None Detected at or above MRI  
 RPD - Relative Percent Difference  
 LOQ - Limit of Quantitation

Units of Measure:  
 %- Percent



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-010096/D002.R000  
**Report Date:** 08/31/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 08/24/23 12:58

Revision: 4 Document D: 7148  
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V98-6		Batch ID: 2310417						
Sample Duplicate		Sample ID: 23-010062-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBD <sup>A</sup>	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBC	0.00869	0.00874	0.00321	%	0.596	< 20	Acceptable	
CBD	0.261	0.263	0.00321	%	0.699	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
Δ8THCV	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
THCV/A	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
Δ9THC	0.263	0.265	0.00321	%	0.767	< 20	Acceptable	
Δ8THC	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
9S-Δ10THC	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
9R-Δ10THC	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBC	0.00572	0.00575	0.00321	%	0.591	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
Δ9THCP	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	

Abbreviations

- ND - None Detected at or above MRI
- RPD - Relative Percent Difference
- LOQ - Limit of Quantitation

Units of Measure:

%- Percent



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-010096/D002.R000  
**Report Date:** 08/31/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 08/24/23 12:58

Revision: 2 Document ID: 7087  
 Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents				Batch D: 2310428					
Method Blank				Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Propane	ND	< 200		421	584	µg/g	72.1	60 - 120	
Isobutane	ND	< 200		599	767	µg/g	78.1	60 - 120	
Butane	ND	< 200		594	782	µg/g	76.0	60 - 120	
2,2-Dimethylpropane	ND	< 200		664	939	µg/g	70.7	60 - 120	
Methanol	ND	< 200		1630	1670	µg/g	97.6	60 - 120	
Ethylene Oxide	ND	< 30		43.9	57.1	µg/g	76.9	60 - 120	
2-Methylbutane	ND	< 200		1610	1680	µg/g	95.8	60 - 120	
Pentane	ND	< 200		1580	1670	µg/g	94.6	60 - 120	
Ethanol	ND	< 200		1680	1660	µg/g	101.2	70 - 130	
Ethyl Ether	ND	< 200		1600	1670	µg/g	95.8	60 - 120	
2,2-Dimethylbutane	ND	< 30		184	189	µg/g	97.4	60 - 120	
Acetone	ND	< 200		1650	1670	µg/g	98.8	60 - 120	
2-Propanol	ND	< 200		1630	1630	µg/g	100.0	60 - 120	
Ethyl Formate	ND	< 500		1540	1600	µg/g	96.3	70 - 130	
Acetonitrile	ND	< 100		463	492	µg/g	94.1	60 - 120	
Methyl Acetate	ND	< 500		1540	1600	µg/g	96.3	70 - 130	
2,3-Dimethylbutane	ND	< 30		174	180	µg/g	96.7	60 - 120	
Dichloromethane	ND	< 60		465	488	µg/g	95.3	60 - 120	
2-Methylpentane	ND	< 30		166	182	µg/g	91.2	60 - 120	
MTBE	ND	< 500		1590	1610	µg/g	98.8	70 - 130	
3-Methylpentane	ND	< 30		174	177	µg/g	98.3	60 - 120	
Hexane	ND	< 30		166	177	µg/g	93.8	60 - 120	
1-Propanol	ND	< 500		1590	1600	µg/g	99.4	70 - 130	
Methyl ethyl ketone	ND	< 500		1560	1610	µg/g	96.9	70 - 130	
Ethyl acetate	ND	< 200		1530	1630	µg/g	93.9	60 - 120	
2-Butanol	ND	< 200		1580	1630	µg/g	96.9	60 - 120	
Tetrahydrofuran	ND	< 100		458	488	µg/g	93.9	60 - 120	
Cyclohexane	ND	< 200		1510	1610	µg/g	93.8	60 - 120	
2-methyl-1-propanol	ND	< 500		1600	1610	µg/g	99.4	70 - 130	
Benzene	ND	< 1		3.87	4.79	µg/g	80.8	60 - 120	
Isopropyl Acetate	ND	< 200		1560	1650	µg/g	94.5	60 - 120	
Heptane	ND	< 200		1510	1630	µg/g	92.6	60 - 120	
1-Butanol	ND	< 500		1620	1600	µg/g	101.3	70 - 130	
Propyl Acetate	ND	< 500		1510	1600	µg/g	94.4	70 - 130	
1,4-Dioxane	ND	< 100		481	523	µg/g	92.0	60 - 120	
2-Ethoxyethanol	ND	< 30		175	179	µg/g	97.8	60 - 120	
Methylisobutylketone	ND	< 500		1540	1600	µg/g	96.3	70 - 130	
3-Methyl-1-butanol	ND	< 500		1620	1600	µg/g	101.3	70 - 130	
Ethylene Glycol	ND	< 200		235	508	µg/g	46.4	60 - 120	Q6
Toluene	ND	< 100		459	496	µg/g	92.5	60 - 120	
Isobutyl Acetate	ND	< 500		1530	1610	µg/g	95.0	70 - 130	
1-Pentanol	ND	< 500		1610	1600	µg/g	100.6	70 - 130	
Butyl Acetate	ND	< 500		1490	1610	µg/g	92.5	70 - 130	
Ethylbenzene	ND	< 200		862	978	µg/g	88.1	60 - 120	
m,p-Xylene	ND	< 200		893	994	µg/g	89.8	60 - 120	
o-Xylene	ND	< 200		865	982	µg/g	88.1	60 - 120	
Cumene	ND	< 30		151	171	µg/g	88.3	60 - 120	
Anisole	ND	< 500		1410	1600	µg/g	88.1	70 - 130	
DMSO	ND	< 500		1140	1620	µg/g	70.4	70 - 130	
1,2-dimethoxyethane	ND	< 50		174	186	µg/g	93.5	70 - 130	
Triethylamine	ND	< 500		1350	1600	µg/g	84.4	70 - 130	
N,N-dimethylformamide	ND	< 150		440	480	µg/g	91.7	70 - 130	
N,N-dimethylacetamide	ND	< 150		416	483	µg/g	86.1	70 - 130	
Pyridine	ND	< 50		127	168	µg/g	75.6	70 - 130	
Silolane	ND	< 50		123	161	µg/g	76.4	70 - 130	
1,2-Dichloroethane	ND	< 1		0.983	1	µg/g	96.3	70 - 130	
Chloroform	ND	< 1		0.987	1	µg/g	96.7	70 - 130	
Trichloroethylene	ND	< 1		0.871	1	µg/g	87.1	70 - 130	
1,1,1-Trichloroethane	ND	< 1		0.887	1	µg/g	88.7	70 - 130	



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-010096/D002.R000  
**Report Date:** 08/31/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 08/24/23 12:58

Revision: 2 Document ID: 7087  
 Legacy ID: CFL-E33Effective:

QC- Sample Duplicate		Sample ID: 23-009550-0001						
Analyte	Result	Org. Result	LOQ Units	RPD	Limits	Accept/ Fail	Notes	
Propane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Isobutane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Butane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
2,2-Dimethylpropane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Methanol	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Ethylene Oxide	ND	ND	30 µg/g	0.0	< 20	Acceptable		
2-Methylbutane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Pentane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Ethanol	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Ethyl Ether	ND	ND	200 µg/g	0.0	< 20	Acceptable		
2,2-Dimethylbutane	ND	ND	30 µg/g	0.0	< 20	Acceptable		
Acetone	ND	ND	200 µg/g	0.0	< 20	Acceptable		
2-Propanol	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Ethyl Formate	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Acetonitrile	ND	ND	100 µg/g	0.0	< 20	Acceptable		
Methyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable		
2,3-Dimethylbutane	ND	ND	30 µg/g	0.0	< 20	Acceptable		
Dichloromethane	ND	ND	60 µg/g	0.0	< 20	Acceptable		
2-Methylpentane	ND	ND	30 µg/g	0.0	< 20	Acceptable		
MTBE	ND	ND	500 µg/g	0.0	< 20	Acceptable		
3-Methylpentane	ND	ND	30 µg/g	0.0	< 20	Acceptable		
Hexane	ND	ND	30 µg/g	0.0	< 20	Acceptable		
1-Propanol	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Methylethylketone	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Ethyl acetate	ND	ND	200 µg/g	0.0	< 20	Acceptable		
2-Butanol	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Tetrahydrofuran	ND	ND	100 µg/g	0.0	< 20	Acceptable		
Cyclohexane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
2-methyl-1-propanol	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Benzene	ND	ND	1 µg/g	0.0	< 20	Acceptable		
Isopropyl Acetate	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Heptane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
1-Butanol	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Propyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable		
1,4-Dioxane	ND	ND	100 µg/g	0.0	< 20	Acceptable		
2-Ethoxyethanol	ND	ND	30 µg/g	0.0	< 20	Acceptable		
Methylisobutylketone	ND	ND	500 µg/g	0.0	< 20	Acceptable		
3-Methyl-1-butanol	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Ethylene Glycol	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Toluene	ND	ND	100 µg/g	0.0	< 20	Acceptable		
Isobutyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable		
1-Pentanol	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Butyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Ethylbenzene	ND	ND	200 µg/g	0.0	< 20	Acceptable		
m,p-Xylene	ND	ND	200 µg/g	0.0	< 20	Acceptable		
o-Xylene	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Cumene	ND	ND	30 µg/g	0.0	< 20	Acceptable		
Anisole	ND	ND	500 µg/g	0.0	< 20	Acceptable		
DMSO	ND	ND	500 µg/g	0.0	< 20	Acceptable		
1,2-dimethoxyethane	ND	ND	50 µg/g	0.0	< 20	Acceptable		
Triethylamine	ND	ND	500 µg/g	0.0	< 20	Acceptable		
N,N-dimethylformamide	ND	ND	150 µg/g	0.0	< 20	Acceptable		
N,N-dimethylacetamide	ND	ND	150 µg/g	0.0	< 20	Acceptable		
Pyridine	ND	ND	50 µg/g	0.0	< 20	Acceptable		
Sulfolane	ND	ND	50 µg/g	0.0	< 20	Acceptable		
1,2-Dichloroethane	ND	ND	1 µg/g	0.0	< 20	Acceptable		
Chloroform	ND	ND	1 µg/g	0.0	< 20	Acceptable		
Trichloroethylene	ND	ND	1 µg/g	0.0	< 20	Acceptable		
1,1-Dichloroethane	ND	ND	1 µg/g	0.0	< 20	Acceptable		

Abbreviations

ND - None Detected at or above MRL  
 RPD- Relative Percent Difference  
 LOQ - Limit of Quantitation  
 Q6- Quality control outside QC limits. Data acceptable based on remaining QC.

Units of Measure:

µg/g- Microgram per gram or ppm



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-010096/D002.R000  
**Report Date:** 08/31/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 08/24/23 12:58





12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-010096/D002.R000  
**Report Date:** 08/31/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 08/24/23 12:58

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.