



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-004610/D001.R000
Report Date: 05/06/2024
ORELAP#: OR100028
Purchase Order:
Received: 04/29/24 11:07

Customer: NW Natural Goods
Product identity: HEMP - HB 0110
Client/Metric ID: .
Laboratory ID: 24-004610-0001

Summary

Potency:

Analyte per 4g	Result	Limits	Units	Status	
CBD per 4g	25.9		mg/4g		CBD-Total per Serving Size 25.9 mg/4g
CBG per 4g	0.660		mg/4g		
					THC-Total per Serving Size <LOQ
					(Reported in milligrams per serving)

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

Analyte	Result (mg/kg)	Limits (mg/kg)	Status
Multi-Residue Pesticide Profile	< LOQ for all analytes		

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-004610/D001.R000
Report Date: 05/06/2024
ORELAP#: OR100028
Purchase Order:
Received: 04/29/24 11:07

Customer: NW Natural Goods

Product identity: HEMP - HB 0110
Client/Metric ID: .
Sample Date:
Laboratory ID: 24-004610-0001
Evidence of Cooling: No
Temp: 25 °C
Serving Size #1: 4 g

Sample Results

Potency per 4g	Method: J AOAC 2015 V98-6 (mod)	Units mg/se	Batch: 2403318	Analyze: 4/30/24 4:48:00 PM	
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 4g	< LOQ		mg/4g	0.127	
CBC-A per 4g	< LOQ		mg/4g	0.127	
CBC-Total per 4g	< LOQ		mg/4g	0.239	
CBD per 4g	25.9		mg/4g	0.127	
CBD-A per 4g	< LOQ		mg/4g	0.127	
CBD-Total per 4g	25.9		mg/4g	0.239	
CBDV per 4g	< LOQ		mg/4g	0.127	
CBDV-A per 4g	< LOQ		mg/4g	0.127	
CBDV-Total per 4g	< LOQ		mg/4g	0.237	
CBE per 4g	< LOQ		mg/4g	0.127	
CBG per 4g	0.660		mg/4g	0.127	
CBG-A per 4g	< LOQ		mg/4g	0.127	
CBG-Total per 4g	0.660		mg/4g	0.237	
CBL per 4g	< LOQ		mg/4g	0.127	
CBL-A per 4g	< LOQ		mg/4g	0.127	
CBL-Total per 4g	< LOQ		mg/4g	0.239	
CBN per 4g	< LOQ		mg/4g	0.127	
CBT per 4g	< LOQ		mg/4g	0.127	
Δ8-THCV per 4g	< LOQ		mg/4g	0.127	
Δ10-THC-9R per 4g	< LOQ		mg/4g	0.127	
Δ10-THC-9S per 4g	< LOQ		mg/4g	0.127	
Δ10-THC-Total per 4g	< LOQ		mg/4g	0.254	
Δ8-THC per 4g	< LOQ		mg/4g	0.127	
Δ9-THC per 4g	< LOQ		mg/4g	0.127	
delta-9-THCP per 4g	< LOQ		mg/4g	0.127	
exo-THC per 4g	< LOQ		mg/4g	0.127	
THC-A per 4g	< LOQ		mg/4g	0.127	
THC-Total per 4g	< LOQ		mg/4g	0.239	
THCV per 4g	< LOQ		mg/4g	0.127	
THCV-A per 4g	< LOQ		mg/4g	0.127	
THCV-Total per 4g	< LOQ		mg/4g	0.239	
Total Cannabinoids per 4g	26.5		mg/4g		



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-004610/D001.R000
Report Date: 05/06/2024
ORELAP#: OR100028
Purchase Order:
Received: 04/29/24 11:07

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2403259	05/02/24 AOAC 991.14 (Petrifilm)		
Total Coliforms	< LOQ		cfu/g	10	2403259	05/02/24 AOAC 991.14 (Petrifilm)		
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2403260	05/03/24 AOAC 2014.05 (RAPID)		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2403260	05/03/24 AOAC 2014.05 (RAPID)		

Solvents Method: Residual Solvents by HS-GC-MS^b Units µg/g Batch 2403361 Analyze 05/02/24 01:02 PM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane [‡]	< LOQ	380	100	pass		2-Butanol [‡]	< LOQ	5000	200	pass	
2-Ethoxyethanol [‡]	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane) [‡]	< LOQ		200		
2-Methylpentane [‡]	< LOQ		30.0			2-Propanol (IPA) [‡]	< LOQ	5000	200	pass	
2,2-Dimethylbutane [‡]	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane) [‡]	< LOQ		200		
2,3-Dimethylbutane [‡]	< LOQ		30.0			3-Methylpentane [‡]	< LOQ		30.0		
Acetone [‡]	< LOQ	5000	200	pass		Acetonitrile [‡]	< LOQ	410	100	pass	
Benzene [‡]	< LOQ	2.00	1.00	pass		Butanes (sum) [‡]	< LOQ	5000	400	pass	
Cyclohexane [‡]	< LOQ	3880	200	pass		Ethyl acetate [‡]	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether [‡]	< LOQ	5000	200	pass	
Ethylene glycol [‡]	< LOQ	620	200	pass		Ethylene oxide [‡]	< LOQ	50.0	20.0	pass	
Hexanes (sum) [‡]	< LOQ	290	150	pass		Isopropyl acetate [‡]	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene) [‡]	< LOQ	70.0	30.0	pass		m,p-Xylene [‡]	< LOQ		200		
Methanol [‡]	< LOQ	3000	200	pass		Methylene chloride [‡]	< LOQ	600	60.0	pass	
Methylpropane (Isobutane) [‡]	< LOQ		200			n-Butane [‡]	< LOQ		200		
n-Heptane [‡]	< LOQ	5000	200	pass		n-Hexane [‡]	< LOQ		30.0		
n-Pentane [‡]	< LOQ		200			o-Xylene [‡]	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane [‡]	< LOQ	5000	200	pass	
Tetrahydrofuran [‡]	< LOQ	720	100	pass		Toluene [‡]	< LOQ	890	100	pass	
Total Xylenes [‡]	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Pesticides Method: AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2403382 Analyze 05/03/24 09:03 AM

Analyte	Result	Limits	Status	Notes
Multi-Residue Pesticide Profile	< LOQ for all analytes			

Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Arsenic [‡]	< LOQ	0.200	mg/kg	0.0186	2403350	05/01/24 AOAC 2013.06 (mod.) ^p	pass	
Cadmium [‡]	< LOQ	0.200	mg/kg	0.0186	2403350	05/01/24 AOAC 2013.06 (mod.) ^p	pass	
Lead [‡]	< LOQ	0.500	mg/kg	0.0186	2403350	05/01/24 AOAC 2013.06 (mod.) ^p	pass	
Mercury [‡]	< LOQ	0.100	mg/kg	0.00928	2403350	05/01/24 AOAC 2013.06 (mod.) ^p	pass	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-004610/D001.R000
Report Date: 05/06/2024
ORELAP#: OR100028
Purchase Order:
Received: 04/29/24 11:07

Nutrition

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Moisture (Loss on Drying)	17.4		g/100g	0.10	2403402	05/02/24 AOAC 925.10 (mod.)		
Water Activity	0.632		Aw	0.030	2403329	05/01/24 AOAC 978.18		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-004610/D001.R000
Report Date: 05/06/2024
ORELAP#: OR100028
Purchase Order:
Received: 04/29/24 11:07

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

▷ = ISO/IEC 17025:2017 accredited method.

※ = TNI accredited analyte.

Units of Measure

cfu/g = Colony forming units per gram

g = Gram

g/100g = Grams per 100 Grams

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/4g = Milligram per 4g

% = Percentage of sample

A_w = Water Activity

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-004610/D001.R000
 Report Date: 05/06/2024
 ORELAP#: OR100028
 Purchase Order:
 Received: 04/29/24 11:07



P2320 Multi-Residue Pesticide Profile
 Cannabis

Analyte	LOQ (mg/kg)
2,4-D	0.1
Abamectin	0.1
Acephate	0.2
Acequinocyl	0.2
Acetamiprid	0.1
Acetochlor	0.2
Acrinathrin	0.1
Alachlor	0.1
Aldicarb	0.1
Aldoxycarb	0.1
Aldrin	0.1
Ametoctradin	0.1
Ametryn	0.1
Anilazine	0.1
Aspon	0.1
Asulam	0.1
Atrazine	0.1
Atrazine-desethyl	0.1
Azinphos-ethyl	0.1
Azinphos-methyl	0.1
Azoxystrobin	0.1
Benalaxyl	0.1
Bendiocarb	0.1
Benoxacor	0.1
Bensulide	0.1
Bentazon	0.1
Bifenazate	0.1
Bifenox	0.1
Bifenthrin	0.1
Binapacryl	0.1
Boscalid	0.1
Bromacil	0.1
Bromophos-ethyl	0.1
Bromopropylate	0.1
Bromoxynil	0.1
Bupirimate	0.1
Buprofezin	0.1
Butachlor	0.1
Butylate	0.1
Cadusafos	0.1
Captan	0.2
Carbaryl	0.1
Carbendazim	0.1
Carbofuran	0.1
Carbofuran 3-hydroxy	0.1
Carbophenothion	0.1
Carbophenothion-methyl	0.1
Carboxin	0.1

Analyte	LOQ (mg/kg)
Chlorantraniliprol	0.1
Chlordane, cis-	0.1
Chlordane, trans-	0.1
Chlorfenapyr	0.1
Chlorfenvinphos	0.1
Chlorobenzilate	0.1
Chlorpyrifos-ethyl	0.1
Chlorpyrifos-methyl	0.1
Chlorthal-dimethyl (Dacthal)	0.1
Clethodim	0.1
Clethodim sulfone	0.1
Clethodim sulfoxide	0.1
Clofentezine	0.1
Clomazone	0.1
Clopyralid	0.1
Clothianidin	0.1
Coumaphos	0.1
Crotoxyphos	0.1
Cyanofenphos	0.1
Cyanophos	0.1
Cyantraniliprole	0.1
Cyazofamid	0.1
Cyfluthrin	0.1
Cyhalothrin, lambda	0.1
Cymoxanil	0.1
Cypermethrin	0.1
Cyprodinil	0.1
DDD, o,p'-	0.1
DDD, p,p'-	0.1
DDE, o,p'-	0.1
DDE, p,p'-	0.1
DDT, o,p'-	0.1
DDT, p,p'-	0.1
DEET	0.1
Deltamethrin	0.1
Demeton-S	0.1
Demeton-s-methyl	0.1
Demeton-S-methyl-sulfone	0.1
Desmedipham	0.1
Diazinon	0.1
Dicamba	0.1
Dichlofenthion	0.1
Dichlofluanid	0.1
Dichlorbenzamid	0.1
Dichlorvos	0.1
Diclofop	0.1
Diclofop-methyl	0.1
Dicrotophos	0.1

Analyte	LOQ (mg/kg)
Dieldrin	0.1
Diethofencarb	0.1
Difenoconazol	0.1
Diffubenzuron	0.1
Diffufenzopyr	0.1
Dimethenamid	0.1
Dimethoat	0.1
Dimethomorph	0.1
Dinoseb	0.1
Dinotefuran	0.1
Dioxathion	0.1
Diphenamid	0.1
Diphenylamine (DPA)	0.1
Disulfoton	0.1
Disulfoton-sulfone	0.1
Disulfoton-Sulfoxide	0.1
Diuron	0.1
DNOC	0.1
Edifenphos	0.1
Endosulfan (alpha isomer)	0.1
Endosulfan (beta isomer)	0.1
Endosulfan-sulfate	0.1
Endrin	0.1
EPN	0.1
EPTC	0.1
Esfenvalerate/Fenvalerate	0.1
Ethiofencarb	0.1
Ethion	0.1
Ethofumesate	0.1
Ethoprophos	0.1
Etofenprox	0.1
Etoazole	0.1
Etrimfos	0.1
Famoxadone	0.1
Famphur	0.1
Fenamiphos	0.1
Fenamiphos-Sulfone	0.1
Fenamiphos-Sulfoxide	0.1
Fenazaquin	0.1
Fenbuconazole	0.1
Fenhexamid	0.1
Fenobucarb	0.1
Fenoxycarb	0.1
Fenpropathrin	0.1
Fensulfothion	0.1
Fenthion	0.1
Fenuron	0.1
Fipronil	0.1

LOQ= Limit of Quantitation
 mg/kg= milligram per kilogram (ppm)

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-004610/D001.R000
Report Date: 05/06/2024
ORELAP#: OR100028
Purchase Order:
Received: 04/29/24 11:07



P2320 Multi-Residue Pesticide Profile
 Cannabis

Analyte	LOQ (mg/kg)
Flonicamid	0.1
Fluazifop	0.1
Fluazinam	0.1
Flucythrinate	0.1
Fludioxonil	0.1
Flufenacet	0.1
Flumioxazin	0.1
Fluopicolide	0.1
Fluopyram	0.1
Fluoxastrobin	0.1
Flupyradifurone	0.1
Fluridone	0.1
Fluroxypyr	0.1
Fluthiacet-methyl	0.1
Flutolanil	0.1
Flutriafol	0.1
Fluvalinate	0.1
Fluxapyroxad	0.1
Fomesafen	0.1
Formetanate	0.1
Furathiocarb	0.1
Haloxypol	0.1
Heptachlor	0.1
Heptachlor epoxide	0.1
Hexaconazole	0.1
Hexazinone	0.1
Hexythiazox	0.1
Hydropene	0.1
Imazalil	0.1
Imazethapyr	0.1
Imidacloprid	0.1
Indaziflam	0.1
Indoxacarb	0.1
Iprobenfos	0.1
Iprodion	0.1
Isobenzan	0.1
Isofenphos	0.1
Isofenphos-methyl	0.1
Isofenphos-oxon	0.1
Isoprocab	0.1
Isoprothiolane	0.1
Isoproturon	0.1
Isoxaben	0.1
Kresoxim-methyl	0.1
Lindane	0.1
Linuron	0.1
Malaoxon	0.1
Malathion	0.1

Analyte	LOQ (mg/kg)
Mandipropamid	0.1
MCPA	0.1
MCPB	0.1
MCPP	0.1
Mecabam	0.1
Mepanipirim	0.1
Mesotrione	0.1
Metalaxyl	0.1
Methamidophos	0.1
Methiocarb	0.1
Methiocarb sulfone	0.1
Methiocarb sulfoxide	0.1
Methomyl	0.1
Methoxyfenozide	0.1
Metolachlor	0.1
Metolcarb	0.1
Metrafenone	0.1
Mevinphos	0.1
MGK 264	0.1
Molinate	0.1
Monocrotophos	0.1
Monolinuron	0.1
Myclobutanil	0.1
Naled	0.1
Napropamide	0.1
Neburon	0.1
Norflurazon	0.1
Novaluron	0.1
Omethoat	0.1
Oryzalin	0.1
Oxadiazon	0.1
Oxadixyl	0.1
Oxamyl	0.1
Oxamyl-oxime	0.1
Oxychlorane	0.1
Oxydemeton-Methyl	0.1
Oxyfluorfen	0.1
Paclbutrazol	0.1
Paraoxon-ethyl	0.1
Paraoxon-methyl	0.1
Parathion-methyl	0.1
Penconazole	0.1
Pendimethalin	0.1
Penflufen	0.1
Penthiopyrad	0.1
Permethrin	0.1
Perthane	0.1
Phenmedipham	0.1

Analyte	LOQ (mg/kg)
Phenothrin	0.1
Phenthoate	0.1
Phorate	0.1
Phorate-Sulfone	0.1
Phorate-Sulfoxide	0.1
Phosalone	0.1
Phosmet	0.1
Phosphamidon	0.1
Phoxim	0.1
Pinoxaden	0.1
Piperonyl Butoxide	0.1
Pirimicarb	0.1
Pirimiphos-ethyl	0.1
Pirimiphos-methyl	0.1
Prallethrin	0.1
Prochloraz	0.1
Procymidone	0.1
Profenofos	0.1
Promecarb	0.1
Prometon	0.1
Prometryn	0.1
Propachlor	0.1
Propamocarb	0.1
Propanil	0.1
Propazine	0.1
Propetamophos	0.1
Propham	0.1
Propiconazole	0.1
Propoxur	0.1
Propyzamide	0.1
Prothiofos	0.1
Pyraclostrobin	0.1
Pyraflufen Ethyl	0.1
Pyrazophos	0.1
Pyrethrin	0.1
Pyridaben	0.1
Pyrimethanil	0.1
Pyriproxifen	0.1
Pyroxasulfone	0.1
Pyroxulam	0.1
Quinalphos	0.1
Quinclorac	0.1
Quinoxifen	0.1
Quintozene(PCNB)	0.2
Quizalofop	0.1
Resmethrin	0.1
Rotenone	0.1
Saffluenacil	0.1

LOQ= Limit of Quantitation
 mg/kg= milligram per kilogram (ppm)

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-004610/D001.R000
Report Date: 05/06/2024
ORELAP#: OR100028
Purchase Order:
Received: 04/29/24 11:07



P2320 Multi-Residue Pesticide Profile
 Cannabis

Analyte	LOQ (mg/kg)
Sebuthylazin	0.1
Sethoxydim	0.1
Simazine	0.1
Simetryn	0.1
Spinetoram J/L	0.1
Spinosyn A/D	0.1
Spirodiclofen	0.1
Spiromesifen	0.1
Spirotetramat	0.1
Spiroxamine	0.1
Sulfentrazone	0.1
Sulfotep	0.1
Sulfoxafflor	0.1
Sulprofos	0.1
Tebuconazole	0.1
Tebufenozide	0.1
Terbufos	0.1
Terbuthylazine	0.1
Terbutryn	0.1
Tetrachlorvinphos	0.1
Tetraconazole	0.1
Tetramethrin	0.1
Thiabendazol	0.1
Thiabendazol-5-hydroxy	0.1
Thiacloprid	0.1
Thiamethoxam	0.1
Thiobencarb	0.1
Thiodicarb	0.1
Thiometon	0.1
Thiophanate-methyl	0.2
Tolfenpyrad	0.1
Tolyfluanid	0.1
Triadimefon	0.1
Triadimenol	0.1
Triazophos	0.1
Trifloxystrobin	0.1
Triflumizole	0.1
Triticonazole	0.1
Zoxamid	0.1

LOQ= Limit of Quantitation
 mg/kg= milligram per kilogram (ppm)

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430



Northwest-Natural-Goods-1714147212

Hemp & Cannabis Chain of Custody

ORELAP ID: OR1000028 ANAB ISO 17025 ID: AT1508

<p>Company Details Company: Northwest Natural Goods</p>		<p>Project Details Turnaround Time: 5 Business Days (Req. For Micro Testing) Standard Relinquishment (Sampling, Courier & Shipping Options): Pick-Up, Courier Service Compliance: Compliance Project Name / ID: HEMP-HB010 Cannabis Type (select if applicable): Industrial</p>		<p>Testing</p>	
<p>Pick-Up Details Pick-Up Location Name: Northwest Natural Goods</p>		<p>Receipt Information Pre-Log Storage: Canna Shelves</p>		<p>M75 - E. coli/Coliform Count (EC) Petrifilm ✓</p> <p>H008 - Residual Solvents (Cannabis - Oregon) ✓</p> <p>P220 - Multi-Residue Pesticide Profile (Cannabis) ✓</p> <p>M23 - APIID Yeast and Mold Count (YM) Petrifilm ✓</p> <p>N360 - Water Activity & Moisture (as Loss on Drying) Food ✓</p> <p>H003 - Cannabis Heavy Metals Profile CR ✓</p> <p>H001 - Potency Cannabis (Basic+Expendit) ✓</p>	
#	Sample Name	Material	Amount Provided	Reporting Unit	Serving Size
1	HEMP-HB010	Cannabidiol Edible	20 each	mg/g & mg/serving	4 g

Relinquished By	Date	Time	Temp. °C	Received By	Date	Time	Received Temp. °C	Evidence of Cooling?
KRISTEN JOHANSON	04/26/2024	09:00	15.2	BR	04/29/2024	10:18	25	NA
BR	04/29/2024	10:57	15.2	NR	04/29/2024	11:07	25	NA

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this OGL. By signing this requisition, you are agreeing to these terms.

Columbia Laboratories
12423 NE Whitaker Way
Portland, OR 97230

F: (503) 254-1794
info@columbialaboratories.com

Page 1 of 1
www.columbialaboratories.com



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-004610/D001.R000
Report Date: 05/06/2024
ORELAP#: OR100028
Purchase Order:
Received: 04/29/24 11:07

Revision: 4 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V986 Batch ID: 2403318

Laboratory Control Sample										
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes	
CBDVA	2	0.0356	0.0362	%	98.4	80.0	- 120	Acceptable		
CBDV	2	0.0347	0.0343	%	101	80.0	- 120	Acceptable		
CBE	2	0.0319	0.0318	%	100	80.0	- 120	Acceptable		
CBDA	1	0.0307	0.0313	%	98.1	90.0	- 110	Acceptable		
CBGA	1	0.0303	0.0307	%	98.9	80.0	- 120	Acceptable		
CBG	1	0.0338	0.0347	%	97.4	80.0	- 120	Acceptable		
CBD	1	0.0330	0.0339	%	97.5	90.0	- 110	Acceptable		
THCV	2	0.0332	0.0341	%	97.5	80.0	- 120	Acceptable		
d8THCV	2	0.0354	0.0362	%	97.9	80.0	- 120	Acceptable		
THCVA	2	0.0312	0.0320	%	97.6	80.0	- 120	Acceptable		
CBN	1	0.0303	0.0321	%	94.2	80.0	- 120	Acceptable		
exo-THC	2	0.0314	0.0333	%	94.1	80.0	- 120	Acceptable		
d9THC	1	0.0306	0.0328	%	93.3	90.0	- 110	Acceptable		
d8THC	1	0.0301	0.0322	%	93.4	90.0	- 110	Acceptable		
9S-d10THC	1	0.0298	0.0323	%	92.3	80.0	- 120	Acceptable		
CBL	2	0.0303	0.0330	%	91.9	80.0	- 120	Acceptable		
9R-d10THC	1	0.0290	0.0315	%	92.0	80.0	- 120	Acceptable		
CBC	2	0.0331	0.0350	%	94.7	80.0	- 120	Acceptable		
THCA	1	0.0310	0.0306	%	101	90.0	- 110	Acceptable		
CBCA	2	0.0329	0.0334	%	98.4	80.0	- 120	Acceptable		
CBLA	2	0.0336	0.0340	%	98.9	80.0	- 120	Acceptable		
d9THCP	2	0.0285	0.0326	%	87.5	80.0	- 120	Acceptable		
CBT	2	0.0305	0.0357	%	85.4	80.0	- 120	Acceptable		

Method Blank							
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes	
CBDVA	<LOQ	0.00322	%	< 0.00322	Acceptable		
CBDV	<LOQ	0.00322	%	< 0.00322	Acceptable		
CBE	<LOQ	0.00322	%	< 0.00322	Acceptable		
CBDA	<LOQ	0.00322	%	< 0.00322	Acceptable		
CBGA	<LOQ	0.00322	%	< 0.00322	Acceptable		
CBG	<LOQ	0.00322	%	< 0.00322	Acceptable		
CBD	<LOQ	0.00322	%	< 0.00322	Acceptable		
THCV	<LOQ	0.00322	%	< 0.00322	Acceptable		
d8THCV	<LOQ	0.00322	%	< 0.00322	Acceptable		
THCVA	<LOQ	0.00322	%	< 0.00322	Acceptable		
CBN	<LOQ	0.00322	%	< 0.00322	Acceptable		
exo-THC	<LOQ	0.00322	%	< 0.00322	Acceptable		
d9THC	<LOQ	0.00322	%	< 0.00322	Acceptable		
d8THC	<LOQ	0.00322	%	< 0.00322	Acceptable		
9S-d10THC	<LOQ	0.00322	%	< 0.00322	Acceptable		
CBL	<LOQ	0.00322	%	< 0.00322	Acceptable		
9R-d10THC	<LOQ	0.00322	%	< 0.00322	Acceptable		
CBC	<LOQ	0.00322	%	< 0.00322	Acceptable		
THCA	<LOQ	0.00322	%	< 0.00322	Acceptable		
CBCA	<LOQ	0.00322	%	< 0.00322	Acceptable		
CBLA	<LOQ	0.00322	%	< 0.00322	Acceptable		
d9THCP	<LOQ	0.00322	%	< 0.00322	Acceptable		
CBT	<LOQ	0.00322	%	< 0.00322	Acceptable		

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-004610/D001.R000
Report Date: 05/06/2024
ORELAP#: OR100028
Purchase Order:
Received: 04/29/24 11:07

Revision: 4 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V986		Batch ID: 2403318						
Sample Duplicate		Sample ID: 24-0046040005						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.00329	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.00329	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.00329	%	NA	< 20	Acceptable	
CBDA	0.0470	0.0467	0.00329	%	0.626	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.00329	%	NA	< 20	Acceptable	
CBG	0.00467	0.00466	0.00329	%	0.203	< 20	Acceptable	
CBD	0.155	0.154	0.00329	%	0.748	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.00329	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.00329	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.00329	%	NA	< 20	Acceptable	
CBN	0.0184	0.0182	0.00329	%	1.21	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.00329	%	NA	< 20	Acceptable	
d9THC	<LOQ	<LOQ	0.00329	%	NA	< 20	Acceptable	
d8THC	<LOQ	<LOQ	0.00329	%	NA	< 20	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.00329	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.00329	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.00329	%	NA	< 20	Acceptable	
CBC	<LOQ	<LOQ	0.00329	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.00329	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.00329	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.00329	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.00329	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.00329	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-004610/D001.R000
Report Date: 05/06/2024
ORELAP#: OR100028
Purchase Order:
Received: 04/29/24 11:07

Revision: 2 Document ID: 7087
Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents				Batch ID: 2403361			
Method Blank				Laboratory Control Sample			
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec Limits Notes
Propane	ND	< 200		589	584	µg/g	100.9 60 - 120
Isobutane	ND	< 200		706	767	µg/g	92.0 60 - 120
Butane	ND	< 200		696	782	µg/g	89.0 60 - 120
2,2-Dimethylpropane	ND	< 200		880	939	µg/g	93.7 60 - 120
Methanol	ND	< 200		1670	1600	µg/g	104.4 60 - 120
Ethylene Oxide	ND	< 30		529	57.1	µg/g	92.6 60 - 120
2-Methylbutane	ND	< 200		1620	1600	µg/g	101.3 60 - 120
Pertane	ND	< 200		1520	1600	µg/g	95.0 60 - 120
Ethanol	ND	< 200		1530	1600	µg/g	95.6 70 - 130
Ethyl Ether	ND	< 200		1730	1600	µg/g	108.1 60 - 120
2,2-Dimethylbutane	ND	< 30		172	163	µg/g	105.5 60 - 120
Acetone	ND	< 200		1690	1610	µg/g	105.0 60 - 120
2-Propanol	ND	< 200		1640	1600	µg/g	102.5 60 - 120
Ethyl Formate	ND	< 500		1630	1620	µg/g	100.6 70 - 130
Acetonitrile	ND	< 100		481	481	µg/g	100.0 60 - 120
Methyl Acetate	ND	< 500		1670	1610	µg/g	103.7 70 - 130
2,3-Dimethylbutane	ND	< 30		164	161	µg/g	101.9 60 - 120
Dichloromethane	ND	< 60		492	481	µg/g	102.3 60 - 120
2-Methylpentane	ND	< 30		164	162	µg/g	101.2 60 - 120
MTBE	ND	< 500		1660	1610	µg/g	103.1 70 - 130
3-Methylpentane	ND	< 30		167	163	µg/g	102.5 60 - 120
Hexane	ND	< 30		172	163	µg/g	105.5 60 - 120
1-Propanol	ND	< 500		1680	1600	µg/g	105.0 70 - 130
Methylethylketone	ND	< 500		1720	1610	µg/g	106.8 70 - 130
Ethyl acetate	ND	< 200		1680	1610	µg/g	104.3 60 - 120
2-Butanol	ND	< 200		1680	1600	µg/g	105.0 60 - 120
Tetrahydrofuran	ND	< 100		524	487	µg/g	107.6 60 - 120
Cyclohexane	ND	< 200		1770	1610	µg/g	109.9 60 - 120
2-methyl-1-propanol	ND	< 500		1840	1610	µg/g	114.3 70 - 130
Benzene	ND	< 1		5.2	4.88	µg/g	106.6 60 - 120
Isopropyl Acetate	ND	< 200		1750	1610	µg/g	108.7 60 - 120
Heptane	ND	< 200		1780	1600	µg/g	111.3 60 - 120
1-Butanol	ND	< 500		1820	1610	µg/g	113.0 70 - 130
Propyl Acetate	ND	< 500		1880	1610	µg/g	116.8 70 - 130
1,4-Dioxane	ND	< 100		524	484	µg/g	108.3 60 - 120
2-Ethoxyethanol	ND	< 30		164	162	µg/g	101.2 60 - 120
Methylisobutylketone	ND	< 500		1890	1630	µg/g	116.0 70 - 130
3-Methyl-1-butanol	ND	< 500		1900	1610	µg/g	118.0 70 - 130
Ethylene Glycol	ND	< 200		406	496	µg/g	81.9 60 - 120
Toluene	ND	< 100		534	486	µg/g	109.9 60 - 120
Isobutyl Acetate	ND	< 500		1860	1610	µg/g	115.5 70 - 130
1-Pentanol	ND	< 500		1870	1600	µg/g	116.9 70 - 130
Butyl Acetate	ND	< 500		1880	1600	µg/g	117.5 70 - 130
Ethylbenzene	ND	< 200		1080	961	µg/g	112.4 60 - 120
m,p-Xylene	ND	< 200		1100	973	µg/g	113.1 60 - 120
o-Xylene	ND	< 200		1120	963	µg/g	116.3 60 - 120
Cumene	ND	< 30		187	164	µg/g	114.0 60 - 120
Anisole	ND	< 500		2000	1600	µg/g	125.0 70 - 130
DMSO	ND	< 500		1730	1610	µg/g	107.5 70 - 130
1,2-dimethoxyethane	ND	< 50		190	170	µg/g	111.8 70 - 130
Triethylamine	ND	< 500		1890	1600	µg/g	118.1 70 - 130
N,N-dimethylformamide	ND	< 150		541	482	µg/g	112.2 70 - 130
N,N-dimethylacetamide	ND	< 150		588	488	µg/g	120.5 70 - 130
Pyridine	ND	< 50		185	164	µg/g	112.8 70 - 130
Sulfolane	ND	< 50		189	169	µg/g	111.8 70 - 130



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-004610/D001.R000
Report Date: 05/06/2024
ORELAP#: OR100028
Purchase Order:
Received: 04/29/24 11:07

Revision: 2 Document ID: 7087
Legacy ID: CFL-E33Effective:

QC- Sample Duplicate

Sample ID: 24-004549-0001

Analyte	Result	Org. Result	LOQ Units	RPD	Limits	Accept/ Fail	Notes
Propane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30 µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Pertane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100 µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60 µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500 µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Methylethylketone	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Ethyl acetate	244	248	200 µg/g	1.5	< 20	Acceptable	
2-Butanol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100 µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1 µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100 µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500 µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100 µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200 µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200 µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500 µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500 µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50 µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500 µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150 µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150 µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50 µg/g	0.0	< 20	Acceptable	
Sulfone	ND	ND	50 µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

µg/g - Microgram per gram or ppm



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-004610/D001.R000
Report Date: 05/06/2024
ORELAP#: OR100028
Purchase Order:
Received: 04/29/24 11:07





Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.