



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-004974/D002.R000
Report Date: 05/02/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/25/23 12:26

Customer: NW Natural Goods
Product identity: PCH 0005
Client/Metric ID: .
Laboratory ID: 23-004974-0001

Summary

Potency:

Analyte per 4g	Result	Limits	Units	Status	
CBC per 4g	10.4		mg/4g		CBD-Total per Serving Size 20.6 mg/4g
CBD per 4g	20.6		mg/4g		
CBG per 4g	0.600		mg/4g		THC-Total per Serving Size <LOQ
CBT per 4g	0.155		mg/4g		(Reported in milligrams per serving)

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

Analyte	Result (mg/kg)	Limits (mg/kg)	Status
Multi-Residue Pesticide Profile	< LOQ for all analytes		

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-004974/D002.R000
Report Date: 05/02/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/25/23 12:26

Customer: NW Natural Goods

Product identity: PCH 0005
Client/Metric ID: .
Sample Date:
Laboratory ID: 23-004974-0001
Evidence of Cooling: No
Temp: 19.5 °C
Relinquished by: Ramos
Serving Size #1: 4 g

Sample Results

Potency per 4g					
Method: J AOAC 2015 V98-6 (mod) ^b		Units mg/se		Batch: 2306789	
				Analyze: 4/26/23 6:45:00 PM	
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 4g	10.4		mg/4g	0.125	
CBC-A per 4g	< LOQ		mg/4g	0.125	
CBC-Total per 4g	10.4		mg/4g	0.235	
CBD per 4g	20.6		mg/4g	0.125	
CBD-A per 4g	< LOQ		mg/4g	0.125	
CBD-Total per 4g	20.6		mg/4g	0.235	
CBDV per 4g	< LOQ		mg/4g	0.125	
CBDV-A per 4g	< LOQ		mg/4g	0.125	
CBDV-Total per 4g	< LOQ		mg/4g	0.233	
CBE per 4g	< LOQ		mg/4g	0.125	
CBG per 4g	0.600		mg/4g	0.125	
CBG-A per 4g	< LOQ		mg/4g	0.125	
CBG-Total per 4g	0.600		mg/4g	0.233	
CBL per 4g	< LOQ		mg/4g	0.125	
CBL-A per 4g	< LOQ		mg/4g	0.125	
CBL-Total per 4g	< LOQ		mg/4g	0.235	
CBN per 4g	< LOQ		mg/4g	0.125	
CBT per 4g	0.155		mg/4g	0.125	
Δ8-THCV per 4g	< LOQ		mg/4g	0.125	
Δ10-THC-9R per 4g	< LOQ		mg/4g	0.125	
Δ10-THC-9S per 4g	< LOQ		mg/4g	0.125	
Δ10-THC-Total per 4g	< LOQ		mg/4g	0.250	
Δ8-THC per 4g	< LOQ		mg/4g	0.125	
Δ9-THC per 4g	< LOQ		mg/4g	0.125	
exo-THC per 4g	< LOQ		mg/4g	0.125	
THC-A per 4g	< LOQ		mg/4g	0.125	
THC-Total per 4g	< LOQ		mg/4g	0.235	
THCV per 4g	< LOQ		mg/4g	0.125	
THCV-A per 4g	< LOQ		mg/4g	0.125	
THCV-Total per 4g	< LOQ		mg/4g	0.235	
Total Cannabinoids per 4g	31.8		mg/4g		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-004974/D002.R000
Report Date: 05/02/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/25/23 12:26

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2306721	04/28/23 AOAC 991.14 (Petrifilm) [®]		
Total Coliforms	< LOQ		cfu/g	10	2306721	04/28/23 AOAC 991.14 (Petrifilm) [®]		
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2306722	04/29/23 AOAC 2014.05 (RAPID) [®]		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2306722	04/29/23 AOAC 2014.05 (RAPID) [®]		

Solvents Method: Residual Solvents by GC/MS[®] Units µg/g Batch 2306832 Analyze 04/28/23 11:54 AM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethyl butane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethyl butane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropyl benzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Pesticides Method: AOAC 2007.01 & EN 15662 (mod)[®] Units mg/kg Batch 2306866 Analyze 05/01/23 09:59 AM

Analyte	Result	Limits	Status	Notes
Multi-Residue Pesticide Profile	< LOQ for all analytes			

Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Arsenic*	< LOQ	0.200	mg/kg	0.0197	2306881	05/01/23 AOAC 2013.06 (mod.) [®]		pass
Cadmium*	< LOQ	0.200	mg/kg	0.0197	2306881	05/01/23 AOAC 2013.06 (mod.) [®]		pass
Lead*	< LOQ	0.500	mg/kg	0.0197	2306881	05/01/23 AOAC 2013.06 (mod.) [®]		pass
Mercury*	< LOQ	0.100	mg/kg	0.00987	2306881	05/01/23 AOAC 2013.06 (mod.) [®]		pass



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-004974/D002.R000
Report Date: 05/02/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/25/23 12:26

Nutrition

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Moisture (Loss on Drying)	18.1		g/100g	0.10	2306809	04/27/23 AOAC 925.10 (mod.) ^p		
Water Activity	0.657		Aw	0.030	2306793	04/27/23 AOAC 978.18 ^p		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-004974/D002.R000
Report Date: 05/02/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/25/23 12:26

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓐ = ISO/IEC 17025:2017 accredited method.

Ⓜ = TNI accredited analyte.

Units of Measure

cfu/g = Colony forming units per gram

g = g

g/100g = Grams per 100 Grams

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/4g = Milligram per 4g

% = Percentage of sample

Aw = Water Activity

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-004974/D002.R000
Report Date: 05/02/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/25/23 12:26



Cannabis Multi-Residue Profile, Limits of Quantitation

Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)
Abamectin	0.100	Cethodim	0.050	Endrin	0.100
Acephate	0.100	Cethodim Sulfone	0.050	EPN	0.050
Acequinocyl	0.100	Cethodim Sulfoxide	0.050	EPIC	0.100
Acetamiprid	0.020	Cb fenfentzine	0.020	Esfenvalerate/ Fenvalerate	0.200
Acetochlor	0.100	Cb mazone	0.020	Etaconazole	0.100
Acrinathrin	0.100	Cb thianidin	0.200	Ethalfuralin	0.100
Alachlor	0.100	Cumaphos	0.050	Ethiofencarb	0.050
Aldicarb	0.100	Crtoxypfos	0.020	Ethion	0.200
Aldicarb sulfoxide	0.100	Cyarazine	0.020	Ethirimol	0.100
Aldoxycarb (Aldicarb-sulfone)	0.100	Cyartofenphos	0.020	Ethofumesate	0.050
Aldrin	0.100	Cyatraniiprole	0.050	Ethoprophos	0.020
Ametoctradin	0.020	Cyazflamid	0.020	Etofenprox	0.020
Ametryn	0.500	Cytoate	0.100	Etoazole	0.020
Aspon	0.100	Cyfluthrin	0.200	Eridiazole	0.100
Asulam	0.100	Cyhalothrin, lambda	0.200	Erimfos	0.020
Atrazine	0.100	Cymoxanil	0.050	Famoxadone	0.200
Atrazine-desethyl	0.100	Cypermethrin	0.200	Famphur	0.100
Azinphos-ethyl	0.020	Cyprodinil	0.100	Fenamidone	0.020
Azinphos-methyl	0.020	Dadhal	0.100	Fenamiphos	0.020
Azoxystrobin	0.020	Damnozide	0.100	Fenamiphos sulfone	0.020
Beralaxyl	0.020	DCEMU	0.050	Fenamiphos sulfoxide	0.020
Berdicarb	0.020	DDD, op'	0.100	Fenazaquin	0.100
Berfluralin	0.100	DDD, p,p'	0.100	Fenbuconazole	0.100
Berxacor	0.050	DDE, o,p'	0.100	Fenchlorphos	0.100
Bersulide	0.050	DDE, p,p'	0.100	Fenchlorphos-oxon	0.100
BHC alpha isomer	0.100	DDT, o,p'	0.100	Fenhexam d	0.100
BHC beta isomer	0.100	DDT, p,p'	0.100	Fenitrothion	0.100
BHC delta isomer	0.500	DEF (Tribufos)	0.100	Fenobucarb	0.050
Bifenazate	0.020	Deltamethrin	0.100	Fenoxycarb	0.020
Bifenthrin	0.020	Desmedipham	0.100	Fenpropathrin	0.050
Boscalid	0.020	Diallate	0.100	Fenpyroximate	0.020
Bromophos-ethyl	0.100	Diazinon	0.020	Fenson	0.100
Bromophos-methyl	0.200	Diazoxon	0.100	Fensulfothion	0.020
Bromopropylate	0.100	Dichlobenil	0.100	Fensulfothion oxon	0.020
Bromuconazole	0.100	D chlorfluand	0.100	Fensulfothion sulfone	0.100
Bupirimate	0.020	D chlorvos	0.100	Fensulfothion-oxon-sulfone	0.020
Buprofezin	0.050	D clobutrazol	0.050	Fenthion	0.050
Butachlor	0.500	D cofol	0.100	Fenthion oxon	0.020
Butralin	0.200	Dicrotophos	0.050	Fenthion oxon sulfone	0.100
Butylate	0.100	Deldrin	0.100	Fenthion sulfone	0.050
Cadusafos	0.020	Dethofencarb	0.020	Fenuron	0.020
Captan	1.000	D ethyltoluam de (DEET)	0.050	Fipronil	0.100
Carbaryl	0.050	Difenoconazole	0.100	Fonicamid	0.100
Carbendazim	0.100	Dimethenamid	0.050	Fuchloralin	0.100
Carbofuran	0.020	Dimethoate	0.050	Flucythrinate	0.100
Carbophenothion	0.200	D methomorph	0.050	Fludioxonil	0.200
Carboxin	0.020	D niconazole	0.200	Flufenacet	0.020
Carfentrazone-ethyl	0.100	D notefuran	0.200	Flumioxazin	0.100
Chlorantraniliprole	0.020	D oxathion	0.100	Flumeturon	0.020
Chordane, cis-	0.200	D phenamid	0.020	Fluopicolide	0.050
Chordane, trans-	0.200	D phenylamine	0.100	Fluopyram	0.020
Chlorfenapyr	0.500	Disulfoton	0.100	Fluoxastrobin	0.050
Chlorfenson	0.200	Disulfoton sulfone	0.100	Flupyradfurone	0.020
Chlorfenvinphos	0.050	Disulfoton sulfoxide	0.100	Fluridone	0.100
Chlorobenzilate	0.100	Duron	0.050	Flusilazole	0.020
Chloroneb	0.200	Edifenphos	0.050	Flutolanil	0.020
Chlorpyrifos	0.050	Endosulfan alpha	0.200	Flutriafol	0.020
Chlorpyrifos-methyl	0.200	Endosulfan beta	0.200	Fluvalinate, tau-	0.100
CIPC	1.000	Endosulfan sulfate	0.100	Fluxapyroxad	0.020



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-004974/D002.R000
Report Date: 05/02/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/25/23 12:26



Cannabis Multi-Residue Profile, Limits of Quantitation

Compound	LOQ(mg/kg)	Compound	LOQ(mg/kg)	Compound	LOQ(mg/kg)
Fomesafen	0.100	Mexacarbate	0.020	Propamocarb	0.050
Fonofos	0.100	MGK 264	0.020	Proparil	0.050
Forchlorfenuron	0.050	Mirex	0.100	Propargite	0.050
Formetanate	0.050	Molinate	0.050	Propazine	0.020
Furathiocarb	0.020	Monocrotophos	0.100	Propetamphos	0.050
Heptachlor	0.100	Monolinuron	0.020	Propham	0.050
Heptachlor epoxide	0.100	Myclobutanil	0.050	Propiconazole	0.050
Heptenophos	0.100	Naled	0.100	Propoxur	0.050
Hexachlorobenzene	0.100	Napropamide	0.050	Propoxycarbazone Na	0.050
Hexaconazole	0.100	Neburon	0.020	Propyzamide	0.050
Hexazinone	0.100	Nitrapyrin	0.100	Prthiofos	0.100
Hexythiazox	0.020	Norflurazon	0.050	Pyraclostrobin	0.020
Imazalil	0.100	Omethoate	0.100	Pyrazophos	0.050
Imidacoprid	0.100	O-Phenylphenol	0.100	Pyrethrins	0.050
Indaziflam	0.020	Oxadixyl	0.100	Pyridaben	0.020
Indoxacarb	0.020	Oxamyl	0.100	Pyridafol	0.100
Iprobenfos	0.100	Oxamyl-oxime	0.100	Pyridate	0.020
Iprodione	0.100	Oxychlorane	0.100	Pyrimethanil	0.050
Isobenzan	0.100	Oxydemeton-Methyl	0.100	Pyriproxifen	0.020
Isocarbophos	0.500	Oxythioquinox	0.200	Pyroxasulfone	0.020
Isodrin	0.100	Padobutrazol	0.050	Pyroxulam	0.020
Isofenphos	0.050	Paraoxon-ethyl	0.020	Quinalphos	0.050
Isofenphos-methyl	0.020	Paraoxon methyl	0.100	Quinoxyfen	0.050
Isofenphos oxon	0.050	Parathion ethyl	0.100	Quintozene (PQNB)	0.200
Isoprocarb	0.020	Parathion methyl	0.200	Resmethrin	0.050
Isopropalin	0.200	Perconazole	0.050	Rotenone	0.050
Isoprothiolane	0.050	Perdimethalin	0.050	S421	0.100
Isoproturon	0.050	Perflufen	0.020	Smaazine	0.100
Isoxaben	0.050	Pertachloroaniline	0.100	Smectryn	0.200
Isoxaflutole	0.050	Pertachloroanisole	0.100	Spinetoram	0.020
Kresoxim-methyl	0.050	Pentachlorobenzene (PCB)	0.100	Spinosad	0.050
Lactofen	0.500	Pentachlorothiobianisole (PCTA)	0.100	Spirodiclofen	0.100
Lenacl	0.100	Perthiopyrad	0.020	Spiromesifen	0.050
Lindane (gammaBHC)	0.100	Permethrin	0.050	Spirotetramat	0.050
Linuron	0.020	Pethane	0.100	Spiroxamine	0.020
Malaaxon	0.050	Phenmedipharm	0.050	Sulfotep	0.050
Malathion	0.050	Phanthoate	0.050	Sulfoxaflor	0.050
Mandipropamid	0.020	Phorate	0.050	Sulprofos	0.020
Mecarbam	0.020	Phorate Sulfone	0.050	Tebuconazole	0.100
Mepanipyrim	0.050	Phorate Sulfoxide	0.050	Tebufenozide	0.020
Merphos	0.500	Phosalone	0.050	Tebuthiuron	0.020
Metalaxyl	0.050	Phosmet	0.100	Tecnazene	0.100
Metaldehyde	0.050	Phosphamidon	0.050	Tefluthrin	0.100
Metconazole	0.100	Phoxim	0.050	Terbufos	0.020
Methacifos	0.100	Pinoxaden	0.020	Terbufos sulfone	0.050
Methamidophos	0.050	Piperonyl butoxide	0.050	Terbufos sulfoxide	0.050
Methidathion	0.050	Pirimicarb	0.020	Terbutylazine	0.020
Methiocarb	0.050	Pirimiphos-methyl	0.050	Terbutryn	0.020
Methiocarb sulfone	0.100	Pirimiphos-ethyl	0.020	Tetrachlorvinphos	0.050
Methiocarb sulfoxide	0.100	Prallethrin	0.100	Tetraconazole	0.050
Methomyl	0.100	Prochloraz	0.020	Tetradfon	0.200
Methoxychlor	0.100	Procyimdone	0.100	Tetramethrin	0.050
Methoxyfenozide	0.020	Prfenofos	0.100	Tetrasul	0.100
Metobromuron	0.050	Prfluralin	0.100	Thiabendazole	0.100
Metolachlor	0.100	Promecarb	0.050	Thiabendazole, 5-hydroxy	0.100
Metolcarb	0.050	Prometon	0.100	Thiadoprid	0.050
Metrafenone	0.050	Prometryn	0.020	Thiamethoxam	0.100
Metribuzin	0.100	Propadchlor	0.020	Thiobencarb	0.050
Mevinphos	0.100			Thiodicarb	0.050
				Thiophanate-methyl	0.050



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-004974/D002.R000
Report Date: 05/02/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/25/23 12:26



Cannabis Multi-Residue Profile, Limits of Quantitation

Compound	LOQ(mg/kg)	Compound	LOQ(mg/kg)	Compound	LOQ(mg/kg)
Tolclofos-methyl	0.100	Triazophos	0.020	Trifloxystrobin	0.020
Triforin	0.100	Tolyfluarid	0.050	Triconazole	0.050
Tralkoxydim	0.100	Tridiphane	0.500	Vindozolin	0.100
Triadimefon	0.050	Triflumizole	0.020	Zoxamide	0.020
Triallate	0.100	Trifluralin	0.100		

LOQ=Limit of Quantitation, mg/kg

Factors affecting the LOQ include instrumentation sensitivity for a particular analyte, sample size, moisture content (percent solids) of the sample, effectiveness of the cleanup on the sample extract, and especially the type of sample matrix.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-004974/D002.R000
Report Date: 05/02/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/25/23 12:26



Hemp & Cannabis: Usable / Extract / Finished Product
 Chain of Custody, Record

Northern Natural
 Goods-1682358043

OREIAP ID OR1000028 ANAB ISO 17025 IDAT1508

#	Sample Name	Matrix	Amount Provided	Testing						
				Heavy Metals Profile OR (As, Cd, Pb & Hg)	Moisture as Loss on Drying	Pesticide - Multi-Residue Profile	Potency Cannabinoid Basic Profile	Residual Solvents - OR	Water Activity	Yeast and Mold
1	PCH 0005	Edible	20 units for sale	✓	✓	✓	✓	✓	✓	✓

Project Information
 Project Name: N/A
 PO Number: N/A
 Turnaround Time: 5 Business Days (standard) (required for microbial testing)
 Samples Delivered to Laboratory: Schedule Pick-Up
 Cannabis Type: Industrial
 Pick-Up Location
 Street Address: 11781 SE HWY 212, #404
 City, State, Zip: Clackamas, Oregon 97015

Relinquished By	Date	Time	Temp., °C
<i>Michelle Navarrete</i>	<i>4/25/2023</i>	<i>10:25</i>	
<i>BR</i>	<i>4/25/2023</i>	<i>11:00</i>	<i>19.5</i>

Received By	Date	Time	Received Temp. °C	Evidence of Cooling?
<i>BR</i>	<i>4/25/2023</i>	<i>10:25</i>		<i>N</i>
<i>MRH</i>	<i>4/25/2023</i>	<i>12:28</i>		<i>N</i>

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of service](#) associated with this OOC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories
 12423 NE Whitaker Way
 Portland, OR 97230

P (503) 254-1794 | Fx (503) 254-1452
info@columbialaboratories.com

Page 1 of 1
www.columbialaboratories.com



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-004974/D002.R000
Report Date: 05/02/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/25/23 12:26

Revision: 1 Document D: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V98-6 Batch ID: 2306789

Laboratory Control Sample									
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes
CBDVA	2	0.0321	0.030	%	105	80.0	- 120	Acceptable	
CBDV	2	0.0307	0.030	%	104	80.0	- 120	Acceptable	
CBE	2	0.0354	0.034	%	104	80.0	- 120	Acceptable	
CBD	1	0.0293	0.031	%	94.6	90.0	- 110	Acceptable	
CBG ^A	1	0.0246	0.026	%	95.4	80.0	- 120	Acceptable	
CBC	1	0.0298	0.031	%	95.8	80.0	- 120	Acceptable	
CBD	1	0.0260	0.027	%	94.8	90.0	- 110	Acceptable	
THCV	2	0.0243	0.023	%	107	80.0	- 120	Acceptable	
δ8THCV	2	0.0276	0.027	%	104	80.0	- 120	Acceptable	
THCV/A	2	0.0328	0.031	%	105	80.0	- 120	Acceptable	
CBN	1	0.0261	0.027	%	96.8	80.0	- 120	Acceptable	
exo-THC	2	0.0321	0.031	%	105	80.0	- 120	Acceptable	
δ9THC	1	0.0314	0.031	%	101	90.0	- 110	Acceptable	
δ8THC	1	0.0302	0.031	%	96.8	90.0	- 110	Acceptable	
9SΔ10THC	1	0.0306	0.031	%	97.4	80.0	- 120	Acceptable	
CBL	2	0.0353	0.032	%	109	80.0	- 120	Acceptable	
9RΔ10THC	1	0.0285	0.032	%	89.2	80.0	- 120	Acceptable	
CBC	2	0.0315	0.030	%	104	80.0	- 120	Acceptable	
THCA	1	0.0346	0.036	%	96.2	90.0	- 110	Acceptable	
CBCA	2	0.0331	0.032	%	102	80.0	- 120	Acceptable	
CBLA	2	0.0331	0.032	%	103	80.0	- 120	Acceptable	
CBT	2	0.0335	0.033	%	101	80.0	- 120	Acceptable	

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.003	%	< 0.003	Acceptable	
CBDV	<LOQ	0.003	%	< 0.003	Acceptable	
CBE	<LOQ	0.003	%	< 0.003	Acceptable	
CBD	<LOQ	0.003	%	< 0.003	Acceptable	
CBG ^A	<LOQ	0.003	%	< 0.003	Acceptable	
CBC	<LOQ	0.003	%	< 0.003	Acceptable	
THCV	<LOQ	0.003	%	< 0.003	Acceptable	
δ8THCV	<LOQ	0.003	%	< 0.003	Acceptable	
THCV/A	<LOQ	0.003	%	< 0.003	Acceptable	
CBN	<LOQ	0.003	%	< 0.003	Acceptable	
exo-THC	<LOQ	0.003	%	< 0.003	Acceptable	
δ9THC	<LOQ	0.003	%	< 0.003	Acceptable	
δ8THC	<LOQ	0.003	%	< 0.003	Acceptable	
9SΔ10THC	<LOQ	0.003	%	< 0.003	Acceptable	
CBL	<LOQ	0.003	%	< 0.003	Acceptable	
9RΔ10THC	<LOQ	0.003	%	< 0.003	Acceptable	
CBC	<LOQ	0.003	%	< 0.003	Acceptable	
THCA	<LOQ	0.003	%	< 0.003	Acceptable	
CBCA	<LOQ	0.003	%	< 0.003	Acceptable	
CBLA	<LOQ	0.003	%	< 0.003	Acceptable	
CBT	<LOQ	0.003	%	< 0.003	Acceptable	

Abbreviations
 ND - None Detected at or above MRI
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:
 %- Percent



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-004974/D002.R000
Report Date: 05/02/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/25/23 12:26

Revision: 1 Document D: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V98-6		Batch ID: 2306789						
Sample Duplicate		Sample ID: 23-004932-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
Δ8THC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
Δ9THC	0.256	0.248	0.003	%	3.16	< 20	Acceptable	
Δ8THC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
9S-Δ10THC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
9R-Δ10THC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	

Abbreviations
 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:
 %- Percent



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-004974/D002.R000
 Report Date: 05/02/2023
 ORELAP#: OR100028
 Purchase Order:
 Received: 04/25/23 12:26

Revision: 2 Document ID: 7087
 Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents				Batch D: 2306832					
Method Blank				Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Propane	ND	< 200		440	584	µg/g	75.3	60 - 120	
Isobutane	ND	< 200		549	767	µg/g	71.6	60 - 120	
Butane	ND	< 200		576	782	µg/g	73.7	60 - 120	
2,2-Dimethylpropane	ND	< 200		730	939	µg/g	77.7	60 - 120	
Methanol	ND	< 200		1500	1610	µg/g	93.2	60 - 120	
Ethylene Oxide	ND	< 30		45.4	57.1	µg/g	79.5	60 - 120	
2-Methylbutane	ND	< 200		1470	1600	µg/g	91.9	60 - 120	
Pentane	ND	< 200		1520	1610	µg/g	94.4	60 - 120	
Ethanol	ND	< 200		1490	1600	µg/g	93.1	70 - 130	
Ethyl Ether	ND	< 200		1480	1610	µg/g	91.9	60 - 120	
2,2-Dimethylbutane	ND	< 30		157	173	µg/g	90.8	60 - 120	
Acetone	ND	< 200		1480	1620	µg/g	91.4	60 - 120	
2-Propanol	ND	< 200		1470	1600	µg/g	91.9	60 - 120	
Ethyl Formate	ND	< 500		1510	1610	µg/g	93.8	70 - 130	
Acetonitrile	ND	< 100		437	488	µg/g	89.5	60 - 120	
Methyl Acetate	ND	< 500		1400	1610	µg/g	87.0	70 - 130	
2,3-Dimethylbutane	ND	< 30		154	165	µg/g	93.3	60 - 120	
Dichloromethane	ND	< 60		475	487	µg/g	97.5	60 - 120	
2-Methylpentane	ND	< 30		133	160	µg/g	83.1	60 - 120	
MTBE	ND	< 500		1460	1600	µg/g	91.3	70 - 130	
3-Methylpentane	ND	< 30		148	161	µg/g	91.9	60 - 120	
Hexane	ND	< 30		143	162	µg/g	89.5	60 - 120	
1-Propanol	ND	< 500		1440	1620	µg/g	88.9	70 - 130	
Methyl ethyl ketone	ND	< 500		1400	1610	µg/g	87.0	70 - 130	
Ethyl acetate	ND	< 200		1440	1600	µg/g	90.0	60 - 120	
2-Butanol	ND	< 200		1470	1610	µg/g	91.3	60 - 120	
Tetrahydrofuran	ND	< 100		423	483	µg/g	88.0	60 - 120	
Cyclohexane	ND	< 200		1480	1610	µg/g	91.9	60 - 120	
2-methyl-1-propanol	ND	< 500		1300	1630	µg/g	79.8	70 - 130	
Benzene	ND	< 1		4.69	4.98	µg/g	94.2	60 - 120	
Isopropyl Acetate	ND	< 200		1480	1610	µg/g	91.9	60 - 120	
Heptane	ND	< 200		1490	1620	µg/g	92.0	60 - 120	
1-Butanol	ND	< 500		1340	1600	µg/g	83.8	70 - 130	
Propyl Acetate	ND	< 500		1350	1620	µg/g	83.3	70 - 130	
1,4-Dioxane	ND	< 100		442	494	µg/g	89.5	60 - 120	
2-Ethoxyethanol	ND	< 30		156	165	µg/g	94.5	60 - 120	
Methylisobutylketone	ND	< 500		1510	1610	µg/g	93.8	70 - 130	
3-Methyl-1-butanol	ND	< 500		1690	1610	µg/g	105.0	70 - 130	
Ethylene Glycol	ND	< 200		383	488	µg/g	75.7	60 - 120	
Toluene	ND	< 100		436	513	µg/g	85.0	60 - 120	
Isobutyl Acetate	ND	< 500		1290	1600	µg/g	80.6	70 - 130	
1-Pentanol	ND	< 500		1200	1610	µg/g	74.5	70 - 130	
Butyl Acetate	ND	< 500		1250	1610	µg/g	77.6	70 - 130	
Ethylbenzene	ND	< 200		835	967	µg/g	86.3	60 - 120	
m,p-Xylene	ND	< 200		852	994	µg/g	85.7	60 - 120	
o-Xylene	ND	< 200		834	992	µg/g	84.1	60 - 120	
Cumene	ND	< 30		143	171	µg/g	83.6	60 - 120	
Anisole	ND	< 500		1110	1610	µg/g	68.9	70 - 130	Q6
DMF	ND	< 500		1030	1610	µg/g	64.0	70 - 130	Q6
1,2-dimethoxyethane	ND	< 50		143	172	µg/g	86.6	70 - 130	
Triethylamine	ND	< 500		1350	1620	µg/g	83.3	70 - 130	
N,N-dimethylformamide	ND	< 150		362	499	µg/g	72.5	70 - 130	
N,N-dimethylacetamide	ND	< 150		335	491	µg/g	68.2	70 - 130	Q6
Pyridine	ND	< 50		123	171	µg/g	75.4	70 - 130	
Silolane	ND	< 50		88.9	160	µg/g	55.6	70 - 130	Q6
1,2-Dichloroethane	ND	< 1		1.06	1	µg/g	106.0	70 - 130	
Chloroform	ND	< 1		1.18	1	µg/g	118.0	70 - 130	
Trichloroethylene	ND	< 1		1.24	1	µg/g	124.0	70 - 130	
1,1-Dichloroethane	ND	< 1		1.16	1	µg/g	116.0	70 - 130	



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-004974/D002.R000
Report Date: 05/02/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/25/23 12:26

Revision: 2 Document ID: 7087
 Legacy ID: CFL-E33Effective:

QC- Sample Duplicate		Sample ID: 23-004892-0001						
Analyte	Result	Org. Result	LOQ Units	RPD	Limits	Accept/ Fail	Notes	
Propane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Isobutane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Butane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
2,2-Dimethylpropane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Methanol	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Ethylene Oxide	ND	ND	30 µg/g	0.0	< 20	Acceptable		
2-Methylbutane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Pentane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Ethanol	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Ethyl Ether	ND	ND	200 µg/g	0.0	< 20	Acceptable		
2,2-Dimethylbutane	ND	ND	30 µg/g	0.0	< 20	Acceptable		
Acetone	ND	ND	200 µg/g	0.0	< 20	Acceptable		
2-Propanol	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Ethyl Formate	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Acetonitrile	ND	ND	100 µg/g	0.0	< 20	Acceptable		
Methyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable		
2,3-Dimethylbutane	ND	ND	30 µg/g	0.0	< 20	Acceptable		
Dichloromethane	ND	ND	60 µg/g	0.0	< 20	Acceptable		
2-Methylpentane	ND	ND	30 µg/g	0.0	< 20	Acceptable		
MTBE	ND	ND	500 µg/g	0.0	< 20	Acceptable		
3-Methylpentane	ND	ND	30 µg/g	0.0	< 20	Acceptable		
Hexane	ND	ND	30 µg/g	0.0	< 20	Acceptable		
1-Propanol	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Methylethylketone	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Ethyl acetate	ND	ND	200 µg/g	0.0	< 20	Acceptable		
2-Butanol	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Tetrahydrofuran	ND	ND	100 µg/g	0.0	< 20	Acceptable		
Cyclohexane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
2-methyl-1-propanol	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Benzene	ND	ND	1 µg/g	0.0	< 20	Acceptable		
Isopropyl Acetate	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Heptane	ND	ND	200 µg/g	0.0	< 20	Acceptable		
1-Butanol	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Propyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable		
1,4-Dioxane	ND	ND	100 µg/g	0.0	< 20	Acceptable		
2-Ethoxyethanol	ND	ND	30 µg/g	0.0	< 20	Acceptable		
Methylisobutylketone	ND	ND	500 µg/g	0.0	< 20	Acceptable		
3-Methyl-1-butanol	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Ethylene Glycol	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Toluene	ND	ND	100 µg/g	0.0	< 20	Acceptable		
Isobutyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable		
1-Pentanol	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Butyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable		
Ethylbenzene	ND	ND	200 µg/g	0.0	< 20	Acceptable		
m,p-Xylene	ND	ND	200 µg/g	0.0	< 20	Acceptable		
o-Xylene	ND	ND	200 µg/g	0.0	< 20	Acceptable		
Cumene	ND	ND	30 µg/g	0.0	< 20	Acceptable		
Anisole	ND	ND	500 µg/g	0.0	< 20	Acceptable		
DMSO	ND	ND	500 µg/g	0.0	< 20	Acceptable		
1,2-dimethoxyethane	ND	ND	50 µg/g	0.0	< 20	Acceptable		
Triethylamine	ND	ND	500 µg/g	0.0	< 20	Acceptable		
N,N-dimethylformamide	ND	ND	150 µg/g	0.0	< 20	Acceptable		
N,N-dimethylacetamide	ND	ND	150 µg/g	0.0	< 20	Acceptable		
Pyridine	ND	ND	50 µg/g	0.0	< 20	Acceptable		
Sulfolane	ND	ND	50 µg/g	0.0	< 20	Acceptable		
1,2-Dichloroethane	ND	ND	1 µg/g	0.0	< 20	Acceptable		
Chloroform	ND	ND	1 µg/g	0.0	< 20	Acceptable		
Trichloroethylene	ND	ND	1 µg/g	0.0	< 20	Acceptable		
1,1-Dichloroethane	ND	ND	1 µg/g	0.0	< 20	Acceptable		

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

µg/g - Microgram per gram or ppm



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-004974/D002.R000
Report Date: 05/02/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/25/23 12:26





12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-004974/D002.R000
Report Date: 05/02/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/25/23 12:26

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.