



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-005728/D001.R000
Report Date: 06/03/2024
ORELAP#: OR100028
Purchase Order:
Received: 05/23/24 13:57

Customer: NW Natural Goods
Product identity: HEMP - PR 0080
Client/Metric ID: .
Laboratory ID: 24-005728-0001

Summary

Potency:

Analyte per 4g	Result	Limits	Units	Status	
CBD per 4g	19.2		mg/4g		CBD-Total per Serving Size 19.2 mg/4g
CBG per 4g	10.4		mg/4g		
					Delta-9-THC-Total per <LOQ
					(Reported in milligrams per serving)

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

Analyte	Result (mg/kg)	Limits (mg/kg)	Status
Multi-Residue Pesticide Profile	< LOQ for all analytes		

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-005728/D001.R000
Report Date: 06/03/2024
ORELAP#: OR100028
Purchase Order:
Received: 05/23/24 13:57

Customer: NW Natural Goods

Product identity: HEMP - PR 0080
Client/Metric ID: .
Sample Date:
Laboratory ID: 24-005728-0001
Evidence of Cooling: No
Temp: 18.9 °C
Serving Size #1: 4 g

Sample Results

Potency per 4g	Method: J AOAC 2015 V98-6 (mod) ^b		Units mg/se	Batch: 2404204	Analyze: 5/31/24 6:34:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC-Total per 4g	< LOQ		mg/4g	1.88	
CBD per 4g	19.2		mg/4g	0.123	
CBD-Total per 4g [±]	19.2		mg/4g	0.232	
CBDV-Total per 4g	< LOQ		mg/4g	1.87	
CBG per 4g	10.4		mg/4g	0.123	
CBG-Total per 4g	10.4		mg/4g	0.230	
CBL-Total per 4g	< LOQ		mg/4g	1.88	
Δ10-THC-Total per 4g	< LOQ		mg/4g	2.00	
Δ9-THC-Total per 4g	< LOQ		mg/4g	1.88	
Δ9-THCV-Total per 4g	< LOQ		mg/4g	1.87	
Total Cannabinoids per 4g	29.6		mg/4g		

Microbiology							
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status Notes
E.coli	< LOQ		cfu/g	10	2404003	05/26/24 AOAC 991.14 (Petrifilm)	
Total Coliforms	< LOQ		cfu/g	10	2404003	05/26/24 AOAC 991.14 (Petrifilm)	
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2404004	05/27/24 AOAC 2014.05 (RAPID)	
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2404004	05/27/24 AOAC 2014.05 (RAPID)	



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-005728/D001.R000
Report Date: 06/03/2024
ORELAP#: OR100028
Purchase Order:
Received: 05/23/24 13:57

Solvents											
Method: Residual Solvents by HS-GC-MS [Ⓟ] Units µg/g Batch 2404061 Analyze 05/28/24 12:14 PM											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane [⊥]	< LOQ	380	100	pass		2-Butanol [⊥]	< LOQ	5000	200	pass	
2-Ethoxyethanol [⊥]	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane) [⊥]	< LOQ		200		
2-Methylpentane [⊥]	< LOQ		30.0			2-Propanol (IPA) [⊥]	< LOQ	5000	200	pass	
2,2-Dimethylbutane [⊥]	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane) [⊥]	< LOQ		200		
2,3-Dimethylbutane [⊥]	< LOQ		30.0			3-Methylpentane [⊥]	< LOQ		30.0		
Acetone [⊥]	< LOQ	5000	200	pass		Acetonitrile [⊥]	< LOQ	410	100	pass	
Benzene [⊥]	< LOQ	2.00	1.00	pass		Butanes (sum) [⊥]	< LOQ	5000	400	pass	
Cyclohexane [⊥]	< LOQ	3880	200	pass		Ethyl acetate [⊥]	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether [⊥]	< LOQ	5000	200	pass	
Ethylene glycol [⊥]	< LOQ	620	200	pass		Ethylene oxide [⊥]	< LOQ	50.0	20.0	pass	
Hexanes (sum) [⊥]	< LOQ	290	150	pass		Isopropyl acetate [⊥]	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene) [⊥]	< LOQ	70.0	30.0	pass		m,p-Xylene [⊥]	< LOQ		200		
Methanol [⊥]	< LOQ	3000	200	pass		Methylene chloride [⊥]	< LOQ	600	60.0	pass	
Methylpropane (Isobutane) [⊥]	< LOQ		200			n-Butane [⊥]	< LOQ		200		
n-Heptane [⊥]	< LOQ	5000	200	pass		n-Hexane [⊥]	< LOQ		30.0		
n-Pentane [⊥]	< LOQ		200			o-Xylene [⊥]	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane [⊥]	< LOQ	5000	200	pass	
Tetrahydrofuran [⊥]	< LOQ	720	100	pass		Toluene [⊥]	< LOQ	890	100	pass	
Total Xylenes [⊥]	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Pesticides					
Method: AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2404138 Analyze 05/31/24 08:22 AM					
Analyte	Result	Limits	Status	Notes	
Multi-Residue Pesticide Profile	< LOQ for all analytes				

Metals									
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes	
Arsenic [⊥]	< LOQ	0.200	mg/kg	0.0174	2404032	05/24/24 AOAC 2013.06 (mod.) [Ⓟ]	pass		
Cadmium [⊥]	< LOQ	0.200	mg/kg	0.0174	2404032	05/24/24 AOAC 2013.06 (mod.) [Ⓟ]	pass		
Lead [⊥]	< LOQ	0.500	mg/kg	0.0174	2404032	05/24/24 AOAC 2013.06 (mod.) [Ⓟ]	pass		
Mercury [⊥]	< LOQ	0.100	mg/kg	0.00871	2404032	05/24/24 AOAC 2013.06 (mod.) [Ⓟ]	pass		

Nutrition									
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes	
Water Activity	0.665		Aw	0.030	2404022	05/24/24 AOAC 978.18			



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-005728/D001.R000
Report Date: 06/03/2024
ORELAP#: OR100028
Purchase Order:
Received: 05/23/24 13:57

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓟ = ISO/IEC 17025:2017 accredited method.

Ⓡ = TNI accredited analyte.

Units of Measure

cfu/g = Colony forming units per gram

g = Gram

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/4g = Milligram per 4g

% = Percentage of sample

A_w = Water Activity

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-005728/D001.R000
Report Date: 06/03/2024
ORELAP#: OR100028
Purchase Order:
Received: 05/23/24 13:57



Hemp & Cannabis
Chain of Custody

NW-Natural-Goods-
1716421273

ORELAP ID: OR1000028 ANAB ISO 17025 ID: AT1608

Company Details					Testing											
Company: <u>NW Natural Goods</u> [Redacted] [Redacted] [Redacted] [Redacted] [Redacted] [Redacted]					Project Details Turnaround Time: <u>5 Business Days Req. For Micro Testing Standard</u> Relinquishment Sampling, Courier & Shipping Options: <u>Pick-Up Courier Service</u> Compliance: <u>Compliance</u> Project Name / ID: <u>HEMP - PR0080</u> Cannabis Type (select if applicable): <u>Industrial</u> Pick-Up Details Pick-Up Location Name: <u>NW Natural Goods</u> [Redacted] [Redacted] [Redacted]					H0008 - Residual Solvents (Cannabis - Oregon)	H0013 - Cannabis Heavy Metals Profile OR	N360 - Water Activity	M283 - R4P1D Yeast and Mold Count (RYM) Petri Im	M076 - E. coli/Coliform Count (EC) Petri Im	H0010 - Potency Cannabis (Basic+Expanded)	P2320 - Multi-Residue Pesticide Profile (Cannabis)
Receipt Information Pre-Log Storage: <u>Canna Shelves</u> Sample Condition: <u>Satisfactory</u>																
#	Sample Name	Material	Amount Provided	Reporting Unit	Serving Size											
1	HEMP - PR0080	Cannabinoid Edible	20 each	mg/g & mg/serving	4g	✓	✓	✓	✓	✓	✓					

Relinquished By	Date	Time	Temp., °C	Received By	Date	Time	Received Temp., °C	Evidence of Cooling?
Todd Norberg	05/22/2024	16:41	Temp., °C	BR	05/23/2024	10:22	25.00	No
BR	05/23/2024	12:00	18.90	det	05/23/2024	13:57	18.90	No

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of services](#) associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories
12423 NE Whitaker Way
Portland, OR 97230

P: (503) 254-1794
info@columbialaboratories.com

Page 1 of 1
www.columbialaboratories.com



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-005728/D001.R000
Report Date: 06/03/2024
ORELAP#: OR100028
Purchase Order:
Received: 05/23/24 13:57

Revision: 2 Document ID: 7087
Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents				Batch ID: 2404061					
Method Blank				Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Propane	ND	< 200		562	584	µg/g	96.2	60 - 120	
Isobutane	ND	< 200		704	767	µg/g	91.8	60 - 120	
Butane	ND	< 200		714	782	µg/g	91.3	60 - 120	
2,2-Dimethylpropane	ND	< 200		866	939	µg/g	92.2	60 - 120	
Methanol	ND	< 200		1410	1600	µg/g	88.1	60 - 120	
Ethylene Oxide	ND	< 30		53.6	57.1	µg/g	93.9	60 - 120	
2-Methylbutane	ND	< 200		1440	1600	µg/g	90.0	60 - 120	
Pentane	ND	< 200		1450	1610	µg/g	90.1	60 - 120	
Ethanol	ND	< 200		1440	1600	µg/g	90.0	70 - 130	
Ethyl Ether	ND	< 200		1430	1600	µg/g	89.4	60 - 120	
2,2-Dimethylbutane	ND	< 30		146	162	µg/g	90.1	60 - 120	
Acetone	ND	< 200		1430	1600	µg/g	89.4	60 - 120	
2-Propanol	ND	< 200		1450	1600	µg/g	90.6	60 - 120	
Ethyl Formate	ND	< 500		1340	1630	µg/g	82.2	70 - 130	
Acetonitrile	ND	< 100		429	487	µg/g	88.1	60 - 120	
Methyl Acetate	ND	< 500		1480	1610	µg/g	91.9	70 - 130	
2,3-Dimethylbutane	ND	< 30		135	161	µg/g	83.9	60 - 120	
Dichloromethane	ND	< 60		419	483	µg/g	86.7	60 - 120	
2-Methylpentane	ND	< 30		136	164	µg/g	82.9	60 - 120	
MTBE	ND	< 500		1490	1610	µg/g	92.5	70 - 130	
3-Methylpentane	ND	< 30		137	160	µg/g	85.6	60 - 120	
Hexane	ND	< 30		146	171	µg/g	85.4	60 - 120	
1-Propanol	ND	< 500		1550	1610	µg/g	96.3	70 - 130	
Methylethylketone	ND	< 500		1520	1610	µg/g	94.4	70 - 130	
Ethyl acetate	ND	< 200		1460	1620	µg/g	90.1	60 - 120	
2-Butanol	ND	< 200		1450	1600	µg/g	90.6	60 - 120	
Tetrahydrofuran	ND	< 100		428	481	µg/g	89.0	60 - 120	
Cyclohexane	ND	< 200		1430	1610	µg/g	88.8	60 - 120	
2-methyl-1-propanol	ND	< 500		1570	1610	µg/g	97.5	70 - 130	
Benzene	ND	< 1		4.62	5.17	µg/g	89.4	60 - 120	
Isopropyl Acetate	ND	< 200		1440	1600	µg/g	90.0	60 - 120	
Heptane	ND	< 200		1440	1620	µg/g	88.9	60 - 120	
1-Butanol	ND	< 500		1590	1610	µg/g	98.8	70 - 130	
Propyl Acetate	ND	< 500		1600	1610	µg/g	99.4	70 - 130	
1,4-Dioxane	ND	< 100		432	497	µg/g	86.9	60 - 120	
2-Ethoxyethanol	ND	< 30		134	160	µg/g	83.8	60 - 120	
Methylisobutylketone	ND	< 500		1610	1620	µg/g	99.4	70 - 130	
3-Methyl-1-butanol	ND	< 500		1660	1610	µg/g	103.1	70 - 130	
Ethylene Glycol	ND	< 200		415	483	µg/g	85.9	60 - 120	
Toluene	ND	< 100		423	482	µg/g	87.8	60 - 120	
Isobutyl Acetate	ND	< 500		1600	1620	µg/g	98.8	70 - 130	
1-Pentanol	ND	< 500		1650	1610	µg/g	102.5	70 - 130	
Butyl Acetate	ND	< 500		1710	1650	µg/g	103.6	70 - 130	
Ethylbenzene	ND	< 200		821	970	µg/g	84.6	60 - 120	
m,p-Xylene	ND	< 200		817	963	µg/g	84.8	60 - 120	
o-Xylene	ND	< 200		769	961	µg/g	80.0	60 - 120	
Cumene	ND	< 30		126	164	µg/g	76.8	60 - 120	
Anisole	ND	< 500		1580	1610	µg/g	98.1	70 - 130	
DMSO	ND	< 500		1400	1610	µg/g	87.0	70 - 130	
1,2-dimethoxyethane	ND	< 50		164	170	µg/g	96.5	70 - 130	
Triethylamine	ND	< 500		1160	1620	µg/g	71.6	70 - 130	
N,N-dimethylformamide	ND	< 150		529	499	µg/g	106.0	70 - 130	
N,N-dimethylacetamide	ND	< 150		479	489	µg/g	98.0	70 - 130	
Pyridine	ND	< 50		153	167	µg/g	91.6	70 - 130	
Sulfolane	ND	< 50		168	169	µg/g	99.4	70 - 130	
1,2-Dichloroethane	ND	< 1		0.888	1	µg/g	88.8	70 - 130	
Chloroform	ND	< 1		0.951	1	µg/g	95.1	70 - 130	
Trichloroethylene	ND	< 1		0.929	1	µg/g	92.9	70 - 130	
1,1-Dichloroethane	ND	< 1		0.999	1	µg/g	99.9	70 - 130	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-005728/D001.R000
Report Date: 06/03/2024
ORELAP#: OR100028
Purchase Order:
Received: 05/23/24 13:57

Revision: 2 Document ID: 7087
Legacy ID: CFL-E33Effective:

QC - Sample Duplicate

Sample ID: 24-005705-0001

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Methylethylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Sulfolane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,1-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

µg/g- Microgram per gram or ppm



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-005728/D001.R000
Report Date: 06/03/2024
ORELAP#: OR100028
Purchase Order:
Received: 05/23/24 13:57

Revision: 4 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 Batch ID: 2404204

Laboratory Control Sample										
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes	
CBDVA	2	0.0281	0.0278	%	101	80.0	- 120	Acceptable		
CBDV	2	0.0318	0.0323	%	98.3	80.0	- 120	Acceptable		
CBE	2	0.0294	0.0318	%	92.4	80.0	- 120	Acceptable		
CBDA	1	0.0288	0.0300	%	96.2	90.0	- 110	Acceptable		
CBGA	1	0.0289	0.0297	%	97.4	80.0	- 120	Acceptable		
CBG	1	0.0267	0.0292	%	91.5	80.0	- 120	Acceptable		
CBD	1	0.0286	0.0316	%	90.4	90.0	- 110	Acceptable		
THCV	2	0.0310	0.0324	%	95.7	80.0	- 120	Acceptable		
d8THCV	2	0.0299	0.0314	%	95.3	80.0	- 120	Acceptable		
THCVA	2	0.0304	0.0303	%	101	80.0	- 120	Acceptable		
CBN	1	0.0290	0.0297	%	97.4	80.0	- 120	Acceptable		
exo-THC	2	0.0303	0.0313	%	96.7	80.0	- 120	Acceptable		
d9THC	1	0.0307	0.0315	%	97.4	90.0	- 110	Acceptable		
d8THC	1	0.0297	0.0308	%	96.4	90.0	- 110	Acceptable		
9S-d10THC	1	0.0298	0.0309	%	96.3	80.0	- 120	Acceptable		
CBL	2	0.0273	0.0283	%	96.4	80.0	- 120	Acceptable		
9R-d10THC	1	0.0285	0.0331	%	86.1	80.0	- 120	Acceptable		
CBC	2	0.0293	0.0303	%	96.7	80.0	- 120	Acceptable		
THCA	1	0.0308	0.0297	%	104	90.0	- 110	Acceptable		
CBCA	2	0.0303	0.0312	%	97.0	80.0	- 120	Acceptable		
CBLA	2	0.0316	0.0318	%	99.3	80.0	- 120	Acceptable		
d9THCP	2	0.0291	0.0309	%	94.2	80.0	- 120	Acceptable		
CBT	2	0.0292	0.0316	%	92.4	80.0	- 120	Acceptable		

Method Blank							
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes	
CBDVA	<LOQ	0.00316	%	< 0.00316	Acceptable		
CBDV	<LOQ	0.00316	%	< 0.00316	Acceptable		
CBE	<LOQ	0.00316	%	< 0.00316	Acceptable		
CBDA	<LOQ	0.00316	%	< 0.00316	Acceptable		
CBGA	<LOQ	0.00316	%	< 0.00316	Acceptable		
CBG	<LOQ	0.00316	%	< 0.00316	Acceptable		
CBD	<LOQ	0.00316	%	< 0.00316	Acceptable		
THCV	<LOQ	0.00316	%	< 0.00316	Acceptable		
d8THCV	<LOQ	0.00316	%	< 0.00316	Acceptable		
THCVA	<LOQ	0.00316	%	< 0.00316	Acceptable		
CBN	<LOQ	0.00316	%	< 0.00316	Acceptable		
exo-THC	<LOQ	0.00316	%	< 0.00316	Acceptable		
d9THC	<LOQ	0.00316	%	< 0.00316	Acceptable		
d8THC	<LOQ	0.00316	%	< 0.00316	Acceptable		
9S-d10THC	<LOQ	0.00316	%	< 0.00316	Acceptable		
CBL	<LOQ	0.00316	%	< 0.00316	Acceptable		
9R-d10THC	<LOQ	0.00316	%	< 0.00316	Acceptable		
CBC	<LOQ	0.00316	%	< 0.00316	Acceptable		
THCA	<LOQ	0.00316	%	< 0.00316	Acceptable		
CBCA	<LOQ	0.00316	%	< 0.00316	Acceptable		
CBLA	<LOQ	0.00316	%	< 0.00316	Acceptable		
d9THCP	<LOQ	0.00316	%	< 0.00316	Acceptable		
CBT	<LOQ	0.00316	%	< 0.00316	Acceptable		

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-005728/D001.R000
Report Date: 06/03/2024
ORELAP#: OR100028
Purchase Order:
Received: 05/23/24 13:57

Revision: 4 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

AOAC 2015 V98-6		Batch ID: 2404204						
Sample Duplicate		Sample ID: 24-005898-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
CBD	0.511	0.511	0.00326	%	0.0368	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
d9THC	0.0246	0.0246	0.00326	%	0.167	< 20	Acceptable	
d8THC	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
CBC	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.00326	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-005728/D001.R000
Report Date: 06/03/2024
ORELAP#: OR100028
Purchase Order:
Received: 05/23/24 13:57





Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.